

PM 92

67702-6

4-28-98

10/4



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Biopesticides and Pollution Prevention Division  
(7501W) 401 M St., S.W.  
Washington, D.C. 20460

EPA Reg.  
Number:

67702-6

Date of Issuance:

APR 28 1998

## NOTICE OF PESTICIDE:

☒ Registration  
☐ Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

NEU1161 RTU

Name and Address of Registrant (include ZIP Code):

W. Neudorff GmbH KG  
c/o Walter G. Talarek  
1008 Riva Ridge Drive  
Great Falls, VA 22066

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec.3(c)(7)(A) provided you:

1. Submit acceptable response(s) required for reregistration of your product under FIFRA section 4. This includes any required data and/or data citation to support pyrethrins. (Please note that a pyrethrin reregistration eligibility decision, RED, document has not been issued at this time.)

2. Change the label by revising the EPA Registration Number to read, "EPA Reg. No. 67702-6"

3. Submit five copies of the revised final printed label for the record.

Signature of Approving Official:


*[Signature]* for J.A.

Date:

4/28/98

204

# NEU1161 RTU



Active Ingredient	By Wt.
Pyrethrins .....	0.01%
Canola Oil .....	1.00%
Inert Ingredients .....	98.99%
Total .....	100.00%

This product contains 0.0824 lbs. of canola oil and 0.0008 lbs. of pyrethrins per gallon.

KEEP OUT OF REACH OF CHILDREN

## CAUTION

### FIRST AID

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

NET CONTENTS: fluid ounces

EPA Registration #: 67702-A  
Patent Pending

EPA Establishment # 67702-WG-1

### PRECAUTIONARY STATEMENTS

**Hazards to Humans and Domestic Animals:** Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling

**Environmental Hazards:** This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

**Physical or Chemical Hazards:** Combustible. Do not use or store near heat or open flame.

304

# **STORAGE AND DISPOSAL**

**STORAGE:** Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals.

**DISPOSAL:** Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Please read entire label. Use only as directed. Shake well before each use. Thoroughly wet all parts of the pests and plants. Repeat treatment in 1-2 weeks if needed. May be used on edible crops up to and including day of harvest.

# **PESTS/SITES AND APPLICATION INSTRUCTIONS**

NEU1161 RTU will control insect pests such as: aphids, beetles (e.g., Colorado potato beetle, flea beetle, Japanese beetle, asparagus beetle), caterpillars (e.g., gypsy moth caterpillars, tent caterpillar, diamondback moth larvae, leafrollers), ants, mealybugs, mites, leafhoppers, scale, thrips, fungus gnats, whitefly, adelgids, plant bugs, sawfly larvae, psyllids, spittlebugs, and phylloxera.

For use indoors, outdoors and in greenhouses on fruit and nut trees (e.g., apples, cherries, peaches, pears, nuts); flowering, foliage and bedding plants; corn; soybeans; melons; tomatoes; vegetables (e.g., beans, cabbage, cucurbits, peas, potatoes); figs; small fruits (e.g., grapes, strawberry, raspberry); citrus; ornamental and shade trees (e.g., birch, evergreens, holly, oak); houseplants.

# **DIRECTIONS FOR DORMANT USE**

Controls egg stages of pests present in dormant season and scale insects, mites and mealybugs on dormant shrubs (e.g., roses), evergreens, woody plants, fruit trees and shade trees. Thoroughly wet the dormant plants or trees.

# **USE PRECAUTIONS**

Oil removes the glaucous (blue) bloom from such evergreens as Colorado blue spruce and Koster spruce. Use caution on blooms and buds and on oil sensitive plants such as: Chamaecyparis, Cryptomeria, Japanese Holly, Red Cedar and Smoke Tree. If concerned about sensitivity of plants, test spray a portion of the plant and wait several days to determine if burn occurs before spraying larger areas.

Do not combine with sulfur and do not follow a previous application of sulfur or apply sulfur following an application of this material until sufficient time has

4074

elapsed for safety (at least 30 days). When used in combination with or immediately before or after spraying, this product may increase the phytotoxicity of dinitro compounds, or fungicides such as Captan, Folpet, Karathene and Morestan, or copper compounds. If in doubt, treat a small area with a combination spray and wait several days to determine if burn occurs.

Do not use NEU1161 RTU spray when temperatures are above 90°F. When temperatures drop below 32°F during the night, do not spray tree and vine crops until daytime temperatures have warmed to a point above 35°F and crops are free from moisture due to melting frost or heavy dews.

Use of the NEU1161 RTU on citrus after October 1 may increase the tree's susceptibility to cold damage.

### NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. Buyer assumes all risk of any such use. Seller makes no other warranties, either expressed or implied.

Marketing claims and product information that may be presented on the container or supplemental labeling:

- Dormant and growing season insect spray for control of adelgids, aphids, armored scale, beetle larvae, cankerworms, caterpillars, fungus gnats, lace bugs, leafhoppers, leafminers, leafrollers, mealybugs, mites, plant bugs, psyllids, scale insects, spider mites, thrips, webworms and whiteflies.
- Does not contain piperonyl butoxide [butyl-carbityl (6-propylpiperonyl) ether].
- Provides broad spectrum control.
- Patent pending formulation.
- Kills all stages of insects, including eggs.
- Based on plant oils.
- Residual protection against mites.
- Does not persist in the environment.
- Contact insecticide, ovicide.
- Insecticide from plants for plants.
- Acts as a repellent (ovipositional and feeding deterrent)

Registrant: W. Neudorff GmbH KG, Postfach 1209, an der Mühle 3,  
D-31860 Emmerthal, Germany