05/28/2009



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Walter G. Talarek Product Registration W, Neudorff GrnbH KG 1008 Riva Ridge Drive Great Falls, VA 22066-1620 MAY 2 8 2009

SUBJECT: Application for Pesticide Notification (PRN 98-10) Request General Label Changes, Directions for Use and Marketing Statements EPA Reg. No. 67702-15 Application Dated April 17, 2009

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 04/17/09 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

-

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

lesse read instructions on n	everse before completin	na form.	Form	Annowed	OMB No. 2	070-0080	Print Form 2
\$-EPA	Uni Environmental	ted States		×	Registr Amend Other	ation	OPP Identifier Number
	A	pplication for	Pesticide - S	Section	I		
. Company/Product Number 7702-15			2. EPA Product Mary Waller	Manager		3. Pr	oposed Classification
Company/Product (Name) Sulfur/Pyrethrins Fungici	de/Insecticide RTU		PM# 21				None Restricted
Name and Address of App W. Neudorff GmbH KG c/o Walter G. Talarek PC Great Falls, VA 220066-10 Check if this	1008 Riva Ridge Driv		(b)(i), my prod to:	luct is sin	nilar or ide n M(-
	_	Se	ction - II				
X Notification - Explain Xplanation: Use addition	ai page(s) if necessary.	. (For section I and S	Other	oo" Applic - Explain b	elow.		
	sions to product's lab ormulations, for a full	-				-	
lotifications and Minor F	ormulations, for a ful	l explanation of the				-	
Iotifications and Minor F . Material This Product Will Child-Resistant Packaging Yes* No Certification must	ormulations, for a ful	Verteen No. per	e notification and ction - III r Soluble Packagi Yes No es" No	d the certi	fication req	f Container Metal Plastic Glass Paper	PR Notice 98-10.
Autorial This Product Will Material This Product Will Child-Resistant Packaging Yes* No Certification must be submitted . Location of Net Contents	ormulations, for a full Be Packaged In: Unit Packaging Yes No Hf "Yes" Unit Packaging wgt.	Verteen No. per	e notification and ction - III r Soluble Packagi Yes No es" No age wgt cor	d the certii	2. Type o	f Container Metal Plastic Glass Paper Other (S abel Direction	PR Notice 98-10.
Interial This Product Will Inderial This Product Will Inderit Will This Product Will <t< td=""><td>ormulations, for a full Be Packaged In: Unit Packaging Yes No H "Yes" Unit Packaging wgt. Information Container</td><td>Vo. per container 4. Size(s) Retail Cont Lithograph Paper glued Stenciled</td><td>e notification and ction - III Fr Soluble Packagin Yes No es" No es" No es" No es" Con age wgt Con ainer</td><td>d the certii</td><td>2. Type o</td><td>f Container Metal Plastic Glass Paper Other (S abel Direction</td><td>PR Notice 98-10.</td></t<>	ormulations, for a full Be Packaged In: Unit Packaging Yes No H "Yes" Unit Packaging wgt. Information Container	Vo. per container 4. Size(s) Retail Cont Lithograph Paper glued Stenciled	e notification and ction - III Fr Soluble Packagin Yes No es" No es" No es" No es" Con age wgt Con ainer	d the certii	2. Type o	f Container Metal Plastic Glass Paper Other (S abel Direction	PR Notice 98-10.
Material This Product Will Material This Product Will hild-Resistant Packaging Yes* No Certification must e submitted Label Contents Manner in Which Label is	ormulations, for a full	A. Size(s) Retail Cont Lithograph Paper glued Stenciled Sec	e notification and ction - III r Soluble Packagin Yes No es" No age wgt con l ainer	ng . per ntainer Other	2. Type o	f Container Metal Plastic Glass Paper Other (3 abel Directiel el oling accon	PR Notice 98-10.
Interial This Product Will Material This Product Will hild-Resistant Packaging Yes* No Certification must submitted Location of Net Contents Label C Manner in Which Label is . Contact Point <i>(Complete ame)</i>	ormulations, for a full	l explanation of the Sec Wata No. per container If "Yo Pack 4. Size(s) Retail Cont Lithograph Paper glued Stenciled Sec r identification of ind	e notification and ction - III r Soluble Packagin Yes No es" No age wgt con l ainer	ng . per ntainer Other	2. Type o	f Container f Container Metal Plastic Glass Paper Other (S abel Directivel el el el el el roccess this	PR Notice 98-10. Specify1 ons npenying product s application./ The No. (Include Area Code)
Notifications and Minor F Material This Product Will Child-Resistant Packaging Yes" No Certification must be submitted Label C Label C Manner in Which Label is Manner in Which Label is Manner G. Talarek	ormulations, for a full Be Packaged In: Unit Packaging Yes No H "Yes" Unit Packaging wgt. Information Affixed to Product Items directly below for ments I have made on t ny knowingly false or mi	A size(s) Retail Cont Lithograph Paper glued Stenciled Sec Vate I and the state r identification of inde Certification this form and ell attace isleading statement m 3. Title	e notification and ction - III rr Soluble Peckegi Yes No es" No es" No es" No es" No corr co	Detred, if new	2. Type o	f Container Metal Plastic Glass Paper Other (3 shel Directie el eling accon process this Telephon 703-755	PR Notice 98-10. Specify1 ons npenying product s application./ The No. (Include Area Code)

PA For	m 8570-1	(Rev.	8-94)	Previous	oditions	are o	obsolete.

NOTIFICATION 3/8 MAY 2 8 2009

SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE RTU

ACTIVE INGREDIENTS:	
Sulfur	0.20%
Pyrethrins	0.01%
OTHER INGREDIENTS:	<u>99.79%</u>
TOTAL: 1	00.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA REG. NO. 67702-15

EPA EST. 67702-DEU-1

	FIRST AID
IF IN EYES	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. -Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. -Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	-Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes. -Call a poison control center or doctor for treatment advice.
going for treatment.	tainer or label with you when calling a poison control center or doctor or For additional information on this pesticide product, you may call the formation Center at 1-800-858-7378 for emergency medical treatment

NET CONTENTS: 8 fl oz., 16 fl. oz., 24 fl. oz., 32 fl. oz., 40 fl. oz. 1 gallon

PRECAUTIONARY STATEMENTS

information.

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Avoid contact with eyes. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

[Subregistrants may choose one of the following formats:]

Before You Use:	Use Precautions:
	-Do not use if temperatures are expected to be
	over 90°F.
	-Do not spray Éblants with
	SULFUR/PYRETHRINS
	FUNGICIDE/INSECTICIDE RTU within 21 days
	of an oil spray.

....

.

	-Some varieties of grapes and cucurbits are sensitive to sulfur and some plant damage may occur. -Use care or do not spray on sulfur sensitive plants. If not sure, test spray a few leaves 2 days before spraying the entire plant. -Do not apply to strawberry fruit that will be used for canning. -Shake well before using -Do not dilute FOR CONTROL OF FUNGAL DISEASES:
How to Use	FOR CONTROL OF FUNGAL DISEASES: Controls a wide range of fungal diseases including: blackspot, powdery mildew, rust, scab, blight, brown rot and leaf spot. Thoroughly spray all areas of the plant, especially new shoots. For best control apply as a protective spray early in the season before the diseases are noticed. Re-spray every 7 to 10 days or after rain. May be used up to day before harvest.
	FOR CONTROL OF INSECTS/MITES: Controls a wide range of pests including: aphids, mites, spider mites, leafhoppers, caterpillars, roseslugs, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, fruit flies, chiggers and earwigs. Thoroughly spray all areas of the plant, especially new shoots and underside of leaves. Pests need to be contacted by the spray to be controlled.
For use only on home lawns and gardens. No	ot for use on agricultural establishments growing

• • •

•

ک ه....

For use only on home lawns and gardens. Not for use on agricultural establishments growing agricultural crops or commodities for resale

USE SITE - INDOOR, OUTDOOR AND GREENHOUSE	PEST	DISEASE
FRUIT AND NUT TREES such as: almond, apple, cherry, citrus, filbert, nectarine, peach, pear, plum, prune, walnut	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	scab, powdery mildew, rust, blight, brown rot
VEGETABLE AND VINE PLANTS such as: beans, beets, blackberries, blueberries, broccoli, brussel sprouts, cabbage, carrots, cauliflower, corn, curcurbits (cucumber, melons, pumpkins and squash), currant, gooseberries, grapes, kale, onions, peas, peppers, potatoes, raspberries, strawberries, tomatoes	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	powdery mildew, rust, blight, leaf spots
ORNAMENTALS such as: flowering plants and shrubs, woody ornamentals, roses, trees and	aphids, mites, spider mites, leafhoppers, caterpillars, roseslugs,	hildew; rust,
		();; ();; ();; (); (); (); (); (); (); (

4/8

houseplants	whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, earwigs	blackspot, leaf spots
LAWNS	aphids, mites, spider mites, leafhoppers, caterpillars, spittlebugs, thrips, chiggers, earwigs	rust, leaf spot, blight, powdery mildew

OR

.

Shake well before using. Do not dilute.

FOR CONTROL OF FUNGAL DISEASES:

Controls a wide range of fungal diseases including: blackspot, powdery mildew, rust, scab, blight, brown rot and leaf spot. Thoroughly spray all areas of the plant, especially new shoots. For best control apply as a protective spray early in the season before the diseases are noticed. Re-spray every 7 to 10 days or after rain. May be used up to day before harvest.

FOR CONTROL OF INSECTS/MITES:

Controls a wide range of pests including: aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, fruit flies and earwigs. Thoroughly spray all areas of the plant, especially new shoots and underside of leaves. Pests need to be contacted by the spray to be controlled.

USE SITE - INDOOR, OUTDOOR AND GREENHOUSE	PEST	DISEASE
FRUIT AND NUT TREES such as: almond, apple, cherry, citrus, filbert, nectarine, peach, pear, plum, prune, walnut	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	scab, powdery mildew, rust, blight, brown rot
VEGETABLE AND VINE PLANTS such as: beans, beets, blackberries, blueberries, broccoli, brussel sprouts, cabbage, carrots, cauliflower, corn, curcurbits (cucumber, melons, pumpkins and squash), currant, gooseberries, grapes, kale, onions, peas, peppers, potatoes, raspberries, strawberries, tomatoes	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	powdery mildew, rust, blight, leaf spots
ORNAMENTALS such as:	aphids, mites, spider	powdery
flowering plants and shrubs, woody ornamentals, roses, trees and houseplants	mites, leafhoppers, caterpillars, roseslugs, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, earwigs	mildew, rust, blight, blackspot. leaf spots
LAWNS	aphids, mites, spider mites, leafhoppers,	rust, leaf spot blight,
	12000 Carlos Car	• • • • • • • •

5/8

caterpillars, spittlebugs,	powdery
thrips, chiggers, earwigs	mildew

For use only on home lawns and gardens. Not for use on agricultural establishments growing agricultural crops or commodities for resale.

USE PRECAUTIONS:

-Do not use if temperatures are expected to be over 90°F.

-Do not spray plants with SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE RTU within 21 days of an oil spray.

-Some varieties of grapes and cucurbits are sensitive to sulfur and some plant damage may occur.

-Use care or do not spray on sulfur sensitive plants. If not sure, test spray a few leaves 2 days before spraying the entire plant.

-Do not apply to strawberry fruit that will be used for canning.

STORAGE AND DISPOSAL

Store at room temperature and protect from freezing.

CONTAINER DISPOSAL:

If empty: Nonrefillable. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

BATCH CODE:

OPTIONAL STATEMENTS: [These statements may or may not be used on the product's label.] -3 IN 1

-(This product) Controls a wide range of fungal diseases and pests.

-Controls insects and diseases on listed fruit, vegetables and ornamentals

-Controls diseases, insects and mites

-Controls insects, diseases and mites, including spider mites

-Insecticide/Fungicide/Miticide

-Rose Fungicide, Insecticide and Miticide

-Protective rose spray

-Controls rose black spot

-Controls black spot, powdery mildew and rust

-Controls black spot, powdery mildew, rust, aphids and mites

-Controls a wide range of rose diseases

-Controls aphids and mites

-Controls rose and ornamental diseases

-Prevents leaf loss caused by black spot and rust

-Fungicide and Insecticide

-Contact killer for both insect and mite pests

-Controls Aphids, Mites, Caterpillars and other insect pests

-Kills Fungus, Insects & Mites

-Insect Killer

-Fungus Killer

-(Spider) Mite Killer

-For use on: roses, flowers, houseplants, ornamental trees and shrubs, fruits, nuts and vegetables

.

сu

-For roses, vegetables & ornamentals.

-For use on plants- indoors & outdoors.

-For household home garden use.

-Use up to day before harvest

-May be used up to day before harvest

-Ideal for controlling rose diseases.

-Sulfur fungicides are widely regarded as providing effective control of several major diseases. -SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE RTU can be used on inside plants. 6/8

-Proper plant nutrition, and removing dead or damaged leaves will also reduce disease and insect problems.

-Wet weather promotes plant diseases.

-SATISFACTION GUARANTEED.

-Can be used in vegetable gardens.

-Can be used on roses, vegetables, fruits and ornamentals.

-Read Entire Container Label Before Using This Product.

-Read the Label First!

-Quick Facts:

-Kills: Aphids, mites, spider mites, leafhoppers, caterpillars, rose slugs, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, fruit flies, chiggers and earwigs. -Fungal diseases controlled: blackspot, powdery mildew, rust, scab, blight, brown rot and leaf spot.

-Where to Use: On roses, flowers, listed fruit and nut trees, vegetables, vine plants, ornamentals and lawns.

-When to Use: When insects, insect damage, or disease first appears.

-Convenient. Easy-to-use. Requires no mixing.

-For emergency medical information call 1-XXX-XXX-XXXX

-For questions or comments, call toll free 1-XXX-XXX-XXXX

-Questions, comments (or medical information) X-XXX-XXX-XXXX

-© 20XX Licensed (insert company name). World rights reserved.

-Manufactured. Distributed by: (insert company name)

-Made in/Produced in: _____(from US and imported products/parts)

-See back (booklet) label for first aid

-This container is made with a minimum X% recycled material

[when The Scotts Company uses the brand name Ecosense when selling or distributing this product, it must place an asterisk after the brand name and, in close proximity to the brand name, place the statement ' not intended to imply environmental safety either alone or compared to other products']

[The registrant may use one or more of these optional statements, either]:

NOTICE TO BUYER

To the extent consistent with applicable law, seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated on this label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. To the extent consistent with applicable law, seller makes no other warranties, either express or implied.

OR

Buyer assumes all responsibility for safety and use not in accordance with directions.

OR

[The] (Insert Company name) Guarantee- If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

.

.

OR

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Registrant: W. Neudorff GmbH KG, An der Mühle 3, D-31860 Emmerthal, Germany

Optional Statements:

[Supplemental distributors will use one of these two statements, either:]

-Sold under a license of "W. Neudorff GmbH KG, Germany" OR -Manufactured under [a] license of "W. Neudorff GmbH KG[, Germany]"



.

.

NOTIFICATION

MAY 28 2009

