

67702-15

2/23/2011

1 of 9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

W. Neudorff GmbH KG
% Walter G. Talarek
1008 Riva Ridge Drive
Great Falls, VA 22066-1620

FEB 23 2011

Subject: Sulfur/Pyrethrins Fungicide/Insecticide RTU
EPA Reg. No. 67702-15
Your amendment dated February 4, 2011
EPA Decision Number 442829

Dear Mr. Talarek:

The revised amended label referred to above, submitted February 4, 2011 in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act as amended is acceptable provided the following changes are made:

1. On page 2 in the table box VEGETABLES AND VINE PLANTS change "curcurbits" to "cucurbits"
2. On page 3 in the table box VEGETABLES AND VINE PLANTS change "curcurbits" to "cucurbits"
3. *Note:* On page 6 one of the optional statements is "Insert company website". Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance. As an alternative, you may refer consumers to the company's phone number or e:mail address.

One copy of the label stamped "Accepted with comments" is enclosed for your records. This label supersedes all labels previously accepted for this product. Please submit one copy of the final printed label that incorporates the required changes before the product is released for shipment.

2049

EPA Reg. No. 67702-15
Sulfur/Pyrethrins Fungicide/Insecticide RTU
Page 2 of 2

If you have any questions, please contact Robert Westin by phone at (703) 305-5721 or via email at westin.robert@epa.gov.

Sincerely,



Mary L. Waller
Product Manager (21)
Fungicide Branch
Registration Division (7504P)

Enclosure

SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE RTU

ACTIVE INGREDIENTS:
 Sulfur 0.20%
 Pyrethrins 0.01%
 OTHER INGREDIENTS: 99.79%
 TOTAL: 100.00%

**ACCEPTED
with COMMENTS
In EPA Letter Dated
2/23/2011**

KEEP OUT OF REACH OF CHILDREN

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No. 67702-15**

CAUTION

EPA REG. NO. 67702-15

EPA EST. NO. 67702-DEU-1

FIRST AID	
IF IN EYES	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. -Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. -Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	-Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes. -Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this pesticide product, you may call the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.	

NET CONTENTS: 8 fl. oz., 16 fl. oz., 24 fl. oz., 32 fl. oz., 40 fl. oz. 64 fl. oz. 1 gallon

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Avoid contact with eyes. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

[Subregistrants may choose one of the following formats:]

Before You Use:	Use Precautions: -Do not use if temperatures are expected to be over 90°F. -Do not spray plants with SULFUR/PYRETHRINS
-----------------	---

	<p>FUNGICIDE/INSECTICIDE RTU within 21 days of an oil spray.</p> <p>-Some varieties of grapes and cucurbits are sensitive to sulfur and some plant damage may occur.</p> <p>-Use care or do not spray on sulfur sensitive plants. If not sure, test spray a few leaves 2 days before spraying the entire plant.</p> <p>-Do not apply to strawberry fruit that will be used for canning.</p> <p>-Shake well before using</p> <p>-Do not dilute</p>
How to Use	<p>FOR CONTROL OF FUNGAL DISEASES: Controls a wide range of fungal diseases including: blackspot, powdery mildew, rust, scab, blight, brown rot and leaf spot. Thoroughly spray all areas of the plant, especially new shoots. For best control apply as a protective spray early in the season before the diseases are noticed. Re-spray every 7 to 10 days or after rain. May be used up to day before harvest.</p> <p>FOR CONTROL OF INSECTS/MITES: Controls a wide range of pests including: aphids, mites, spider mites, leafhoppers, caterpillars, roseslugs, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, fruit flies, chiggers and earwigs. Thoroughly spray all areas of the plant, especially new shoots and underside of leaves. Pests need to be contacted by the spray to be controlled.</p>
For use only on home lawns and gardens. Not for use on agricultural establishments growing agricultural crops or commodities for resale	

USE SITE – INDOOR, OUTDOOR AND GREENHOUSE	PEST	DISEASE
FRUIT AND NUT TREES: almond, apple, cherry, citrus, filbert, nectarine, peach, pear, plum, prune, walnut	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	scab, powdery mildew, rust, blight, brown rot
VEGETABLE AND VINE PLANTS: beans, beets, blackberries, blueberries, broccoli, brussel sprouts, cabbage, carrots, cauliflower, corn, cucurbits (cucumber, melons, pumpkins and squash), currant, gooseberries, grapes, kale, onions, peas, peppers, potatoes, raspberries, strawberries, tomatoes	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	powdery mildew, rust, blight, leaf spots
ORNAMENTALS: flowering plants	aphids, mites, spider	powdery

and shrubs, woody ornamentals, roses, trees and houseplants	mites, leafhoppers, caterpillars, roseslugs, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, earwigs	mildew, rust, blight, blackspot, leaf spots
LAWNS	aphids, mites, spider mites, leafhoppers, caterpillars, spittlebugs, thrips, chiggers, earwigs	rust, leaf spot, blight, powdery mildew

OR

Shake well before using. Do not dilute.

FOR CONTROL OF FUNGAL DISEASES:

Controls a wide range of fungal diseases including: blackspot, powdery mildew, rust, scab, blight, brown rot and leaf spot. Thoroughly spray all areas of the plant, especially new shoots. For best control apply as a protective spray early in the season before the diseases are noticed. Re-spray every 7 to 10 days or after rain. May be used up to day before harvest.

FOR CONTROL OF INSECTS/MITES:

Controls a wide range of pests including: aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, fruit flies and earwigs. Thoroughly spray all areas of the plant, especially new shoots and underside of leaves. Pests need to be contacted by the spray to be controlled.

USE SITE – INDOOR, OUTDOOR AND GREENHOUSE	PEST	DISEASE
FRUIT AND NUT TREES: almond, apple, cherry, citrus, filbert, nectarine, peach, pear, plum, prune, walnut	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	scab, powdery mildew, rust, blight, brown rot
VEGETABLE AND VINE PLANTS: beans, beets, blackberries, blueberries, broccoli, brussel sprouts, cabbage, carrots, cauliflower, corn, curcubits (cucumber, melons, pumpkins and squash), currant, gooseberries, grapes, kale, onions, peas, peppers, potatoes, raspberries, strawberries, tomatoes	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	powdery mildew, rust, blight, leaf spots
ORNAMENTALS: flowering plants and shrubs, woody ornamentals, roses, trees and houseplants	aphids, mites, spider mites, leafhoppers, caterpillars, roseslugs, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs,	powdery mildew, rust, blight, blackspot, leaf spots

6009

	lacebugs, earwigs	
LAWNS	aphids, mites, spider mites, leafhoppers, caterpillars, spittlebugs, thrips, chiggers, earwigs	rust, leaf spot, blight, powdery mildew

For use only on home lawns and gardens. Not for use on agricultural establishments growing agricultural crops or commodities for resale.

USE PRECAUTIONS:

- Do not use if temperatures are expected to be over 90°F.
- Do not spray plants with SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE RTU within 21 days of an oil spray.
- Some varieties of grapes and cucurbits are sensitive to sulfur and some plant damage may occur.
- Use care or do not spray on sulfur sensitive plants. If not sure, test spray a few leaves 2 days before spraying the entire plant.
- Do not apply to strawberry fruit that will be used for canning.

STORAGE AND DISPOSAL

Store at room temperature and protect from freezing.

CONTAINER DISPOSAL:

- If empty:** Nonrefillable. Do not reuse or refill this container. Place in trash or offer for recycling if available.
- If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

STORAGE AND DISPOSAL [For use with Quick Connect Sprayer]

STORAGE: Completely discharge product in sprayer prior to storage. Flip down [colour] spout to close. NO NEED TO DISCONNECT TRIGGER SPRAYER. Close nozzle on trigger sprayer. Snap sprayer back into place. Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material, tightly closed, in original container only, away from open flame.

DISPOSAL:

- If empty:** Nonrefillable. Do not reuse or refill this container. Place in trash or offer for recycling if available.
- If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

BATCH CODE:

[Optional sprayer instructions:



- Attach Sprayer**
- Remove sprayer from bottle and extend hose.
 - Open flip-cap on bottle.
 - Insert hose and plug into flip-cap opening until it snaps into place.



- Spray**
- Adjust nozzle to stream or spray position.
 - Point sprayer downward and squeeze trigger repeatedly until liquid is released.



- After Use**
- Turn sprayer nozzle to X (off) position. Do not unplug hose.
 - Return sprayer to bottle. Sprayer will snap into place.

]

[Optional: For Use with Quick Connect Sprayer

Quick Connect® Sprayer

- Remove sprayer. Pull cord ALL THE WAY OUT.



- Insert (colour) plug into spout (on cap) until it clicks.



- Flip up spout. Open nozzle at end of sprayer.



]

[Marketing claims and product information that may be presented on the container or supplemental wording:

OPTIONAL STATEMENTS: [These statements may or may not be used on the product's label.]

-3 IN 1

- (This product) Controls a wide range of fungal diseases and pests.
- Controls insects and diseases on listed fruit, vegetables and ornamentals
- Controls diseases, insects and mites
- Controls insects, diseases and mites, including spider mites
- Insecticide/Fungicide/Miticide
- Rose Fungicide, Insecticide and Miticide
- Protective rose spray
- Controls rose black spot
- Controls black spot, powdery mildew and rust
- Controls black spot, powdery mildew, rust, aphids and mites
- Controls a wide range of rose diseases
- Controls aphids and mites
- Controls rose and ornamental diseases
- Prevents leaf loss caused by black spot and rust
- Fungicide and Insecticide
- Contact killer for both insect and mite pests
- Controls Aphids, Mites, Caterpillars and other insect pests
- Kills Fungus, Insects & Mites
- Insect Killer
- Fungus Killer
- (Spider) Mite Killer
- For use on: roses, flowers, houseplants, ornamental trees and shrubs, fruits, nuts and vegetables
- For roses, vegetables & ornamentals.
- For use on plants- indoors & outdoors.
- For household home garden use.
- For use only on home lawns and gardens.
- Use up to day before harvest
- May be used up to day before harvest
- Ideal for controlling rose diseases.
- Sulfur fungicides are widely regarded as providing effective control of several major diseases.
- SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE RTU can be used on inside plants.
- Proper plant nutrition, and removing dead or damaged leaves will also reduce disease and insect problems.
- Wet weather promotes plant diseases.
- SATISFACTION GUARANTEED.

- Can be used in vegetable gardens.
- Can be used on roses, vegetables, fruits and ornamentals.
- Read Entire Container Label Before Using This Product.
- Read the Label First!
- Quick Facts:
- Kills: Aphids, mites, spider mites, leafhoppers, caterpillars, rose slugs, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, fruit flies, chiggers and earwigs.
- Fungal diseases controlled: blackspot, powdery mildew, rust, scab, blight, brown rot and leaf spot.
- Where to Use: On roses, flowers, listed fruit and nut trees, vegetables, vine plants, ornamentals and lawns.
- When to Use: When insects, insect damage, or disease first appears.
- Convenient. Easy-to-use. Requires no mixing.
- For emergency medical information call 1-XXX-XXX-XXXX
- For questions or comments, call toll free 1-XXX-XXX-XXXX
- [phone icon] Questions, comments (or medical information) X-XXX-XXX-XXXX (insert company website) [computer icon]
- © 20XX Licensed (insert company name). World rights reserved.
- Manufactured. Distributed by: (insert company name)
- Made in/Produced in: _____(from US and imported products/parts)
- See back (booklet) label for first aid
- See back panel (booklet) for first aid and additional precautionary statements
- This container is made with a minimum X% recycled material
- Designed for GardenPro (/Independent) Retailers
- (Insert company website)
- Superscript is first letter of lot number

PRODUCT FACTS	
INSECTS AND DISEASES CONTROLLED	Black spot, powdery mildew, rust, spider mites, aphids, caterpillars, and other insect pests
WHERE TO USE	Use on roses, flowers, houseplants, ornamental trees and shrubs, fruits, nuts, and vegetables in and around the home and home garden.
[INSERT BRAND NAME] & YOUR ENVIRONMENT	
Your home and yard are places for family and pets to enjoy. That's why [brand name] products are designed with care to provide effective solutions to insect problems inside and outside your home. For best results please follow instructions for appropriate usage, storage and disposal.	

[when The Scotts Company uses the brand name Ecosense when selling or distributing this product, it must place a qualifying symbol after the brand name and, in close proximity to the brand name, place the statement 'economically sensible alternative pest control']

[The registrant may use one or more of these optional warranty statements, either]:

NOTICE TO BUYER

To the extent consistent with applicable law, seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated on this label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label directions, or under conditions not reasonably foreseeable to seller. To the extent consistent with applicable law, seller makes no other warranties, either express or implied.

OR

Buyer assumes all responsibility for safety and use not in accordance with directions.

OR

[The] (Insert Company name) Guarantee- If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

OR

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Registrant: W. Neudorff GmbH KG, An der Mühle 3, D-31860 Emmerthal, Germany

Optional Statements:

[Supplemental distributors will use one of these two statements, either:]

-Sold under a license of "W. Neudorff GmbH KG, Germany"

OR

-Manufactured under [a] license of "W. Neudorff GmbH KG[, Germany]"

