3/12/2013

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460-0001



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

W. Neudorff GmbH KG c/o Walter G. Talarek 1008 Riva Ridge Drive Great Falls, VA 22066

MAR 1 2 2013

Subject:

Amended Reregistration Label

Product Name: Sulfur/Pyrethrins Fungicide/Insecticide RTU

EPA Registration Number: 67702-15 EPA Decision Number: 411773

Dear Mr. Neudorff:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the pyrethrins RED, and has concluded that your submission is acceptable.

NOTE: This product is <u>not</u> being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.

Please note that the record for this product currently contains the Confidential Statement of Formulation (CSF) listed below. Any CSFs other than those listed below are superseded.

-	Basic CSF dated >>	04/27/12
-	Alternate CSF #1 dated>>	04/27/12
-	Alternate CSF #2 dated>>	04/27/12
-	Alternate CSF #3 dated>>	04/27/12
-	Alternate CSF #4 dated>>	04/27/12
-	Alternate CSF #5 dated>>	04/27/12
_	Alternate CSF #6 dated>>	04/27/12

SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE RTU

ACTIVE INGREDIENTS:

MAR 1 2 2013
Under the Federal Insecticide

KEEP OUT OF REACH OF CHILDR Reg. No. (

Fungicide, and Rodenticide Act, as amended, for the pesticide registered under 702-15

CAUTION

EPA REG. NO. 67702-15

EPA EST. NO. 67702-DEU-1

FIRST AID				
IF ON SKIN OR CLOTHING	-Take off contaminated clothingRinse skin immediately with plenty of water for 15-20 minutesCall a poison control center or doctor for treatment advice.			
IF IN EYES	-Hold eye open and rinse slowly and gently with water for 15-20 minutesRemove contact lenses, if present, after the first 5 minutes, then continue rinsing eyeCall a poison control center or doctor for treatment advice.			
Have the product container or label with you when calling a poison control center or doctor or				

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this pesticide product, you may call the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information [alternately insert supplemental distributor's toll free number and hours of operation].

NET CONTENTS: 8 fl. oz., 16 fl. oz., 24 fl. oz., 32 fl. oz., 40 fl. oz. 64 fl. oz. 1 gallon

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Avoid contact with eyes. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

User Safety Recommendations

- Users should wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms including fish and invertebrates. Do not contaminate water when disposing of equipment, washwater, or rinsate. Do not apply directly to or near water. Drift and run-off may be hazardous to fish in water adjacent to treated areas. See Directions for Use for additional precautions and requirements.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

[Subregistrants may choose one of the following formats:]

Before You Use:	Use Precautions:
	-Do not apply directly to or near water, storm
	drains, or drainage ditches. Do not apply when
	windy. To prevent product runoff, do not over
	water treated area(s) or apply prior to heavy
	rainfall.
	Do not apply directly into sewers or drains, or
,	to any area like a gutter where drainage to
	storm sewers, water bodies, or aquatic habitat can occur. Do not allow the product to enter
	any drain during or after application.
	-Do not allow adults, children or pets to enter
	the treated area until sprays have dried.
	-Do not apply this product in a way that will
	contact adults, children or pets, either directly
	or through drift.
	-Remove pets, birds, and cover aquariums
	before spraying.
	-Remove or cover exposed food and drinking
	water before application. Remove or cover
	dishes, utensils, food processing equipment,
	and food preparation surfaces, or wash them
·	before useDo not wet plants to point of runoff or drip.
•	-Do not water the treated areas to point of
	runoff or dip.
	-Do not make applications during rain.
	-Do not wet plants to point of runoff or drip
	-Not for use in outdoor residential misting
	systems
	-Do not apply more than 10 times per season.
	-Do not reapply within 3 days except under
	extreme pest pressure.
	In case of extreme pest pressure do not
,	reapply within 24 hours.
	-Do not apply more than 1 time per dayDo not apply more than 18.5 fl. oz. per 100
	square feet per application.
·	-Do not use if temperatures are expected to be
	over 90°F.
	-Do not spray plants with
	SULFUR/PYRETHRINS
	FUNGICIDE/INSECTICIDE RTU within 21 days
	of an oil spray.
	-Some varieties of grapes and cucurbits are
	sensitive to sulfur and some plant damage may
	occur.
	-Use care or do not spray on sulfur sensitive
	plants. If not sure, test spray a few leaves 2
	days before spraying the entire plant.
	-Do not apply to strawberry fruit that will be
	used for canningShake well before using
·	-Snake well before using -Do not dilute
How to Use	FOR CONTROL OF FUNGAL DISEASES:
THOW to OGC	Controls a wide range of fungal diseases
	including: blackspot, powdery mildew, rust,
	scab, blight, brown rot and leaf spot.
	1 22 100 4 100. 100.

Thoroughly spray all areas of the plant, especially new shoots. For best control apply as a protective spray early in the season before the diseases are noticed. Re-spray every 7 to 10 days or after rain. May be used up to day before harvest.

FOR CONTROL OF INSECTS/MITES:

Controls a wide range of pests including: aphids, mites, spider mites, leafhoppers, caterpillars, rose slugs, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, fruit flies, and earwigs. Thoroughly spray all areas of the plant, especially new shoots and underside of leaves. Pests need to be contacted by the spray to be controlled.

For use only on home lawns and gardens. agricultural crops or commodities for resale

Not for use on agricultural establishments growing

USE SITE – INDOOR, OUTDOOR AND GREENHOUSE	PEST	DISEASE
FRUIT AND NUT TREES: almond, apple, cherry, citrus, filbert, nectarine, peach, pear, plum, prune, walnut	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	scab, powdery mildew, rust, blight, brown rot
VEGETABLE AND VINE PLANTS: beans, beets, blackberries, blueberries, broccoli, brussel sprouts, cabbage, carrots, cauliflower, corn, cucurbits (cucumber, melons, pumpkins and squash), currant, gooseberries, grapes, kale, onions, peas, peppers, potatoes, raspberries, strawberries, tomatoes	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	powdery mildew, rust, blight, leaf spots
ORNAMENTALS: flowering plants and shrubs, woody ornamentals, roses, trees and houseplants	aphids, mites, spider mites, leafhoppers, caterpillars, roseslugs, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, earwigs	powdery mildew, rust, blight, blackspot, leaf spots
LAWNS	aphids, mites, spider mites, leafhoppers, caterpillars, spittlebugs, thrips, earwigs	rust, leaf spot, blight, powdery mildew

FOR CONTROL OF FUNGAL DISEASES:

Controls a wide range of fungal diseases including: blackspot, powdery mildew, rust, scab, blight, brown rot and leaf spot. Thoroughly spray all areas of the plant, especially new shoots. For best control apply as a protective spray early in the season before the diseases are noticed. Re-spray every 7 to 10 days or after rain. May be used up to day before harvest.

FOR CONTROL OF INSECTS/MITES:

Controls a wide range of pests including: aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, fruit flies and earwigs. Thoroughly spray all areas of the plant, especially new shoots and underside of leaves. Pests need to be contacted by the spray to be controlled.

USE SITE – INDOOR, OUTDOOR AND GREENHOUSE	PEST	DISEASE
FRUIT AND NUT TREES: almond, apple, cherry, citrus, filbert, nectarine, peach, pear, plum, prune, walnut	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	scab, powdery mildew, rust, blight, brown rot
VEGETABLE AND VINE PLANTS: beans, beets, blackberries, blueberries, broccoli, brussel sprouts, cabbage, carrots, cauliflower, corn, cucurbits (cucumber, melons, pumpkins and squash), currant, gooseberries, grapes, kale, onions, peas, peppers, potatoes, raspberries, strawberries, tomatoes	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	powdery mildew, rust, blight, leaf spots
ORNAMENTALS: flowering plants and shrubs, woody ornamentals, roses, trees and houseplants	aphids, mites, spider mites, leafhoppers, caterpillars, roseslugs, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, earwigs	powdery mildew, rust, blight, blackspot, leaf spots
LAWNS	aphids, mites, spider mites, leafhoppers, caterpillars, spittlebugs, thrips, earwigs	rust, leaf spot, blight, powdery mildew

For use only on home lawns and gardens. Not for use on agricultural establishments growing agricultural crops or commodities for resale.

USE RESTRICTIONS:

-Do not apply directly to or near water, storm drains, or drainage ditches. Do not apply when windy. To prevent product runoff, do not over water treated area(s) or apply prior to heavy rainfall. -Do not apply directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

-Do not allow adults, children or pets to enter the treated area until sprays have dried.

- -Do not apply this product in a way that will contact adults, children or pets, either directly or through drift.
- -Remove pets, birds, and cover aquariums before spraying.
- -Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.
- -Do not apply more than 10 times per season.
- -Do not reapply within 3 days except under extreme pest pressure.

In case of extreme pest pressure do not reapply within 24 hours.

- -Do not apply more than 1 time per day.
- -Do not apply more than 18.5 fl. oz. per 100 square feet per application.
- -Do not use if temperatures are expected to be over 90°F.
- -Do not spray plants with SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE RTU within 21 days of an oil spray.
- -Some varieties of grapes and cucurbits are sensitive to sulfur and some plant damage may occur.
- -Use care or do not spray on sulfur sensitive plants. If not sure, test spray a few leaves 2 days before spraying the entire plant.
- -Do not apply to strawberry fruit that will be used for canning.
- -Do not water the treated areas to point of runoff or dip.
- -Do not make applications during rain.
- -Do not wet plants to point of runoff or drip.
- -Not for use in outdoor residential misting systems.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store at room temperature and protect from freezing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

If empty: Nonrefillable. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

STORAGE AND DISPOSAL [For use with Quick Connect Sprayer]

PESTICIDE STORAGE: Completely discharge product in sprayer prior to storage. Flip down [colour] spout to close. NO NEED TO DISCONNECT TRIGGER SPRAYER. Close nozzle on trigger sprayer. Snap sprayer back into place. Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material, tightly closed, in original container only, away from open flame.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

If empty: Nonrefillable. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

BATCH CODE:

[Optional sprayer instructions:



Attach Sprayer

- Remove sprayer from bottle and extend hose.
- Open flip-cap on bottle. Insert hose and plug into flip-cap opening until it snaps into place.



Adjust nozzle to stream or spray position.

■ Point sprayer downward and squeeze trigger repeatedly until liquid is



After Use

■ Turn sprayer nozzle to X (off) position. Do not unplug hose. Return sprayer to bottle.

[Optional: For Use with Quick Connect Sprayer

Quick Connect® Sprayer

Remove sprayer. Pull cord ALL THE WAY OUT.



- Insert (colour) plug into spout (on cap) until it clicks.
- Flip up spout. Open nozzle at end of sprayer.

[Marketing claims and product information that may be presented on the container or supplemental wording:

OPTIONAL STATEMENTS: [These statements may or may not be used on the product's label.]

- -3 IN 1
- -(This product) Controls a wide range of fungal diseases and pests.
- -Controls insects and fungal diseases on listed fruit, vegetables and ornamentals
- -Controls fungal diseases, insects and mites
- Insect, fungal disease and mite control
- -Controls insects, fungal diseases and mites, including spider mites
- -Insecticide/Fungicide/Miticide
- -Rose Fungicide, Insecticide and Miticide
- -Protective rose spray
- -Controls rose black spot
- -Controls black spot, powdery mildew and rust
- -Controls black spot, powdery mildew, rust, aphids and mites
- -Controls a wide range of fungal rose diseases
- -Controls aphids and mites
- -Controls rose and fungal ornamental diseases
- -Prevents leaf loss caused by black spot and rust
- -Fungicide and Insecticide
- -Contact killer for both insect and mite pests
- -Controls (Aphids), (Mites), (Caterpillars), (Whiteflies) and other insect pests
- -Kills Fungus, Insects & Mites
- -Insect Killer
- -Fungus Killer
- -(Spider) Mite Killer
- -For use on: (roses), (flowers), (houseplants), (ornamental trees and shrubs), (fruits), (nuts), (lawns) and (vegetables)
- -For roses, vegetables & ornamentals.
- -For use on plants- indoors & outdoors.
- -For household home garden use.
- -For use only on home lawns and gardens.

- -Use up to day before harvest
- -May be used up to day before harvest
- -Ideal for controlling rose diseases.
- -Sulfur fungicides are widely regarded as providing effective control of several major fungal diseases.
- -SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE RTU can be used on inside plants.
- -Proper plant nutrition, and removing dead or damaged leaves will also reduce fungal disease and insect problems.
- -Wet weather promotes plant diseases.
- -SATISFACTION GUARANTEED or your money back.
- -Can be used in vegetable gardens.
- -Can be used on roses, vegetables, fruits and ornamentals.
- -Read Entire Container Label Before Using This Product.
- -Read the Label First!
- -Quick Facts:
- -Kills: (Aphids), (mites), (spider mites), (leafhoppers), (caterpillars), (rose slugs), (whiteflies), (spittlebugs), (mealybugs), (scale), (thrips), (psyllids), (plant bugs), (lacebugs), (fruit flies), and
- -Fungal diseases controlled: (blackspot), (powdery mildew), (rust), (scab), (blight), (brown rot) and (leaf spot).
- -Where to Use: On (roses), (flowers), listed (fruit and nut trees), (vegetables), (vine plants), (ornamentals) and (lawns).
- -When to Use: When insects, insect damage, or fungal disease first appears.
- -Convenient. Easy-to-use. Requires no mixing.
- -For emergency medical information call 1-XXX-XXX-XXXX
- -For questions or comments, call toll free 1-XXX-XXXX
- -[phone icon] Questions, comments (or medical information) X-XXX-XXXX (insert company website) [computer icon]
- -© 20XX Licensed (insert company name). World rights reserved.
- -Manufactured. Distributed by: (insert company name)
- (from US and imported products/parts) -Made in/Produced in:
- -See back (booklet) label for first aid
- -See back panel (booklet) for first aid and additional precautionary statements
- -This container is made with a minimum X% recycled material
- -Designed for GardenPro (/Independent) Retailers
- -(Insert company website)
- -Superscript is first letter of lot number

PRODUCT FACTS	
INSECTS AND FUNGAL DISEASES CONTROLLED	Black spot, powdery mildew, rust, spider mites, aphids, caterpillars, and other insect pests
WHERE TO USE	Use on roses, flowers, houseplants, ornamental trees and shrubs, fruits, nuts, and vegetables in and around the home and home garden.
[INSERT BRAND NAME] & YOUR ENVIR	ONMENT

Your home and yard are places for family and pets to enjoy. That's why [brand name] products are designed with care to provide effective solutions to insect problems inside and outside your home. For best results please follow instructions for appropriate usage, storage and disposal.

when The Scotts Company uses the brand name Ecosense when selling or distributing this product, it must place a qualifying symbol after the brand name and, in close proximity to the brand name, place the statement 'economically sensible alternative pest control']

[The registrant may use one or more of these optional warranty statements, either]:

NOTICE TO BUYER

To the extent consistent with applicable law, seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated on this label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label directions, or under conditions not reasonably foreseeable to seller. To the extent consistent with applicable law, seller makes no other warranties, either express or implied.

OR

To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

OR

[The] (Insert Company name) Guarantee- If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

OR.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Registrant: W. Neudorff GmbH KG, An der Mühle 3, D-31860 Emmerthal, Germany

Optional Statements:

[Supplemental distributors will use one of these two statements, either:]

- -Sold under a license of "W. Neudorff GmbH KG, Germany"
 OR
- -Manufactured under [a] license of "W. Neudorff GmbH KG[, Germany]"

