



U.S. ENVIRONMENTAL PROTECTION AGENCY  
 Office of Pesticide Programs  
 Registration Division (7505C)  
 1200 Pennsylvania Ave., N.W.  
 Washington, D.C. 20460

EPA Reg. Number:

67702-17

Date of Issuance:

APR 27 2005

NOTICE OF PESTICIDE:

Registration  
 Reregistration  
 (under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Sulfur/Pyrethrins Fungicide/Insecticide

Name and Address of Registrant (include ZIP Code):

W. Neudorff GmbH KG  
 c/o Walter G. Talarek, PC  
 POSTFACH 1209  
 1008 Riva Ridge Drive  
 Great Falls, VA 22066

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA Sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA Sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following labeling changes before you release the product for shipment:  
  
Add the phrase "EPA Registration Number 67702-17".
3. Submit one copy of the final printed label before the product is released for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA Sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label and a copy of the product chemistry review are enclosed for your records.

Signature of Approving Official:

*Mary L. Waller*  
 Mary L. Waller, Product Manager (21)  
 Fungicide Branch, Registration Division

Date:

4/27/05

checked 2/4

# SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE

ACTIVE INGREDIENT:  
Sulfur..... 10.00%  
Pyrethrins..... 0.25%  
OTHER INGREDIENTS:..... 89.75%  
TOTAL:..... 100.00%

ACCEPTED  
with COMMENTS  
in EPA Letter Dabour

APR 27 2005  
Under the Federal Insecticide,  
Fungicide, and Rodenticide  
Act, this product has been  
found to comply with the  
requirements of the  
pesticide laws.

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

FIRST AID	
IF IN EYES	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. -Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. -Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	-Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes. -Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	

NET CONTENTS: FL. OZ.

### **PRECAUTIONARY STATEMENTS**

#### **HAZARD TO HUMANS AND DOMESTIC ANIMALS**

CAUTION. Causes moderate eye irritation. Avoid contact with eyes. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

#### **ENVIRONMENTAL HAZARDS**

Do not apply to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of rinsate or equipment washwater.

#### **PHYSICAL OR CHEMICAL HAZARDS**

Combustible. Do not use or store near heat or open flame.

### **DIRECTIONS FOR USE**

*It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.*

Shake well before using.

#### **FOR CONTROL OF FUNGAL DISEASES:**

When high levels of disease are present, or during periods of wet weather, mix 5 oz product with 1 gallon of water and shake well. During drier weather or when low levels of disease are present, mix 2.5 oz product with 1 gallon of water and shake well. Thoroughly spray all areas of the plant, especially new shoots. For best control apply as a protective spray early in the season before the diseases are noticed. Re-spray every 7 to 10 days or after rain. May be used up to day before harvest.

#### **FOR CONTROL OF INSECTS/MITES:**

Dilute product by mixing 5 oz product with 1 gallon of water. Shake well. Thoroughly spray all areas of the plant, especially new shoots and the underside of leaves. Pests need to be contacted by the spray to be controlled.

USE SITE – INDOOR, OUTDOOR AND GREENHOUSE	PEST	DISEASE
FRUIT AND NUT TREES such as: almond, apple, cherry, citrus, filbert, nectarine, peach, pear, plum, prune, walnut	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	scab, powdery mildew, rust, blight, brown rot
VEGETABLE AND VINE PLANTS such as: beans, beets, blackberries, blueberries, broccoli, brussel sprouts, cabbage, carrots, cauliflower, corn, curcubits (cucumber, melons, pumpkins and squash), currant, gooseberries, grapes, kale, onions, peas, peppers, potatoes, raspberries, strawberries, tomatoes	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	powdery mildew, rust, blight, leaf spots
ORNAMENTALS such as: flowering plants and shrubs, woody ornamentals, roses, trees and houseplants	aphids, mites, spider mites, leafhoppers, caterpillars, roseslugs, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, earwigs	powdery mildew, rust, blight, blackspot, leaf spots
LAWNS	aphids, mites, spider mites, leafhoppers, caterpillars, spittlebugs, thrips, chiggers, earwigs	rust, leaf spot, blight, powdery mildew

For use only on home lawns and gardens. Not for use on agricultural establishments growing agricultural crops or commodities for resale.

**USE PRECAUTIONS:**

- Do not use if temperatures are expected to be over 90°F.
- Do not spray plants with SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE within 21 days of an oil spray.
- Some varieties of grapes and cucurbits are sensitive to sulfur and some plant damage may occur.
- Use care or do not spray on sulfur sensitive plants. If not sure, test spray a few leaves 2 days before spraying the entire plant.
- Do not apply to strawberry fruit that will be used for canning.

**STORAGE AND DISPOSAL**

Store at room temperature and protect from freezing.

**CONTAINER DISPOSAL:**

- If empty:** Do not reuse this container. Place in trash or offer for recycling if available.
- If partly filled:** Call your local solid waste agency or 1-800-CLEAN-UP for disposal instructions. Never place unused product down any indoor or outdoor drain.

4/4

**OPTIONAL STATEMENTS:** [These statements may or may not be used on the product's label.]

-3 IN 1

- Controls a wide range of fungal diseases and pests.
- Controls insects and diseases on listed fruit, vegetables and ornamentals
- Controls diseases, insects and mites
- Insecticide/Fungicide/Miticide
- Multi-purpose pest control
- Rose Fungicide, Insecticide and Miticide
- Protective rose spray
- Controls rose black spot
- Controls black spot, powdery mildew and rust
- Controls black spot, powdery mildew, rust, aphids and mites
- Controls a wide range of rose diseases
- Controls aphids and mites
- Controls rose and ornamental diseases
- Prevents leaf loss caused by black spot and rust
- Fungicide and Insecticide
- Contact killer for both insect and mite pests
- Controls Aphids, Mites, Caterpillars and other insect pests
- For household home garden use.
- Use up to day before harvest
- Ideal for controlling rose diseases.
- Sulfur fungicides are widely regarded as providing effective control of several major diseases.
- SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE can be used on inside plants.
- Proper plant nutrition, and removing dead or damaged leaves will also reduce disease and insect problems.
- Wet weather promotes plant diseases.
- SATISFACTION GUARANTEED.
- Can be used in vegetable gardens.
- Can be used on roses, vegetables, fruits and ornamentals.
- Read Entire Container Label Before Using This Product.

[The registrant may use one or both of these two optional statements, either]:

**NOTICE TO BUYER**

Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated on this label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. Buyer assumes all risk of any such use. Seller makes no other warranties, either express or implied.

OR

Buyer assumes all responsibility for safety and use not in accordance with directions.

Registrant: W. Neudorff GmbH KG, An der Mühle 3, D-31860 Emmerthal, Germany

Optional Statements:

[Supplemental distributors will use one of these two statements, either:]

-Sold under a license of "W. Neudorff GmbH KG, Germany"

OR

-Manufactured under a license of "W. Neudorff GmbH KG, Germany"



EPA REG. NO. 67702-

EPA EST. 67702-WG-1