



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

c/o Walter G. Talarek P.C. W. Neudorff GMBH KG POSTFACH 1209 1008 Riva Ridge Drive Great Falls, Virginia 22066

SEP 1 7 2007

Subject:

Sulfur/Pyrethrins Fungicide/Insecticide

EPA Registration No. 67702-17

Your submission dated: April 27, 2007

Decision No. 378810

Dear Mr. Talarek:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act as amended is acceptable.

One copy of the label stamped "Accepted" is enclosed for your records. This label supercedes all labels previously accepted for this product. If you have any questions, please contact Tamue L. Gibson by phone at (703) 305-9096 or via email at gibson.tamue@epa.gov.

Sincerely,

Mary J. Waller Mary L. Waller

Product Manager (21)

Fungicide Branch

Registration Division (7505P)

Enclosure

SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE

ACTIVE INGREDIENT:

 ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 1 7 2007 Under the Federal Insecticide As Fixedicide, and Redesticide As aded, for the posticide under EPA Reg. No.

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID			
IF IN EYES	-Hold eye open and rinse slowly and gently with water for 15-20 minutesRemove contact lenses, if present, after the first 5 minutes, then continue rinsing eyeCall a poison control center or doctor for treatment advice.		
IF ON SKIN OR CLOTHING	-Take off contaminated clothingRinse skin immediately with plenty of water for 15-20 minutesCall a poison control center or doctor for treatment advice.		
Have the product container or label with you when calling a poison control center or doctor or going for treatment.			

NET CONTENTS: FL. OZ.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Avoid contact with eyes. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

ENVIRONMENTAL HAZARDS

Do not apply to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of rinsate or equipment washwater.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Shake well before using.

FOR CONTROL OF FUNGAL DISEASES:

When high levels of disease are present, or during periods of wet weather, mix 5 oz product with 1 gallon of water and shake well. During drier weather or when low levels of disease are present, mix 2.5 oz product with 1 gallon of water and shake well. Thoroughly spray all areas of the plant, especially new shoots. For best control apply as a protective spray early in the season before the diseases are noticed. Re-spray every 7 to 10 days or after rain. May be used up to day before harvest.

FOR CONTROL OF INSECTS/MITES:

Dilute product by mixing 5 oz product with 1 gallon of water. Shake well. Thoroughly spray all areas of the plant, especially new shoots and the underside of leaves. Pests need to be contacted by the spray to be controlled.

[Optional Directions for use with Hose End Sprayer:]

[HOW TO USE

- 1. Make sure knob control lever is in the OFF position. Shake well and attach to hose.
- 2. Turn water on at faucet, aim nozzle toward area to be treated and turn knob contrtol lever to "ON" to begin spraying.
- 3. To stop spraying, turn control valve to the "OFF" position. Turn water off at faucet. To relieve pressure, turn control valve to the "WATER" postion, pointing sprayer away from self. Remove from hose.]

USE SITE – INDOOR, OUTDOOR AND GREENHOUSE	PEST	DISEASE
FRUIT AND NUT TREES such as: almond, apple, avocados, cherry, citrus (such as oranges, grapefruit, lemon, limes, citron, kumquat), filbert, nectarine, peach, pear, pecans, pistachios, plum, prune, walnut	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	scab, powdery mildew, rust, blight, brown rot
VEGETABLE AND VINE PLANTS such as: beans, beets, blackberries, blueberries, broccoli, brussel sprouts, cabbage, carrots, cauliflower, corn, curcurbits (cucumber, melons, pumpkins and squash), currant, gooseberries, grapes, kale, onions, peas, peppers, potatoes, raspberries, strawberries, tomatoes	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	powdery mildew, rust, blight, leaf spots
ORNAMENTALS such as: flowering plants and shrubs, woody ornamentals, roses, trees and houseplants	aphids, mites, spider mites, leafhoppers, caterpillars, roseslugs, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, earwigs	powdery mildew, rust, blight, blackspot, leaf spots
LAWNS	aphids, mites, spider mites, leafhoppers, caterpillars, spittlebugs, thrips, chiggers, earwigs	rust, leaf spot, blight, powdery mildew

For use only on home lawns and gardens. Not for use on agricultural establishments growing agricultural crops or commodities for resale.

STORAGE AND DISPOSAL

Store at room temperature and protect from freezing.

CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

USE PRECAUTIONS:

- -Do not use if temperatures are expected to be over 90°F.
- -Do not spray plants with SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE within 21 days of an oil spray.
- -Some varieties of grapes and cucurbits are sensitive to sulfur and some plant damage may occur.
- -Use care or do not spray on sulfur sensitive plants. If not sure, test spray a few leaves 2 days before spraying the entire plant.
- -Do not apply to strawberry fruit that will be used for canning.

OPTIONAL STATEMENTS: [These statements may or may not be used on the product's label.

- -3 IN 1
- -Controls a wide range of fungal diseases and pests.
- -Controls insects and diseases on listed fruit, vegetables and ornamentals
- -Controls a wide range of fungal diseases and insects on listed fruit, nuts, citrus, vegetables, ornamentals, houseplants and lawns.
- -Controls diseases, insects and mites
- -Insecticide/Fungicide/Miticide
- -Multi-purpose pest control
- -Rose Fungicide, Insecticide and Miticide
- -Protective rose spray
- -Controls rose black spot
- -Controls black spot, powdery mildew and rust
- -Controls black spot, powdery mildew, rust, aphids and mites
- -Controls a wide range of rose diseases
- -Controls aphids and mites
- -Controls rose and ornamental diseases
- -Prevents leaf loss caused by black spot and rust
- -Fungicide and Insecticide
- -Contact killer for listed insect and mite pests
- -Controls Aphids, Mites, Caterpillars and other insect pests
- -For household home garden use.
- -Use up to day before harvest
- -Ideal for controlling rose diseases.
- -Sulfur fungicides are widely regarded as providing effective control of several major diseases.
- -SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE can be used on inside plants.
- -Proper plant nutrition, and removing dead or damaged leaves will also reduce disease and insect problems.
- -(Note:) Wet weather promotes plant diseases.
- -Dilute, per label instructions, as little as 2 1/2 oz. per gallon of water in drier weather or when low levels of disease are present.
- -One pint makes up to 6.4 gallons of finished spray.
- -Kills listed fungi, insects & mites.
- -Can be used in vegetable gardens.
- -Can be used on roses, vegetables, fruits and ornamentals.
- -Read Entire Container Label Before Using This Product.]

The registrant may use one of these three optional statements, either:

NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated on this label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. Buyer assumes all risk of any such use. To the extent consistent with applicable law, seller makes no other warranties, either express or implied.

Buyer assumes all responsibility for safety and use not in accordance with directions.

OR

-SATISFACTION GUARANTEED.]

Registrant:

W. Neudorff GmbH KG, An der Mühle 3, D-31860 Emmerthal, Germany

Optional Statements: [Supplemental distributors will use one of these two statements, either:

-Sold under a license of "W. Neudorff GmbH KG, Germany"

OR

-Manufactured under a license of "W. Neudorff GmbH KG, Germany"

EPA REG. NO. 67702-17

EPA EST. 67702-WG-1