

67702-17

05-22 -2009

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Walter G. Talarek  
Authorized Agent for  
W. Neudorff GmbH KG PC  
1008 Riva Ridge Drive  
Great Falls, VA 22066-1620

MAY 22 2009

- Subject: Notification(s) for Label Revisions under PRN 2007-4, 98-10, and 2008-1
1. Changes to EPA Establishment Number
  2. Other minor changes

Dear Mr. Talarek:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices (PRN) 98-10, 2007-4, 2008-1 dated March 12, 2009 for:

**EPA Registration 67702-17**

**Sulfur/Pyrethrins Fungice/Insecticide**

The Registration Division (RD) has conducted a review of the request(s) for applicability under PRN 98-10, 2007-4, and 2008-1 and finds that the label changes requested fall within the scope of PRN-98-10, 2007-4, 2008-1. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a) (4) requires that a batch code, lot number, or other code identify the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060

Print Form



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 67702-17	2. EPA Product Manager Mary Waller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Sulfur/Pyrethrins Fungicide/Insecticide	PM# 21	
5. Name and Address of Applicant (Include ZIP Code) W. Neudorff GmbH KG c/o Walter G. Talarek PC 1008 Riva Ridge Drive Great Falls, VA 22066-1620 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: <input checked="" type="checkbox"/> EPA Reg. No. _____ Product Name _____	

NOTIFICATION

MAY 22 2009

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input checked="" type="checkbox"/> Resubmission in response to Agency letter dated <u>5/5/09</u>	<input type="checkbox"/> "Me Too" Application.
<input type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Resubmission of EPA Form 8570-1 in response to e-mail of May 5, 2009, from Ms. Nicole Williams of Notifications and Minor Formulations Team requiring Section III to be completed. This revised form supports Neudorff's application for a notification dated March 12, 2009.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 12, 16, 22, 24, 32, 64 & 128 ozs.		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Walter G. Talarek	Title Authorized Agent	Telephone No. (Include Area Code) 703-759-4837
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Authorized Agent	
4. Typed Name Walter G. Talarek	5. Date May 5, 2009	

# SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE

ACTIVE INGREDIENT:  
 Sulfur..... 10.00%  
 Pyrethrins..... 0.25%  
 OTHER INGREDIENTS:..... 89.75%  
 TOTAL:..... 100.00%

**NOTIFICATION**

MAY 22 2009

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

FIRST AID	
IF IN EYES	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. -Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. -Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	-Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes. -Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	

NET CONTENTS: FL. OZ.

### PRECAUTIONARY STATEMENTS

#### **HAZARD TO HUMANS AND DOMESTIC ANIMALS**

CAUTION. Causes moderate eye irritation. Avoid contact with eyes. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

#### **ENVIRONMENTAL HAZARDS**

This product may be hazardous to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather or when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

#### **PHYSICAL OR CHEMICAL HAZARDS**

Combustible. Do not use or store near heat or open flame.

### DIRECTIONS FOR USE

*It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.*

Shake well before using.

#### **FOR CONTROL OF FUNGAL DISEASES:**

When high levels of disease are present, or during periods of wet weather, mix 5 oz product with 1 gallon of water and shake well. During drier weather or when low levels of disease are present, mix 2.5 oz product with 1 gallon of water and shake well. Thoroughly spray all areas of the plant, especially new shoots. For best control apply as a protective spray early in the season before the diseases are noticed. Re-spray every 7 to 10 days or after rain. May be used up to day before harvest.

**FOR CONTROL OF INSECTS/MITES:**

Dilute product by mixing 5 oz product with 1 gallon of water. Shake well. Thoroughly spray all areas of the plant, especially new shoots and the underside of leaves. Pests need to be contacted by the spray to be controlled.

[Optional Directions for use with 'Twist & Shoot' Hose End Sprayer:]

1. Make sure knob control is in the 'OFF' position. Shake well and attach to garden hose.
2. Turn water on at faucet. When spraying low growing plants and small shrubs, twist the control knob right, to the "FAN" position. When spraying taller trees, shrubs and other plants, twist the control knob left to the "STREAM" position for extended reach and more uniform coverage. The product mixes automatically with the water as you spray.
3. To stop spraying, turn knob lever to the "OFF" position. Turn water off at faucet and disconnect sprayer from garden hose.]

USE SITE – INDOOR, OUTDOOR AND GREENHOUSE	PEST	DISEASE
FRUIT AND NUT TREES such as: almond, apple, avocados, cherry, citrus (such as oranges, grapefruit, lemon, limes, citron, kumquat), filbert, nectarine, peach, pear, pecans, pistachios, plum, prune, walnut	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	scab, powdery mildew, rust, blight, brown rot
VEGETABLE AND VINE PLANTS such as: beans, beets, blackberries, blueberries, broccoli, brussel sprouts, cabbage, carrots, cauliflower, corn, curcubits (cucumber, melons, pumpkins and squash), currant, gooseberries, grapes, kale, onions, peas, peppers, potatoes, raspberries, strawberries, tomatoes	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	powdery mildew, rust, blight, leaf spots
ORNAMENTALS such as: flowering plants and shrubs, woody ornamentals, roses, trees and houseplants	aphids, mites, spider mites, leafhoppers, caterpillars, roseslugs, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, earwigs	powdery mildew, rust, blight, blackspot, leaf spots
LAWNS	aphids, mites, spider mites, leafhoppers, caterpillars, spittlebugs, thrips, chiggers, earwigs	rust, leaf spot, blight, powdery mildew

For use only on home lawns and gardens. Not for use on agricultural establishments growing agricultural crops or commodities for resale.

**STORAGE AND DISPOSAL**

Store at room temperature and protect from freezing.

**CONTAINER DISPOSAL:**

**If empty:** Nonrefillable. Do not reuse or refill this container. Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**BATCH CODE****USE PRECAUTIONS:**

- Do not use if temperatures are expected to be over 90°F.
- Do not spray plants with SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE within 21 days of an oil spray.
- Some varieties of grapes and cucurbits are sensitive to sulfur and some plant damage may occur.
- Use care or do not spray on sulfur sensitive plants. If not sure, test spray a few leaves 2 days before spraying the entire plant.
- Do not apply to strawberry fruit that will be used for canning.

**OPTIONAL STATEMENTS:** [These statements may or may not be used on the product's label.

-3 IN 1

- Controls a wide range of fungal diseases and pests.
- Controls insects and diseases on listed fruit, vegetables and ornamentals
- Controls a wide range of fungal diseases and insects on listed fruit, nuts, citrus, vegetables, ornamentals, houseplants and lawns.
- Controls diseases, insects and mites
- Insecticide/Fungicide/Miticide
- Multi-purpose pest control
- Rose Fungicide, Insecticide and Miticide
- Protective rose spray
- Controls rose black spot
- Controls black spot, powdery mildew and rust
- Controls black spot, powdery mildew, rust, aphids and mites
- Controls a wide range of rose diseases
- Controls aphids and mites
- Controls rose and ornamental diseases
- Prevents leaf loss caused by black spot and rust
- Fungicide and Insecticide
- Contact killer for listed insect and mite pests
- Controls Aphids, Mites, Caterpillars and other insect pests
- For household home garden use.
- Use up to day before harvest
- Ideal for controlling rose diseases.
- Sulfur fungicides are widely regarded as providing effective control of several major diseases.
- SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE can be used on inside plants.
- Proper plant nutrition, and removing dead or damaged leaves will also reduce disease and insect problems.
- (Note:) Wet weather promotes plant diseases.
- Dilute, per label instructions, as little as 2½ oz. gallon of water in drier weather or when low levels of disease are present.
- One pint makes up to 6.4 gallons of finished spray.
- Kills listed fungi, insects & mites.
- Can be used in vegetable gardens.
- Can be used on roses, vegetables, fruits and ornamentals.
- Read Entire Container Label Before Using This Product



6/6

[The registrant may use one of these three optional statements, either:

**NOTICE TO BUYER**

To the extent consistent with applicable law, seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated on this label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. Buyer assumes all risk of any such use. To the extent consistent with applicable law, seller makes no other warranties, either express or implied.

OR

Buyer assumes all responsibility for safety and use not in accordance with directions.

OR

- SATISFACTION GUARANTEED.]

Registrant: W. Neudorff GmbH KG, An der Mühle 3, D-31860 Emmerthal, Germany

Optional Statements: [Supplemental distributors will use one of these two statements, either:]

-Sold under a license of "W. Neudorff GmbH KG, Germany"

OR

-Manufactured under a license of "W. Neudorff GmbH KG, Germany"



EPA REG. NO. 67702-17

EPA EST. 67702-DEU-1

