

67702-17

9/13/2012

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

W Neudorff GmbH KG
% Walter G Talarek
1008 Riva Ridge Drive
Great Falls, VA 22066 1620

SEP 13 2012

Product Name Sulfur/Pyrethrins Fungicide/Insecticide
EPA Reg No 67702-17
Subject Your amendment dated July 6, 2012
OPP Decision Number 467704

Dear Mr Talarek

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act as amended is acceptable provided the following changes are made

- 1 On pages 2 and 3 in the USE SITE box delete the words such as from the first column entries for FRUIT AND NUT TREES VEGETABLE AND VINE PLANTS and ORNAMENTALS
- 2 On page 1 in the section following the header FOR CONTROL OF FUNGAL DISEASES
 - a change " mix 6 oz product to ' mix 6 fluid oz product
 - b change mix 2 5 oz product to mix 2 5 fluid oz product
- 3 On page 2 in the section following the header FOR CONTROL OF INSECTS/MITES change mixing 5 oz product to mixing 5 fluid oz product
- 4 On page 4 in the list of optional claims change Dilute, per label instructions, as little as 2½ oz gallon to ' Dilute, per label instructions, as little as 2½ fluid oz product per gallon

One copy of the label stamped Accepted with comments is enclosed for your records This label supersedes all labels previously accepted for this product Please submit one copy of the final printed label that incorporates the required changes before the product is released for shipment

If you have any questions please contact Robert Westin by phone at (703) 305 5721 or via email at westin.robert@epa.gov

Sincerely

Mary L Waller
Product Manager (21)
Fungicide Branch
Registration Division (7504P)

Enclosure

2/6

SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE

ACCEPTED
with COMMENTS
In EPA Letter Dated

9/13/2012

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.

| | |
|--------------------|---------|
| ACTIVE INGREDIENTS | |
| Sulfur | 10.00% |
| Pyrethrins | 0.25% |
| OTHER INGREDIENTS | 89.75% |
| TOTAL | 100.00% |

KEEP OUT OF REACH OF CHILDREN

CAUTION

67702-17

| FIRST AID | |
|--|--|
| IF IN EYES | -Hold eye open and rinse slowly and gently with water for 15-20 minutes -Remove contact lenses if present after the first 5 minutes then continue rinsing eye -Call a poison control center or doctor for treatment advice |
| IF ON SKIN OR CLOTHING | -Take off contaminated clothing -Rinse skin immediately with plenty of water for 15-20 minutes -Call a poison control center or doctor for treatment advice |
| Have the product container or label with you when calling a poison control center or doctor or going for treatment | |

NET CONTENTS FL OZ

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION Causes moderate eye irritation Avoid contact with eyes Avoid contact with skin or clothing Wash thoroughly with soap and water after handling and before eating drinking chewing gum or using tobacco

ENVIRONMENTAL HAZARDS

This product may be hazardous to aquatic invertebrates To protect the environment do not allow pesticide to enter or run off into storm drains drainage ditches gutters or surface waters Applying this product in calm weather or when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems

PHYSICAL OR CHEMICAL HAZARDS

Combustible Do not use or store near heat or open flame

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

Shake well before using

FOR CONTROL OF FUNGAL DISEASES

When high levels of disease are present or during periods of wet weather mix 5 oz product with 1 gallon of water and shake well During drier weather or when low levels of disease are present mix 2.5 oz product with 1 gallon of water and shake well Thoroughly spray all areas of the plant especially new shoots For best control apply as a protective spray early in the season before the

3/6

diseases are noticed Re-spray every 7 to 10 days or after rain May be used up to day before harvest

FOR CONTROL OF INSECTS/MITES

Dilute product by mixing 5 oz product with 1 gallon of water Shake well Thoroughly spray all areas of the plant especially new shoots and the underside of leaves Pests need to be contacted by the spray to be controlled]

[Optional Directions for use with Twist & Shoot Hose-End Sprayer]

HOSE END SPRAYER DIRECTIONS

FOR CONTROL OF FUNGAL DISEASES

Thoroughly spray all areas of the plant especially new shoots For best control apply as a protective spray early in the season before the diseases are noticed Re-spray every 7 to 10 days or after rain May be used up to day before harvest

FOR CONTROL OF INSECTS/MITES

Thoroughly spray all areas of the plant especially new shoots and the underside of leaves Pests need to be contacted by the spray to be controlled

[Use one of the following three sections for the Hose-End Sprayer directions]

- [
- 1 Make sure knob control is in the OFF position Shake well and attach to garden hose
- 2 Turn water on at faucet When spraying low growing plants and small shrubs twist the control knob right to the FAN position When spraying taller trees shrubs and other plants twist the control knob left to the STREAM position for extended reach and more uniform coverage The product mixes automatically with the water as you spray
- 3 To stop spraying turn knob lever to the OFF position Turn water off at faucet and disconnect sprayer from garden hose]

Or

- [
- 1 Shake well before use
- 2 Connect spray nozzle to garden hose Turn on the water from the faucet
- 3 When you are ready to spray turn knob ON to begin spraying OFF to stop spraying at any time
- 4 Turn off water from faucet Turn knob to WATER then OFF to rinse spray nozzle and release water pressure before disconnecting spray nozzle from garden hose]

Or

- [
- 1 Make sure knob control lever is in the OFF position Shake well and attach to hose
- 2 Turn water on at faucet aim nozzle toward area to be treated and turn knob control lever to ON to begin spraying
- 3 To stop spraying turn control valve to the OFF position Turn water off at faucet
- 4 To relieve pressure turn control valve to the WATER position pointing sprayer away from self Remove from hose]

| USE SITE – INDOOR, OUTDOOR AND GREENHOUSE | PEST | DISEASE |
|---|---|---|
| FRUIT AND NUT TREES such as almond, apple, avocados, cherry, citrus (such as oranges, grapefruit, lemon, limes, citron, kumquat), filbert, nectarine peach, pear pecans, pistachios, plum, prune, | aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, | scab, powdery mildew, rust, blight, brown rot |

{ ccccc
{ c c
{ c c

| | | |
|---|---|--|
| walnut | earwigs | |
| VEGETABLE AND VINE PLANTS such as beans, beets, blackberries, blueberries, broccoli, brussel sprouts, cabbage, carrots, cauliflower, corn, curcubits (cucumber, melons, pumpkins and squash), currant, gooseberries, grapes, kale, onions, peas, peppers, potatoes, raspberries, strawberries, tomatoes | aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs | powdery mildew, rust, blight leaf spots |
| ORNAMENTALS such as flowering plants and shrubs, woody ornamentals, roses, trees and houseplants | aphids, mites, spider mites, leafhoppers, caterpillars, roseslugs, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, earwigs | powdery mildew, rust, blight, blackspot leaf spots |
| LAWNS | aphids, mites, spider mites, leafhoppers, caterpillars, spittlebugs, thrips, chiggers, earwigs | rust, leaf spot blight, powdery mildew |

For use only on home lawns and gardens Not for use on agricultural establishments growing agricultural crops or commodities for resale

STORAGE AND DISPOSAL

Store at room temperature and protect from freezing

CONTAINER DISPOSAL

If empty Nonrefillable Do not reuse or refill this container Place in trash or offer for recycling if available

If partly filled Call your local solid waste agency for disposal instructions Never place unused product down any indoor or outdoor drain

USE PRECAUTIONS

- Do not use if temperatures are expected to be over 90°F
- Do not spray plants with SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE within 21 days of an oil spray
- Some varieties of grapes and cucurbits are sensitive to sulfur and some plant damage may occur
- Use care or do not spray on sulfur sensitive plants If not sure test spray a few leaves 2 days before spraying the entire plant
- Do not apply to strawberry fruit that will be used for canning

OPTIONAL STATEMENTS [These statements may or may not be used on the product's label

-3 IN 1

- Controls a wide range of fungal diseases and pests
- Controls insects and diseases on listed fruit vegetables and ornamentals
- Controls a wide range of fungal diseases and insects on listed fruit nuts citrus vegetables ornamentals houseplants and lawns
- Controls diseases insects and mites
- Insecticide/Fungicide/Miticide
- Multi-purpose pest control
- Rose Fungicide Insecticide and Miticide

- Protective rose spray
- Controls rose black spot
- Controls black spot powdery mildew and rust
- Controls black spot powdery mildew rust aphids and mites
- Controls a wide range of rose diseases
- For use on roses flowers shrubs vegetables & fruit trees
- Controls aphids and mites
- Controls rose and ornamental diseases
- Prevents leaf loss caused by black spot and rust

| | |
|--|--|
| Quick Facts | |
| [Insert optional statements here] | |
| PESTS CONTROLLED | Aphids mites spider mites leafhoppers caterpillars rose slugs whiteflies spittlebugs mealybugs scale thrips psyllids plant bugs lace bugs fruit flies chiggers and earwigs |
| DISEASES CONTROLLED | Blackspot powdery mildew rust scab blight brown rot and leaf spot |
| USE SITES | On roses flowers listed fruit and nut trees vegetables vine plants ornamentals and lawns |
| [Phone symbol] | For questions and comments call [toll-free 1-XXX-XXX-XXXX] |

- Fungicide and Insecticide
- Contact killer for listed insect and mite pests
- Controls Aphids Mites Caterpillars and other insect pests
- For household home garden use
- Use up to day before harvest
- Ideal for controlling rose diseases
- Sulfur fungicides are widely regarded as providing effective control of several major diseases
- SULFUR/PYRETHRINS FUNGICIDE/INSECTICIDE can be used on inside plants
- Proper plant nutrition and removing dead or damaged leaves will also reduce disease and insect problems
- (Note) Wet weather promotes plant diseases
- Dilute per label instructions as little as 2½ oz gallon of water in drier weather or when low levels of disease are present
- One pint makes up to 6 4 gallons of finished spray
- Kills listed fungi insects & mites
- Can be used in vegetable gardens
- Can be used on roses vegetables fruits and ornamentals
- Read Entire Container Label Before Using This Product
- For questions or comments call toll free [Insert supplemental distributor phone number]



[The registrant may use one of these three optional statements either

NOTICE TO BUYER

To the extent consistent with applicable law seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated on this label only when used in accordance with directions under normal use conditions This warranty does not extend to use of this product contrary to label directions or under abnormal use conditions or under conditions not reasonably foreseeable to seller Buyer assumes all risk of any such use To the extent consistent with applicable law seller makes no other warranties either express or implied

OR

Buyer assumes all responsibility for safety and use not in accordance with directions

6/6

OR

- SATISFACTION GUARANTEED]

Registrant W Neudorff GmbH KG An der Muhle 3 D-31860 Emmerthal Germany

Optional Statements [Supplemental distributors will use one of these two statements either]

-Sold under a license of W Neudorff GmbH KG Germany

OR

-Manufactured under a license of W Neudorff GmbH KG Germany



EPA REG NO 67702-17

EPA EST NO 67702-DEU-1

Scattered characters and noise at the bottom right of the page.