



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

March 27, 2025

SENT BY EMAIL

Jennifer Brandon
jbrandon@delta-ac.com
Agent for W. NEUDORFF GMBH KG
C/O Delta Analytical Services
12510 Prosperity Dr., Suite 160
Silver Spring MD, 20904

Subject: Labeling Notification per Pesticide Registration Notice (PRN) 98-10 - Add ABN and Graphics
Product Name: NEU1171H RTU
Admin Number: 67702-18
EPA Receipt Date: 01/31/2025
Action Case Number: 00643631

Dear Jennifer Brandon:

The U.S. Environmental Protection Agency is in receipt of your application for notification under Pesticide Registration Notice 98-10 for the above referenced product. The EPA has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The labeling submitted with this application has been stamped "Notification" and will be placed in our records.

The alternate brand name: Weed & Grass Killer has been added to the registration. Our records have been updated accordingly.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

If you have questions, please contact Ernest Kraka via email at kraka.ernest@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Ernest K. Kraka". The script is fluid and cursive, with the first letters of each word being capitalized and prominent.

Ernest K. Kraka, Ph.D., Biologist
FHB, RD
Office of Pesticide Programs

NEU1171H RTU
[ABN: Weed & Grass Killer]

NOTIFICATION

67702-18

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

03/27/2025

Active Ingredients:

Ammoniated soap of fatty acids..... 3.68%
Maleic hydrazide..... 0.50%
Other Ingredients: 95.82%
Total: 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

Home and Garden Use: NET CONTENTS: 8 fl. oz., 16 fl. oz., 24 fl. oz., 27 fl. oz, 32 fl. oz., 54 fl. oz, 64 fl. oz., 1 gallon, 130 oz , 55 gallon, 200 gallon, 211 gallon (800 Liters) and 250 gallon

FIRST AID	
IF IN EYES	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. -Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. -Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call the poison control center 1-800-222-1222.[Alternately subregistrants can insert their own toll free emergency number]	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This product may be hazardous to aquatic invertebrates. Do not apply directly to water. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

[Use one of the following two sections:]

[Application Directions

Shake well before using. Spray weeds until foliage is wet. Thorough coverage is important. For spot treatment of individual weeds, apply the solution to the center of plant. Repeat treatment to control newly emerged weeds growing from seed and re-growth from biennial and perennial weeds. Avoid spraying desirable plants. Contents of this container will cover XXXX square feet.

Use Sites:

Use on (weeds), (grass), (moss), (algae), (brush), (vines) and (in areas where tough weeds are invading your yard) including around and on buildings and other structures, around sidewalks, fences, driveways, patios, foundations, gravel, flower gardens, landscaped areas, trees, shrubs, wooded and vacant lots, fields, trails, garden plot preparation, and other areas of (in) your yard.

Pests:

Controls or suppresses most weeds, grasses, moss and algae, such as (but not limited to): annual bluegrass, barnyardgrass, black medick, broadleaf filaree, broom*, burclover, cat's-ear, common chickweed, common groundsel, common lamb's-quarters, corn spurry, creeping buttercup, curled dock, dandelion, English daisy, false dandelion, fiddleneck, fleabane*, foxtail fescue, geranium species, horsetail*, kudzu*, large crabgrass, lady's-thumb, locoweed, low cudweed, lupine, mouse-eared chickweed, mustard species, oxalis, plantain species, poison ivy*, poison oak*, red clover, redroot pigweed, round leaved mallow, rush, sheep sorrel, shepherd's-purse, spiny annual sowthistle, stinkweed, wild blackberry*, wild carrot, wild hyacinth and white clover.

**not for use (on this weed) in California*

Contact with poison oak or poison ivy anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.

]

Or

[

Where to Use	Use on (weeds), (grass), (moss), (algae), (brush), (vines) and (in areas where tough weeds are invading your yard) including around and on buildings and other structures, around sidewalks, fences, driveways, patios, foundations, gravel, flower gardens, landscaped areas, trees, shrubs, wooded and vacant lots, fields, trails, garden plot preparation, and other areas of (in) your yard.
Kills	Controls or suppresses most weeds, grasses, moss and algae, such as (but not limited to): annual bluegrass, barnyardgrass, black medick, broadleaf filaree, broom*, burclover, cat's-ear, common chickweed, common groundsel, common lamb's-quarters, corn spurry, creeping buttercup, curled dock,

	dandelion, English daisy, false dandelion, fiddleneck, fleabane*, foxtail fescue, geranium species, horsetail*, kudzu*, large crabgrass, lady's-thumb, locoweed, low cudweed, lupine, mouse-eared chickweed, mustard species, oxalis, plantain species, poison ivy*, poison oak*, red clover, redroot pigweed, round leaved mallow, rush, sheep sorrel, shepherd's-purse, spiny annual sowthistle, stinkweed, wild blackberry*, wild carrot, wild hyacinth and white clover. <i>*not for use (on this weed) in California</i> Contact with poison oak or poison ivy anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.
How Much to Use	Spray weeds until foliage is wet. Thorough coverage is important. For spot treatment of individual weeds, apply the solution to the center of plant.

]

STORAGE AND DISPOSAL

STORAGE: Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material, tightly closed, in original container only, away from open flame. Do not store at temperatures below 39°F.

DISPOSAL:

If empty: Nonrefillable. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Surface Water Advisory: Under some conditions, maleic hydrazide may have a significant potential for runoff into surface water (primarily via dissolution in runoff water), for several days post-application. Conditions favoring runoff include poorly draining soils or wet soils with readily visible slopes, frequently flooded areas, areas where an intense or sustained rainfall is forecast to occur within 48 hours, areas overlying extremely shallow ground water, and areas overlying tile drainage systems that flow to surface water.

{Optional wording that may or may not appear on the label}

{Optional sprayer instructions}

[

{OPTION 1}



Attach Sprayer

- Remove sprayer from bottle and extend hose.
- Open flip-cap on bottle.
- Insert hose and plug into flip-cap opening until it snaps into place.



Spray

- Adjust nozzle to stream or spray position.
- Point sprayer downward and squeeze trigger repeatedly until liquid is released.



After Use

- Turn sprayer nozzle to X (off) position. Do not unplug hose.
- Return sprayer to bottle. Sprayer will snap into place.

{OR}

{OPTION 2}

[How To Use Your Sprayer:

1. Remove ERGO-GRIP spray wand from pocket

- Remove wrap from coiled hose
- Remove protective battery strip from sprayer handle




2. REMOVE STICKER & CAP COVER



3. CONNECT HOSE TO CAP


Insert plug at end of coiled hose into hole on cap and push firmly until secure.

Remove sticker and cap cover before inserting hose plug.




4. OPEN SPRAY WAND

- Unfold spray wand until it snaps into place
- Point spray nozzle away from body.
- Adjust spray nozzle to desired setting.



5. TURN POWER ON

Slide OFF-ON switch to ON position.



6. SQUEEZE

- Squeeze trigger to dispense product. Sprayer may require several seconds to prime before product is released.
- Release trigger to stop spraying.

4 AA Batteries Included

For important battery information – see booklet.

Storage

- Slide OFF-ON switch to OFF position.
- Do not unplug hose. Leave connected to cap.
- Turn spray nozzle to the off position.

- Fold spray wand down against sprayer handle.
- Return ERGO-GRIP spray wand to pocket for storage.

To Replace Batteries

- Open battery compartment [with a small screwdriver].
- Remove used batteries and replace with new batteries in correct position as indicated inside battery compartment.
- Securely close battery compartment door [and screw closed].

Proper use of Batteries

- Never mix old batteries with new.
- Do Not mix Alkaline with Standard (carbon zinc) or Rechargeable (nickel cadmium) batteries.
- When storing sprayer for long periods, remove batteries to prevent leakage.
- Dispose of used batteries according to manufacturer's instructions or in household trash.

]

OR

[

{Option 3}

Attach Sprayer

1. Remove sprayer from bottle
2. Remove twist tie
3. Pull down and extend hose
4. Open flip-cap on bottle
5. Insert hose and plug into flip-cap opening until it snaps into place
6. Move tab to open position

Spray

1. Adjust nozzle to stream or spray position
2. Point sprayer downward and squeeze trigger repeatedly until liquid is released

After Use

1. Turn sprayer nozzle to X (off) position
2. Do not unplug hose
3. Return sprayer to bottle. Sprayer will snap into place

]

[Marketing claims and product information that may be presented on the container or supplemental labeling:

- Kills the toughest (weeds), (grasses) and (brush) including (Poison Ivy*), (Poison Oak*), (Broom*), (Kudzu*), (Wild Blackberry*) and other listed plants.
- Kills tough, brushy, hard-to-control weeds
- Brush and vine killer
- Blackberry*, brush and vine killer
- Kills nuisance blackberry plants*
- Visible results in 24 hours.
- This product can be used for habitat restoration and site preparation of wildlife food plots.
- To kill vine weeds: If vines are growing up poles, fences or tree trunks with mature bark, cut vines at base and treat as directed. If spraying re-growth, shield shrubs and tree trunks from spray drift with a sheet of cardboard or plastic.
- To kill Wild Blackberry*: Spray anytime plants are actively growing. Dead canes should be cut down and removed. Reapplication is often required to kill deep roots.
- To kill Kudzu*: For best results, apply in mid to late summer when vines are mature and actively growing.
- Kills Roots!
- Kills tough (brush)(blackberry*)(poison ivy*)(broom*) and (weeds)- Roots & All
- This product kills the tough brushy & viney weeds, roots and all.
- This convenient ready-to-use formula controls (Poison Ivy*), (Poison Oak*), (Blackberries*), (vines), (brambles), and (Kudzu*)
- Over XXX hard-to-Kill plants in all.
- Eliminating unsightly brush, vines, brambles, and weeds for your home's landscape has never been easier!
- Works systematically, killing weeds to the root
- Special penetrating formula kills even the toughest plants
- Kills poison ivy* and poison oak* in non-garden areas - around homes, cabins, buildings, fences, and trails
- *Not for use (on this weed) in California
- Maleic hydrazide prevents re-growth (from the roots up)!
- Ammoniated salts of fatty acids burn down weeds and Maleic hydrazide prevents regrowth
- A broad spectrum herbicide for vegetation burndown and re-growth prevention
- Easy to Use!
- Ready-to-Use!
- Simple to use!
- Eliminates unwanted vegetation quickly
- Weeds, Grass, Moss & Algae
- Won't stain (bricks), (concrete) or (asphalt)
- Non-staining (formula)
- Does not (Doesn't) stain (bricks), (concrete) or (asphalt)
- Kills within hours
- Kills (weeds), (grasses), (algae), (vines), (brush) and (moss) quickly (and effectively)
- Kills (weeds), (grasses), (algae), (vines), (brush) and (moss) rapidly (and effectively)

- Kills (weeds), (grasses), (algae), (vines), (brush) and (moss) fast (and effectively)
- Kills (weeds), (grasses), (algae), (vines), (brush) and (moss) within (minutes) (hours)
- Kills rapidly
- Rapidly kills (weeds), (grasses), (algae), (vines), (brush) and (moss)
- Quickly kills (weeds), (grasses), (algae), (vines), (brush) and (moss)
- See results in hours
- See results in (one)(1) hour
- Kills in hours
- (One)(1) hour technology
- (One)(1) hour results
- Visible results (with)in (one)(1) hour
- Visible results (with)in XX hour(s)
- Rainfast in 3 hours
- Significant control visible in 4 (four) hours
- People and pets can enter treated area once spray has dried
- See results quickly
- See rapid results
- See results fast
- Fast acting
- Rapid action (herbicide)
- Acts fast
- Acts rapidly
- Acts quickly
- Starts to work in hours.
- Begins to work in hours.
- Plant damage will be visible from a few hours to 2 days after spraying.
- Watch it work!
- Works fast!
- Works quickly!
- Works rapidly!
- Non-selective
- Prevents plant regrowth
- Controls most weeds and grasses.
- Prevents plant regrowth for up to 6 weeks.
- Controls most weeds and grasses for up to 6 weeks.
- Long lasting
- Long term control
- Get down to the root
- Kills tough weeds – roots and all
- Kills Weeds- Roots & All
- Turn your weeds to dust
- Kills (weeds), (grasses), (algae), (vines), (brush) and (moss)
- Controls (weeds), (grasses), (algae), (vines), (brush) and (moss)
- NEU1171H is a fast-acting (weed), (grass), (algae), (vines), (brush) and (moss) killer.
- Fast-acting (weed), (grass), (algae), (vines), (brush) and (moss) killer.
- NEU1171H does not stain (concrete), (pavement), (stucco) or (wood).

- NEU1171H will not stain (concrete), (pavement), (stucco) or (wood).
- NEU1171H is a non-selective herbicide that controls many common annual weeds.
- NEU1171H suppresses the growth of many biennial and perennial weeds.
- NEU1171H controls or suppresses most (weeds), (grasses), (algae), (vines), (brush) and (moss)
- NEU1171H controls (weeds), (grasses), (algae), (vines), (brush), (moss)
- NEU1171H suppresses most (weeds), (grasses), (algae), (moss)
- NEU1171H can be used in cultivated areas prior to planting grass, flowers and vegetables.
- Areas can be re-sown five days after treatment.
- NEU1171H can be used on (weeds), (grasses), (algae), (vines), (brush), or (moss) growing on or around (buildings), (sidewalks), (fences), (trees), (bark mulch), (driveways), (patios) and (gravel).
- NEU1171H can be used at any time during the year.
- Use anytime during the year!
- Best results are obtained with young, actively growing weeds, less than five inches in size.
- Tough on weeds, easy on the environment
- Sold under a license of W. Neudorff GmbH KG, Germany.
- Manufactured under a license of W. Neudorff GmbH KG, Germany.



[Optional warranty statements. Registrant has choice of using any or none.


NOTICE TO BUYER

To the extent consistent with applicable law, seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. Buyer assumes all risk of any such use. To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied.

OR

Buyer assumes all responsibility for safety and use not in accordance with directions.]

{The following graphics may or may not be present on the product's label and labeling:}



]

Registrant: W. Neudorff GmbH KG,
An der mühle 3,
Emmerthal, Germany 31860

US Patent Number: 6,486,097

EPA REG. NO. 67702-18

EPA Est. No. 67702-DEU-1

NET CONTENTS