



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460**

**OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION**

July 18, 2022

Walter G. Talarek, Agent
W. Neudorff GmbH KG
c/o Law Office of Walter G. Talarek
5153 Allison Marshall Drive
Warrenton, VA 20187-8980

Subject: Label Amendment – Adding Optional Marketing Claims, Adding First Aid Statements, and Other Revisions
Product Name: Aerosol NEU1161 RTU
EPA Registration Number: 67702-20
Application Date: 10/23/2019
Decision Number: 565276

Dear Mr. Talarek:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims

SEE NEXT PAGE

Page 2 of 2
EPA Reg. No. 67702-20
Decision No. 565276

substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact David Drawbaugh at 202-566-2604 or at Drawbaugh.David@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "M. Walsh", written over a light blue horizontal line.

Michael Walsh
Product Manager 11
Invertebrate & Vertebrate Branch 2
Registration Division
Office of Pesticide Programs

Attachment

AEROSOL NEU1161 RTU

(ABN: Aerosol Pyrol-O RTU)

Active Ingredients	By Wt.
Pyrethrins.....	0.01%
Canola Oil.....	1.00%
Other Ingredients.....	98.99%
Total.....	100.00%

This product contains 0.0824 lbs. of canola oil and 0.0008 lbs. of pyrethrins per gallon.


KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information concerning this product, call the poison control center 1-800-222-1222. [Alternately insert another toll free number and hours of operation].

NET CONTENTS: fluid ounces

EPA Registration # 67702-20
EPA Est. No.



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION: Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

User Safety Recommendations

- Users should wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing immediately if pesticide gets inside, then wash thoroughly and put on clean clothing.

Environmental Hazards:

This pesticide is toxic to aquatic organisms, including fish and invertebrates. Drift and run-off may be hazardous to fish in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. See Directions for Use for additional precautions and requirements.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Physical or Chemical Hazards: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Protect from freezing. If frozen, thaw and shake well. Store in a cool, dry place (preferably locked) inaccessible to children and pets, and away from heat, open flame or other sources of ignition.

PESTICIDE DISPOSAL

CONTAINER HANDLING: Do Not Puncture or Incinerate!

If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local waste agency for disposal instructions.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Please read entire label. Use only as directed. Shake well before each use. Thoroughly wet all parts of the pests and plants. Do not wet plants to point of runoff or drip. Repeat treatment in 1-2 weeks if needed. Do not apply more than 18.5 fl. oz. per 100 square feet per application. May be used on edible crops up to and including day of harvest.

PESTS/SITES AND APPLICATION INSTRUCTIONS

AEROSOL NEU1161 RTU

Kills exposed: Adelgids, Ants [including Foraging Ants, Sweet-Feeding Ants, Pavement Ants, Moisture Ants, Little Black Ants, Argentine Ants, Crazy Ants, Acrobat Ants, Bigheaded Ants, Cornfield Ants, Ghost Ants, Odorous House Ants, Thief Ants, Texas Leafcutting Ants, Field Ants, and other Common Ants] (excluding Fire Ants, Harvester Ants, Carpenter Ants, and Pharaoh Ants), Aphids (including Green Peach Aphids), Armyworms (including Beet Army Worms, Western Yellow Striped Armyworms),

Bagworms, Beetles (Colorado potato beetle, flea beetle, Japanese beetle, asparagus beetle, Blister Beetles, 12-spotted Cucumber Beetles, Cucumber Beetle, Darkling Beetles (lesser mealworm), Saw-toothed Grain Beetles, Elm Leaf Beetles, Bean Beetles, Mexican Bean Beetles), Borers (including European Corn Borer, Branch and Twig Borers, Shot hole borers and Pacific flathead borers), Box Elder Bugs, Cabbageworms (including Cross-striped Cabbageworm and Imported Cabbageworm), Cankerworms, Caterpillars (Gypsy Moth Caterpillars, Tent Caterpillar, Eastern Tent Caterpillar, Forest Tent Caterpillar and Tomato Fruitworm Caterpillar), Corn Earworms, Crane Flies, Crickets, Diamondback Moth Larvae, Earwigs, Fireworms, Fungus Gnats, Fruit Flies (Including Cherry Fruit Fly), Glassy Winged Sharpshooter, Grape Leaf Skeletonizer, Grasshoppers, Green Fruit Worm, Harlequin Bugs, Hornworms (including Tomato Hornworm), Katydid, Lace Bugs, Leafhoppers (including Grape Leafhopper, and Potato Leafhoppers), Leafminers, Leafrollers (including Fruittree Leafrollers), Leaf-tiers, Loopers (including Cabbage Looper), Lygus, Maggots (including Apple Maggot, Cabbage Maggots, and Onion Maggot), Mealybugs (including Citrus Mealybugs, Grape Mealybugs and Vine Mealybugs), non-biting Midges, Millipedes, Mites (including Clover Mites, European Red Mite and Spider Mites), Moths (including Artichoke Plume Moth, Codling Moth, Diamondback Moth, European Pine Tip Moth, Gypsy Moths, Indian Meal Moth, Mediterranean Flour Moth), Mushroom Flies, Navel Orangeworm, Plant Bugs (including Leaf footed Plant Bug, Tarnished Plant Bug), Psyllids (including Pear Psyllids), Sawfly Larvae (pear and rose slugs), Scale insects (including Soft Scale and Armoured Scale), Silverfish, Skippers, Sowbugs, Spittlebugs, Squash Bugs, Stink Bugs, Thrips (including Greenhouse Thrips), Vinegar Flies, Webworms, Weevils (including Boll Weevil, Carrot Weevil, Clover Weevil, Rice Weevil, Pepper Weevil), Whitefly and Phylloxera.

{The registrant may use one of the following two options:}

[

VEGETABLES: Use as directed above on vegetables: beans, cabbage, corn, cucurbits, peas, potatoes, soybeans, tomatoes.

FRUITS AND NUTS: Use as directed above on fruits and nuts: apples, avocados, blackberries, cherries, citrus, figs, grapes, nuts, peaches, pears, raspberries, and strawberries.

ORNAMENTAL AND SHADE TREES: Use as directed above on ornamental trees and shrubs: birch, holly, evergreens and oak trees. See the Phytotoxicity Precautions section for additional use restrictions.

FLOWERS: Use as directed above on flowering, foliage and bedding plants.

HOME GREENHOUSE USE: Use as directed above in home greenhouses on flowering and foliage plants and vegetables and fruits.

INDOOR USE: For use indoors on houseplants as directed above.

AEROSOL NEU1161 RTU LABEL

4/7

DORMANT USE: Kills exposed egg stages of pests present in dormant season and pests on dormant shrubs (roses), evergreens, fruit trees and shade trees. Thoroughly wet the dormant plants or trees. Do not wet plants to point of runoff or drip. Do not apply more than 20 fl. oz. per 100 sq. ft. per application]

{OR}

[SITES

VEGETABLES: beans, cabbage, corn, cucurbits, peas, tomatoes, potatoes, soybeans,

FRUITS AND NUTS: apples, citrus, peaches, cherries, pears, nuts, raspberries, strawberries and grapes.

ORNAMENTAL AND SHADE TREES: birch, holly, evergreens and oak trees. See the Phytotoxicity Precautions section for additional use restrictions.

FLOWERS: flowering, foliage and bedding plants.

GREENHOUSES: flowering, foliage and bedding plants; vegetables and fruits.

INDOORS: Houseplants

DORMANT USE: Kills exposed egg stages of pests present in dormant season and pests on dormant shrubs (roses), evergreens, fruit trees and shade trees. Do not wet plants to point of runoff or drip. Do not apply more than 20 fl. oz. per 100 sq. ft. per application]

USE RESTRICTIONS

Entry Restrictions

-Do not allow adults, children, or pets to enter treated area until sprays have dried.

Application Restrictions

-Only for application to plants. Not for use as a space spray or to treat hardscape materials

-Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Remove pets, birds, and cover fish aquariums before spraying.

-Do not make applications during rain.

-Do not water the treated area to the point of runoff.

-Remove or cover exposed food and drinking water before application.

-Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.

-Not for use in outdoor residential misting systems.

-The use of metered release devices in residential areas is prohibited

-Do not water the treated area to the point of run-off

-Do not apply more than 10 times per season.

-Do not reapply within 3 days except under extreme pest pressure.

-Do not apply more than 1 time per day.

-In case of extreme pest pressure do not reapply within 24 hours.

-Do not apply within 21 days of a sulfur application.

-Do not use Aerosol NEU1161 RTU spray when temperatures are above 90°F.

PHYTOTOXICITY PRECAUTIONS

Oil removes the glaucous (blue) bloom from such evergreens as Colorado blue spruce and Koster spruce. Use caution on blooms and buds and on oil sensitive plants such as: Chamaecyparis, Cryptomeria, Japanese Holly, Red Cedar and Smoke Tree. If concerned about sensitivity of plants, test spray a portion of the plant and wait several days to determine if burn occurs before spraying larger areas.

Do not combine with sulfur and do not follow a previous application of sulfur or apply sulfur following an application of this material until sufficient time has elapsed for safety (at least 30 days).

Do not use AEROSOL NEU1161 RTU spray when temperatures are above 90°F. When temperatures drop below 32°F during the night, do not spray tree and vine crops until daytime temperatures have warmed to a point above 35°F and crops are free from moisture due to melting frost or heavy dews.

Use of the AEROSOL NEU1161 RTU on citrus after October 1 may increase the tree's susceptibility to cold damage.

{Optional Statements:}

{The registrant may use any of these optional statements.}

[NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with directions under normal use conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. To the extent consistent with applicable law, buyer assumes all risk of any such use. To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied.

OR

Unconditionally guaranteed by W. Neudorff GmbH KG. If for any reason you are not satisfied with this product, send proof of purchase to the address shown and we will gladly refund your purchase price.]

{Optional Statements:}

{Marketing claims and product information that may be presented on the container or supplemental labeling:}

[- Dormant and growing season insect spray to kill ants (excluding fire ants, Pharaoh ants, Harvester ants and carpenter ants), adelgids, aphids, armored scale, beetle larvae, cankerworms, caterpillars, fungus gnats, lace bugs, leafhoppers, leafminers, leafrollers,

mealybugs, mites, plant bugs, psyllids, scale insects, spider mites, thrips, webworms and whiteflies.

- Dormant and growing season insect spray for listed pests.
- [Kills] [Use to kill] {Insert any or all of the following:} Adelgids, Ants [including Foraging Ants, Sweet-Feeding Ants, Pavement Ants, Moisture Ants, Little Black Ants, Argentine Ants, Crazy Ants, Acrobat Ants, Bigheaded Ants, Cornfield Ants, Ghost Ants, Odorous House Ants, Thief Ants, Texas Leafcutting Ants, Field Ants, and other Common Ants] (excluding Fire Ants, Harvester Ants, Carpenter Ants, and Pharaoh Ants), Aphids, Green Peach Aphids, Armyworms, Beet Army Worms, Western Yellow Striped Armyworms, Bagworms, Beetles, Colorado Potato Beetle, Flea beetle, Japanese Beetle, Asparagus Beetle, Blister Beetles, 12-spotted Cucumber Beetles, Cucumber Beetle, Darkling Beetles, Saw-toothed Grain Beetles, Elm Leaf Beetles, Bean Beetles, Mexican Bean Beetles, Borers, European Corn Borer, Branch and Twig Borers, Shot hole borers, Pacific flathead borers, Box Elder Bugs, Cabbageworms, Cross-striped Cabbageworm, Imported Cabbageworm, Cankerworms, Caterpillars, Gypsy Moth Caterpillars, Tent Caterpillar, Eastern Tent Caterpillar, Forest Tent Caterpillar, Tomato Fruitworm Caterpillar, Corn Earworms, Crane Flies, Crickets, Diamondback Moth Larvae, Earwigs, Fireworms, Fungus Gnats, Fruit Flies, Cherry Fruit Fly, Glassy Winged Sharpshooter, Grape Leaf Skeletonizer, Grasshoppers, Green Fruit Worm, Harlequin Bugs, Hornworms, Tomato Hornworm, Katydid, Lace Bugs, Leafhoppers, Grape Leafhopper, Potato Leafhoppers, Leafminers, Leafrollers, Fruittree Leafrollers, Leaf tiers, Loopers, Cabbage Looper, Lygus, Maggots, Apple Maggot, Cabbage Maggots, Onion Maggots, Mealybugs, Citrus Mealybugs, Grape Mealybugs, Vine Mealybugs, non-biting Midges, Millipedes, Mites, Clover Mites, European Red Mite, Spider Mites, Moths, Artichoke Plume Moth, Codling Moth, Diamondback Moth, European Pine Tip Moth, Gypsy Moths, Indian Meal Moth, Mediterranean Flour Moth, Mushroom Flies, Navel Orangeworm, Plant Bugs, Leaf footed Plant Bug, Tarnished Plant Bug, Psyllids, Pear Psyllids, Sawfly Larvae (pear and rose slugs), Scale, Soft Scale, Armoured Scale, Silverfish, Skippers, Sowbugs, Spittlebugs, Squash Bugs, Stink Bugs, Thrips, Greenhouse Thrips, Vinegar Flies, Webworms, Weevils, Boll Weevil, Carrot Weevil, Clover Weevil, Rice Weevil, Pepper Weevil, Whitefly, Phylloxera, and other listed insect pests.
- For indoor and outdoor use
- [Kills] 100+ [listed] [insects] [on contact]
- [Multi-Action:] Kills] all stages of listed insects, including eggs.
- Kills listed insects on contact
- Indoor [and] Outdoor
- Unique, Patented Formula.
- Patented technology
- Does not persist in the environment.
- Contact insecticide.
- Kills Japanese Beetles [on contact]
- Kills mites, whiteflies, aphids, and all accessible stages of insects & eggs
- Kills all accessible stages of listed insects, including eggs.
- For [roses], [fruit], [flowers] & [vegetables]

AEROSOL NEU1161 RTU LABEL

7/7

- Contains pyrethrins and canola oil botanical insecticides
- Fast-acting on contact
- Fast acting-kills listed insects on contact
- Kills listed insects on contact
- Kills on contact
- May be used up to and including day of harvest.
- Can be used up to and including day of harvest
- [Use up to] day of harvest



For Organic Gardening



For Organic Use

- Listed by the Organic Materials Review Institute [OMRI] for use in organic gardening

- Manufactured under a license of Neudorff.



- Pyrol™ is a trademark of W. Neudorff GmbH KG
- Gentle mist
- Powered by (compressed) air.
- Sprays in any direction – even upside down
- [Easy] Continuous Spray
- The Neudorff Promise Satisfaction guaranteed or your money back! If you apply [Aerosol NEU1161 RTU] [this product] as directed and you are not completely satisfied, send proof of purchase from this package and the original cash register receipt to the address below. We will refund the purchase price you paid.
-]

Registrant: W. Neudorff GmbH KG, An der Mühle 3,
31860 Emmerthal, Germany