



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D C 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

OCT 2 2012

W Neudorff GmbH KG c/o Walter G Talarek 1008 Rıva Rıdge Drıve Great Falls, VA 22066-1620

Subject Amendment to add emergency medical information, make minor label corrections, and

add marketing claims

EPA Registration No 67702-22

Primary Brand Name Neudorff's Insecticidal Soap Concentrate

Decision number 468957

Submission Date August 2, 2012

Dear Mr Talarek

The label referred to above, submitted under FIFRA, as amended, is <u>acceptable</u> Please submit one final printed copy for the above mentioned label before releasing the product for shipment. If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at benbow gene@epa gov

Sincerely,

Venus Eagle

Product Manager 01

Insecticide-Rodenticide Branch Registration Division (7505P)

NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE

Active Ingredient By Wt
Potassium Salts of Fatty Acids 47%
Other Ingredients 53%
Total 100%

Contains 4 07 lb Technical per Gallon

OCT 2 2012
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as arranded for the pesticide
Registered under

67702-22

EPA Reg No

KEEP OUT OF REACH OF CHILDREN

WARNING AVISO

EPA Reg No 67702-22 EPA Est No

[COMMERCIAL/AGRICULTURE USE]

Si usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detaile (If you do not understand the label, find someone to explain it to you in detail)

FIRST AID	
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye Call a poison control center or doctor for treatment advice
IF ON SKIN OR CLOTHING	Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice
Have the product container or label with you when calling a poison control center or doctor or going for treatment. [For additional information on this pesticide product, you may call the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information[alternatively, supplemental distributors may insert their own toll free numbers and hours of operation.]	

NET CONTENTS 1 gallon, 2 ½ gallons, 5 gallons, 20 gallons, 30 gallons, 50 gallons, 55 gallons, 200 gallons, 211 gallons (800 Liters) and 250 gallons

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals WARNING Causes substantial but temporary eye injury Causes skin irritation. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Personal Protective Equipment (PPE) Requirements

Handlers who may be exposed to the concentrate through mixing, loading application and other tasks must wear

- protective eyewear,
- coveralls worn over short-sleeved shirt and short pants,
- chemical-resistant footwear and socks,
- chemical-resistant gloves, such as barrier laminate, butyl rubber nitrile rubber, neoprene rubber, polyvinyl chloride and viton,
- chemical resistant headgear for overhead exposure, and
- chemical-resistant apron when cleaning equipment, mixing or loading

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. When mixing and loading wear a chemical resistant apron. When cleaning equipment add a chemical resistant apron. Follow the manufacturer's instructions for cleaning/maintaining. PPE If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards This product may be hazardous to aquatic invertebrates. Do not apply directly to water, areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal PESTICIDE STORAGE Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals

PESTICIDE DISPOSAL Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

CONTAINER HANDLING Nonrefillable container Do not reuse or refill this container Triple rinse container (or equivalent) promptly after emptying Triple rinse as follows

(For containers equal to or less than five gallons use these directions) Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available

(For containers greater than five gallons use these directions) Empty the remaining contents into application equipment or a mix tank. Fill the container ½ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling if available

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all directions for use before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), restricted-entry interval, and notification to workers. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated area during the restricted-entry interval of 12 hours

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is coveralls over short-sleeved shirt and short pants, chemical-resistant gloves, such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride and viton, chemical-resistant footwear and socks, protective eyewear, and chemical-resistant headgear for overhead exposure

Non-Agricultural Use Requirements

The requirements of this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural workers (40 CFR Part 170) The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses

DIRECTIONS FOR MIXING

For 2% formulation, mix 2 gal of product/100 gal of water (4 07 lb Tech/gal) Add sufficient water to the mixing tank to allow proper agitation by pump or paddles Continue stirring while adding first the NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE then the remaining water

Hard water in excess of 300 ppm should be conditioned to reduce its hardness prior to mixing with NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE

TANK MIXING

NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE may be combined with other pesticides to broaden the target spectrum, improve the level of kill, provide residual kill and enhance coverage. When used as a tank-mix, observe all directions for use, crops, use rates, dilution ratios, precautions, and limitations, which appear on the tank mix product label. Follow the label directions for the most restrictive of label precautions and limitations. This product should not be mixed with any product, which prohibits such mixing. Tank mixtures are permitted only in those states where the tank mix partner is registered. For tank mixing with companion pesticides, use NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE at a rate of 1% formulation (1 gallon of concentrate to 100 gallons of water). For example, certain caterpillars and leaf feeding beetles (e.g. Elm leaf beetle) can be controlled with tank mixes of 1 gallon of NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE per 100 gallons of water plus a standard pesticide.

Order of Tank Mixing

- -water
- -water conditioner (if needed)

-conventional pesticide - add other products in the following order watersoluble bags, wettable powders, dry flowables, liquid flowables, ECs and soluble materials such as fertilizers

-NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE

Also, if appropriate, give a Tank Mix Compatibility Test—Using a 2 quart jar, add the proportionate amounts of the products (in the order recommended above) to 1 qt water—After thorough mixing, let it stand for 5 minutes—If the combination remains mixed or can be re-mixed readily, it is compatible—Once compatibility is proven use the same procedure for adding required products to the spray tank

Manzate and dithane products are incompatible with NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE

Combining this product with sulfur or applying this product within 3 days of sulfur application may increase the plant damage caused by sulfur on sensitive plants (e.g., grape). Do not tank mix NEUDORFFS INSECTICIDAL SOAP CONCENTRATE with sulfur when temperatures are higher than 90° F

Do not allow tank mixes to sit for longer than 24 hours Mix and spray as soon as possible

NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE alone only requires stirring prior to use. Continue to stir tank mixes of NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE with other pesticides throughout use. If using equipment without pump or paddle, shake often during use. Flush fluid in sprayer hose lines back into the tank if stirring is interrupted.

APPLICATION INSTRUCTIONS

For field applications apply 2% formulation, 2 gal of product/100 gal of water (4 07 lb Tech/gal), at a rate of 75 to 200 gal/acre (6 10 to 16 26 lbs ai/acre) using ground spray equipment. For best results commence treatment when infestation is first noticed. Thoroughly spray insect pests or powdery mildew on plants with diluted product to wetting. Minimize run-off to reduce plant injury on sensitive plants. NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE is a contact spray and is effective in its liquid state. Pests need to be contacted with spray solution to be effective. Efforts should be made to thoroughly reach all plant parts including undersides of leaves.

Repeat treatment every one to two weeks as needed Apply to a maximum of three consecutive applications to ensure plant injury does not occur Additional

applications may be possible if previous experience with repeat applications of the product under the same conditions have not produced plant injury

May be used on edible crops up to and including day of harvest after a minimum spray interval of 12 hours

PESTS/SITES

NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE will control powdery mildew and listed insect pests such as adelgids (woolly aphids), aphids, lacebugs, mealybugs, mites, leafhoppers, scale insects, plant bugs, sawfly larvae (e.g. pear and rose slugs), psyllids, tent caterpillars, spider mites, earwigs, whitefly

Crop	Pest
Fruit trees such as apples, apricots, cherries,	aphids, mites, plant bugs,
nectarines, peaches, pears, plums, and prunes Nut trees such as pecans and almonds	leafhoppers, earwigs, mealybugs, psyllids, sawfly larvae (pear slugs), scale insects, spider mites, tent caterpillars
Citrus	aphids, mealybugs, mites, scale insects
Olives	aphids, scale insects, spider mites

Additional restrictions for this use

- -For tent caterpillars apply at a rate of 3% formulation (3 gal of product/100 gal of water) directly on larvae
- -Do not exceed a maximum spray volume of 400 gal/acre on apples
- -Use with care on pears after delayed dormant stage due to potential for fruit marking
- -Do not exceed a maximum rate of 100 gal/acre on smooth skinned stone fruit up to fruit formation
- -Do not exceed a maximum rate of 175 gal/acre on peaches
- -Do not use on yellow skinned nectarines
- -If sooty mold is present on citrus, application of product may result in fruit marking

Crop	Pest	
Small fruits (grapes, strawberry, blueberry,	aphids, mealybugs, mites,	
raspberry, cranberry)	scale insects, leafhoppers,	

plant bugs, powdery mildew

Additional recommendations for this use

-Do not use on table grapes once they become 6-7 mm in diameter (removes waxy bloom) or use at lowest recommended rate (75 gal/acre)

Crop	Pest
Ornamental and shade trees (flower and foliage plants, birch, flowering cherry, dogwood, evergreens, hawthorn, holly,	aphids, lacebugs, mealybugs, mites, plant bugs, psyllids, sawfly larvae, leafhoppers,
magnolia, maple, oak, flowering peach, privet, pyracanthia, sycamores)	spider mites, whiteflies, woolly aphids (adelgids), tent caterpillars, powdery mildew
Flowering, foliage, bedding plants and houseplants – greenhouse and outdoors	aphids, lacebugs, mites, scale insects, spider mites, leafhoppers, whiteflies, sawfly larvae (rose slugs), earwigs, powdery mildew

Additional recommendations for this use

- -For tent caterpillars apply at a rate of 3% formulation (3 gal of product/100 gal of water) directly on larvae
- -For Cooley spruce gall adelgids apply at a rate of 4% formulation (4 gal of product/100 gal of water) Test for tree sensitivity before applying at this rate Applications in early spring before bud break or in the fall on hardened off foliage is recommended

Crop	Pest
Alfalfa, canola, cotton, peanuts, soybeans, tobacco, wheat Corn (field, sweet) Sugar beets Vegetables - field and greenhouse (e g asparagus, beans, beets, broccoli, Brussel sprouts, cabbage, cauliflower, celery, collards, corn, cucurbits, eggplant, herbs and spices, kale, lettuce, lima beans, melon, mustard greens, peas, potatoes, peppers, radishes, spinach, squash, tomatoes, turnips)	aphids, fleahoppers, mites, plant bugs, whiteflies aphids mites, aphids aphids, mites, plant bugs, whiteflies, powdery mildew
Hops, banana, pineapple	aphids, leafhoppers, mealybugs, spider mites, plant bugs, scale insects and whiteflies

Additional recommendations for this use

- -To control green peach aphid, tank mixing with another pesticide is necessary
- -When applications are made in less than 25 gallons of water per acre, use 2 quarts of product per acre

USE RESTRICTIONS

Do not spray when plants are under stress. Do not apply to new seedlings and transplants without determining sensitivity (phytotoxicity) first. Do not spray during full sun. Spray early in morning or evening or when overcast. Do not apply to evergreens during drought and use caution when tender new foliage is present. If concerned about sensitivity of plants, apply to individual plants or small areas and wait a couple days to determine if plant damage occurs prior to treatment of larger areas.

Do not use on sweet peas, nasturtiums, delicate ferns or Calmeria and Italia varieties of grapes

Use with care on azaleas, bleeding heart, camelia, corn, euphorbia, fuchsia, gardenia, geraniums, impatiens, hawthorn, horse chestnut, jade plant, Japanese maple, lantana, mountain ash, ornamental ivy, palms, succulents. Sensitivity varies with plant varieties. If concerned about sensitivity of plants apply to individual plants or small areas of plants and wait to determine if plant damage (phytotoxicity) occurs before treating larger areas.

Use with care on blooms Determine sensitivity before spraying

Poinsettias may be sensitive Do not apply after coloring of bracts has begun

NOTICE TO BUYER

To the extent consistent with applicable law, seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. To the extent consistent with applicable law, buyer assumes all risk of any such use. To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied.

[Marketing claims and product information that may be presented on the container or supplemental wording

-Insecticidal soap

- -Insecticide/Miticide
- -[Insecticide]/[Miticide]/ [Fungicide]
- -[Insecticidal]/[Fungicidal]/[Miticidal] soap
- -Insect spray
- -Insect and powdery mildew (disease) spray
- -May be used up to day of harvest
- -Can be used right up until day of harvest
- -Rapidly degraded by soil microbes
- -Insecticidal soaps are degraded rapidly by soil microbes
- -Contact insecticide
- -For use on vegetables, fruit and nut trees, citrus, berries, ornamentals, shrubs flowers, and trees in homes, gardens and greenhouses
- -Can be used in vegetable gardens
- -Patented technology
- -Patented formula
- -Read Entire Container Label Before Using This Product
- -CONTROLS (Adelgids), (aphids), (earwigs), (grasshoppers), (lacebugs), (mealybugs), (mites), (plant bugs), (leafhoppers), (psyllids), (sawfly larvae), (scale insects), (tent caterpillars), (thrips), (whitefly), (woolly aphids), (powdery mildew) and other listed pests
- KILLS (Adelgids), (aphids), (earwigs), (grasshoppers), (lacebugs), (mealybugs), (mites), (plant bugs), (leafhoppers), (psyllids), (sawfly larvae), (scale insects), (tent caterpillars), (thrips), (whitefly), (woolly aphids), (powdery mildew) and other listed pests
- -Unconditionally guaranteed or your money back
- -Easy to Use
- -Can be used as part of an Integrated Pest Management System
- -Compatible with Biologicial Control Agents, Beneficial Insects and Mites
- For Organic Production
- -General Information NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE can be used to treat plants prior to biological control agent release and to treat "hot spots" for pest control in greenhouses with subsequent release of beneficial mites and insects
- -Mode of Action NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE is a contact killer for both insect and mite pests. It penetrates the body of pests and results in rapid death. NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE kills pests by disrupting membrane and cellular function.

Mode of Action NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE is a contact killer for (insects), (mites), and (powdery mildew)

-NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE contains specially selected fatty acid salts (soaps) chosen for effective pest control NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE has been formulated to provide optimum spreading

NEUDORFF S INSECTICIDAL SOAP CONCENTRATE LABEL 10/23

- -NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE is effective against the adult, larval and nymph stages of pests. Pupal stages of some pests (e.g. whitefly) may also be affected
- -The active ingredient in this product is exempted from the requirement of a tolerance for residues in or on all food commodities when used in accordance with good agricultural practice
- Kill listed insects through contact (in minutes)
- -provides quick control of pests in minutes
- -Controls powdery mildew, Insects and Mites
- Specially-formulated pesticidal soap to protect plants
- Controls powdery mildew
- Spray and harvest the same day
- -Manufactured (Sold) under a license of W Neudorff GmbH KG, Germany
- -www neudorffpro com



- -Listed by the Organic Materials Review Institute (OMRI) for use in production of organic food and fiber
- -Listed by the Organic Materials Review Institute (OMRI) for use in organic production

-OMRI Listed

Registrant

W Neudorff GmbH KG

Postfach 1209, An der Muhle 3, D-31860 Emmerthal Germany

For information on NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE, call 250-652-5888, Monday through Friday, 8 am to 4 pm PST

EPA Reg No 67702-22

EPA Est No

NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE

Active Ingredient By Wt
Potassium Salts of Fatty Acids 47%
Other Ingredients 53%
Total 100%

KEEP OUT OF REACH OF CHILDREN

WARNING

[HOUSEHOLD USE]

FIRST AID		
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye Call a poison control center or doctor for treatment advice	
IF ON SKIN OR CLOTHING	Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. [For additional information on this pesticide product, you may call the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information[alternatively, supplemental distributors may insert their own toll free numbers and hours of operation.]]		

NET CONTENTS 8 oz, 16 oz, 1 qt ½ gallon, 1 gallon, 55 gallons, 200 gallons and 211 gallons (800 Liters)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals WARNING Causes substantial but temporary eye injury Causes skin irritation. Do not get in eyes, skin or on clothing Wear protective eyewear (goggles, face shield, or safety glasses) Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse

Environmental Hazards This product may be hazardous to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather or when rain is not predicted for the next 24 hours will

help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

STORAGE AND DISPOSAL

PESTICIDE STORAGE Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals

PESTICIDE DISPOSAL AND CONTAINER HANDLING

If empty Nonrefillable Do not reuse or refill this container Place in trash or offer for recycling if available

If partly filled Call your local solid waste agency for disposal instructions Never place unused product down any indoor or outdoor drain

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Please read entire label before using Use only as directed. May be used on edible crops up to and including day of harvest after a minimum spray interval of 12 hours.

Subregistrants must use either A 'Directions for Mixing' section or B Hose End Sprayer Applicator Directions]

A DIRECTIONS FOR MIXING [for containers without a hose-end sprayer]

For 2% formulation mix 4 teaspoons of concentrate with 1 quart of water (or 2 oz concentrate with 3 quarts of water) Shake well before use

CONVERSIONS		
1 fluid ounce	6 teaspoons	
1 pint	16 fluid ounces	
1 quart	2 pints (32 fl oz)	
1 gallon	4 quarts (128 fl	
	oz)	

B [Hose End Sprayer Directions for containers with a hose end sprayer Subregistrants must choose one of the following


How to use hose end sprayer


- 1 Connect spray nozzle to garden hose
- 2 Turn on the water from the faucet
- 3 When you are ready to spray turn the blue knob on top so that it points to the MIX position on the spray head (Fig 1)


4 The spray deflector on the front of the hose-end applicator can be rotated to give a stream or fan spray (Fig 2)


To stop spraying

- 1 When you are finished spraying or if you have to stop spraying at any time turn the blue knob back to the OFF position (Fig 3)
- 2 Turn off the water from the faucet
- 3 Turn the blue knob to H₂O then OFF to drain the water from the hose (Fig. 4)
- 4 Unscrew spray nozzle from hose Remove hose-end from container









HOSE END SPRAYER INSTRUCTIONS Shake before using.



HOW TO USE.

- 1 Attach garden hose to spray
- 2. Turn on water supply



Petal nezzis teward plants and term water control teach to "On" Product will automatically mix with water. Spray upper and lewer leaf surfaces theroughly






3. Send safety tab down and turn control to "water"


OR


- 1 Attach garden hose to spray nozzle Turn on water supply
- 2 Bend safety tab down and turn control to "water"
- 3 Point nozzle toward plants and turn water control knob to "On' Product will automatically mix with water Spray upper and lower leaf surfaces thoroughly

To Stop Spraying


- 1 When you are finished spraying or if you have to stop spraying at any time, turn the blue knob back to the OFF position
- 2 Turn off the water from the faucet
- 3 Turn the blue knob to H₂0 then OFF, to drain the water from the hose
- 4 Unscrew spray nozzle from hose Remove hose end from container









- 1 Shake container well before using
- 2 Connect a garden hose to the Ready Spray nozzle Make sure the dial on the nozzle is in the "OFF" position with the safety tab in the valve notch [Fig 1]
- 3 Turn on the water at faucet Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area
- 4 To BEGIN spraying, point nozzle toward treatment site and
 - a Bend the safety tab back (located at the right of the yellow dial) with your thumb,
 - b Using your other hand, QUICKLY turn the dial clockwise until it stops. Water will automatically mix with the product. [Fig 2]
- 5 Spray moss thoroughly Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas [Fig 3]
- 6 To STOP spraying, QUICKLY turn the dial in the opposite direction of "ON" until it stops and the safety tab engages the notch on the valve [Fig 4] Turn water off at faucet To relieve pressure before removing nozzle from hose, bend the safety tab back and turn dial "ON" until water stops spraying
- 7 To STORE unused product make sure the dial is in the "OFF" position with safety tab in the valve notch. Place in cool area away from heat, sunlight or open flame









Dynasty Hose End Sprayer Directions


This xx ounce bottle will cover up to xxxx square feet

- 1 Before attaching the sprayer to garden hose, make sure that the Water Flow Switch (top switch) is in the "OFF" (to the rear) position
- 2 Connect spray nozzle to garden hose while pointing sprayer in a direction away from face and body
- Remove the safety pin in front of the Product Flow Switch (side switch)
- 4 Rotate Product Flow Switch pin forward 90 deg to the "ON" position
- Aim front of nozzle toward area to be covered and begin spraying by moving water valve (top switch) to the "ON" position (forward)


To Stop Spraying

- Turn Water Flow Switch (top switch) to "OFF" position (to the rear) and Product Flow Switch (side switch) back to the OFF' position
- 2 Turn off the water at the faucet
- 3 Unscrew spray nozzle from garden hose, rinse outside of container and store any unused product according to the Storage and Disposal Directions

Optional Diagram



HOW TO USE Shake Well Before Use	CONNECT	Shake well before useConnect sprayer to garden hoseTurn on water
		1 Extend hose to farthest area to be treated point sprayer nozzle in direction to be sprayed 2 Begin spraying <insert here="" language="" sprayer-specific=""> Hayes HP-2 and Calmar RTS sprayers Press lock tab while using other hand to turn sprayer valve to ON position Green Garden RTS sprayer Turn sprayer valve to ON position</insert>
	;	Walk at a steady pace while spraying using an even sweeping motion and slightly overlap the treated areas. Work back toward the faucet to avoid walking over wet treated grass.
	2	To stop spraying < Insert sprayer-specific language here > Hayes HP-2 RTS sprayer Press lock tab while using other hand to turn sprayer valve to OFF position Calmar & Green Garden RTS sprayers turn sprayer valve to OFF position Turn off water at faucet Relieve water pressure in hose by turning sprayer valve back to
		WATER position until water slows to a drip then turn sprayer valve to OFF position Under the state of the sprayer valve back to the sprayer valve b



- Connect your garden hose to the bottle Be sure the blue water control valve on top of the spray nozzle is in the OFF position
- To begin spraying turn on water at faucet Point nozzle towards the area to be treated and Press lock tab while using other hand to turn sprayer valve to ON position
- 3 To stop spraying turn the water control valve on top of the spray nozzle to OFF Turn off faucet
- 4 Relieve water pressure by turning water control valve to the ON position until water slows to a drip Turn water control valve back to OFF Disconnect garden hose from bottle
- 5 The unused portion can be saved and used at a later date

Tips for Applying

- 1 Extend hose to the farthest plants to be treated and work back toward the faucet to avoid contacting wet treated plants
- 2 Use an even sweeping motion ensuring thorough coverage of both the top and bottom leaf surfaces

OR

HOW TO ATTACH & SPRAY

[Directions for Hayes HP 1 Sprayer]

- 1 Connect your garden hose to the bottle Be sure the blue water control valve on top of the spray nozzle is in the OFF position
- 2 Turn on water at faucet Twist the small star shaped blue product-control button to align the flat portion with the lock tab. Push the button in to open
- 3 To begin spraying point nozzle toward the area to be treated and turn the blue water control valve to the ON position. Tab will be horizontal
- To stop spraying turn the blue water control valve on top of the spray nozzle to OFF. To close push in the small round button opposite the star-shaped product control button. Turn off faucet
- Relieve water pressure by turning blue water control valve to the ON position until water slows to a drip. Turn blue water control valve back to OFF. Disconnect garden hose from bottle
- 6 The unused portion can be saved and used at a later date

[Directions for Green Garden K-1 Sprayer and Calmar Infinity Sprayer] Connect

- 1 Shake well before use
- 2 Connect sprayer to garden hose
- 3 Be sure that sprayer valve is in off position
- 4 Turn on water at faucet

Spray

- 1 Extend hose to furthest area to be treated, point sprayer nozzle in direction to be sprayed
- 2 To begin spraying press lock tab while using other hand to turn sprayer valve to ON position
- 3 Walk at a steady pace while spraying using an even sweeping motion and slightly overlap the treated areas. Work back toward the faucet to avoid walking over wet treated grass.

Finish

- 1 To stop spraying turn sprayer valve to OFF position
- 2 Turn off water at faucet
- 3 Relieve water pressure in hose by turning sprayer valve to water position until water slows to a drip then turn valve to OFF position
- 4 Disconnect sprayer from hose


Tips for Applying

- 1 Extend hose to the farthest area to be treated and work back toward the faucet to avoid walking into wet treated area
- 2 Walk at a steady pace while spraying using an even sweeping motion slightly overlapping the treated areas

HOW TO ATTACH AND SPRAY

[Directions for Hayes HP-2 Sprayer]

- 1 Connect your garden hose to the bottle Be sure the blue water control valve on top of the spray nozzle is in the OFF position
- To begin spraying turn on water at faucet Point nozzle towards the area to be treated and Press lock tab while using other hand to turn sprayer valve to ON position
- 3 To stop spraying turn the water control valve on top of the spray nozzle to OFF Turn off faucet
- 4 Relieve water pressure by turning water control valve to the ON position until water slows to a drip Turn water control valve back to OFF Disconnect garden hose from bottle
- 5 The unused portion can be saved and used at a later date



Tips for Applying

- Extend hose to the farthest area to be treated and work back toward the faucet to avoid contacting wet treated areas
- Walk at a steady pace while spraying using an even sweeping motion slightly overlapping the treated areas

]

PESTS/SITES AND APPLICATION INSTRUCTIONS

NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE will control powdery mildew and listed insect pests such as adelgids (woolly aphids) aphids, lacebugs, mealybugs, mites, grasshoppers, leafhoppers, scale insects, plant bugs, sawfly larvae (pear and rose slugs), psyllids, tent caterpillars, thrips, spider mites, earwigs, and whitefly

Apply a 2% diluted product using hand-held trigger sprayers hand sprayers or backpack sprayers [for products sold with hose end sprayer, replace above options with hose end sprayer'] Thoroughly spray insect pests or powdery mildew on plants to wetting with diluted product. Repeat treatment weekly or biweekly if needed. NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE is a contact spray and is effective in its liquid state. Efforts should be made to thoroughly reach all plant parts including undersides of leaves.

For use indoors, outdoors and in greenhouses on fruit and nut trees (e g , apples, cherries, peaches, pears, pecans, almonds), corn, soybeans, melons, tomatoes, vegetables (e g , beans, cabbage, cucurbits, peas, potatoes), figs, small fruits (e g , grapes, strawberry, raspberry), citrus, houseplants, flowering, foliage and bedding plants, ornamental and shade trees (e g , birch, evergreens, holly, oak)

USE RESTRICTIONS

Do not use on sweet peas, nasturtiums, delicate ferns

Do not spray when plants are under stress. Use with care on new seedlings, transplants and blooms. Do not spray during full sun. Spray early in morning or evening or when overcast. Soap spray may cause marking of some varieties. If concerned about sensitivity of plants, apply to individual plants or small areas of

plants and wait to determine if plant damage (phytotoxicity) occurs prior to treatment of larger areas

NOTICE TO BUYER

To the extent consistent with applicable law, seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label directions or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. To the extent consistent with applicable law, buyer assumes all risk of any such use. To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied.

[Marketing claims and product information that may be presented on the container or supplemental wording

- -Insecticidal soap
- --[Insecticidal]/[Fungicidal]/ [Miticidal] soap
- -Insecticide/Miticide
- -3 in 1 Insecticide, Miticide, Fungicide
- -Insect spray
- -Insect and powdery mildew (disease) spray
- -May be used up to day of harvest
- -Rapidly degraded by soil microbes
- -Insecticidal soaps are degraded rapidly by soil microbes
- -Does not persist in the environment
- -Contact insecticide
- -For use on vegetables, fruit and nut trees, citrus, berries, ornamentals, shrubs, flowers, and trees in homes, gardens and greenhouses
- -Can be used in vegetable gardens
- -Patented technology
- -Patented formula
- -Read Entire Container Label Before Using This Product

CONTROLS (Adelgids), (aphids), (earwigs), (grasshoppers), (lacebugs), (mealybugs), (mites), (plant bugs), (leafhoppers), (psyllids), (sawfly larvae), (scale insects), (tent caterpillars), (thrips), (whitefly), (woolly aphids), (powdery mildew) and other listed pests

- -KILLS (Adelgids), (aphids), (earwigs), (grasshoppers), (lacebugs), (mealybugs) (mites), (plant bugs), (leafhoppers), (psyllids), (sawfly larvae), (scale insects), (tent caterpillars), (thrips), (whitefly), (woolly aphids), (powdery mildew) and other listed pests
- -Satisfaction guaranteed or your money back
- -Unconditionally guaranteed or your money back
- -Easy to Use
- -[Insecticide]/[Miticide]/ [Fungicide]

- -Can be used as part of an Integrated Pest Management System
- -Compatible with Biologicial Control Agents, Beneficial Insects and Mites

0

-For Organic Gardening

00

-For Organic Production

- -General Information NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE can be used to treat plants prior to biological control agent release and to treat "hot spots" for pest control in greenhouses with subsequent release of beneficial mites and insects
- -Mode of Action NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE is a contact killer for both insect and mite pests. It penetrates the body of pests and results in rapid death. NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE kills pests by disrupting membrane and cellular function.

Mode of Action NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE is a contact killer for (insects), (mites), and (powdery mildew)

- -NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE contains specially selected fatty acid salts (soaps) chosen for effective pest control NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE has been formulated to provide optimum spreading
- -NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE is effective against the adult, larval and nymph stages of pests. Pupal stages of some pests (e.g. whitefly) may also be affected
- -May be applied to edibles up to day of harvest
- -Money back guarantee
- -Multi-purpose
- -Insect Killer
- -Manufactured (Sold) under a license of W Neudorff GmbH KG, Germany
- -www neudorff com



- -For use indoors-outdoors
- -The active ingredient in this product is exempted from the requirement of a tolerance for residues in or on all food commodities when used in accordance with good agricultural practice
- Kill listed insects through contact (in minutes)
- -Controls powdery mildew, Insects and Mites
- -provides quick control of pests in minutes
- Specially-formulated pesticidal soap to protect plants
- Controls powdery mildew
- Spray and harvest the same day
- -(Houseplants), (Flowers), (Fruits), (Vegetables), (Trees), (Shrubs)]
- -Listed by the Organic Materials Review Institute (OMRI) for use in production of organic food and fiber
- -Listed by the Organic Materials Review Institute (OMRI) for use in organic production

NEUDORFF S INSECTICIDAL SOAP CONCENTRATE LABEL 23/23

-OMRI Listed OMRI

Registrant W Neudorff GmbH KG

Postfach 1209, An der Muhle 3, D-31860 Emmerthal, Germany

For information on NEUDORFF'S INSECTICIDAL SOAP CONCENTRATE, call 250-652-5888, Monday through Friday, 8 am to 4 pm PST

[Optional statements that may be presented on the container or supplemental wording when product is packaged with a hose end sprayer

- -Hose-End Sprayer Directions
- -Follow the directions for using the Hose-End sprayer
- -No mixing-no mess!
- -Attach to garden hose and spray
- -This product is ready to spray
 Just attach this bottle to your garden hose according to directions
 Water automatically mixes with the concentrate as you spray
- -Hose 'n Gol
- -Ready-to-Spray]]

EPA Reg No 67702-22

EPA Est No