

67702-32

06/14/2012

1/18

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON D C 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

W Neudorff GmbH KG  
c/o Walter G Talarek, P C  
1008 Riva Ridge Drive  
Great Falls, VA 22066-1620

JUN 14 2012

Subject Label Amendment to add EPA establishment numbers  
Slug Exx  
EPA Reg No 67702-32  
Your submission dated February 7, 2012  
Decision Number 460888

Dear Mr Talarek

The amendment referred to above submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c)(5), is acceptable provided that you

- 1) Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data
- 2) Submit two (2) copies of your final printed labeling before you release the product for shipment Final printed labeling means the label or labeling of the product when distributed or sold Clearly legible reproductions or photo reductions will be accepted for unusual labels, such as those silk-screened directly onto glass or metal containers or large bags or drum labels

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e) Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions A stamped copy of the label is enclosed for your records Should you have any questions, you may contact Mr Colin Walsh directly at (703) 308-0298 or via email at [walsh.colin@epa.gov](mailto:walsh.colin@epa.gov)

Sincerely,

Linda A Hollis, Chief  
Biochemical Pesticides Branch  
Biopesticides and Pollution

CONCURRENCES  
Prevention Division (7511P)

SYMBOL	▶ 7511P						
SURNAME	▶ Walsh						
DATE	▶ 6/14/12						

**MASTER LABEL**

**SLUG EXX**

Active Ingredient	By weight
Sodium Ferric EDTA	2.0%
Other Ingredients	<u>98.0%</u>
<b>Total</b>	<b>100.0%</b>


SUBLABEL A Home and Garden Use  
 SUBLABEL B Commercial Agriculture Use

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

EPA Registration #67702-32

EPA Establishment #



Registrant W Neudorff GmbH KG  
 An der Muhle 3, Postfach 1209  
 31860 Emmerthal, Germany  
[www.neudorff.com](http://www.neudorff.com)

[in the alternative, the distributor's telephone number and website address may be used]

Home and Garden Use NET WEIGHT 1oz, 13oz, 20oz, 26oz, 30oz, 0.5lb, 1 lb, 1.25lbs,  
 1.5 lbs, 1.75 lbs, 2lbs, 2.25lbs, 2.5lbs, 3lbs, 3.2lbs, 4.0 lbs, 5lbs, 5.25lbs, 5.5lbs, 6lbs,  
 7lbs, 8lbs, 10lbs, 12lbs, 15lbs, 20lbs, 25lbs, 40 lbs, 11b 4oz , 11b 14oz , 21b 8oz , 2116  
 lbs (960kg)

Commercial Agriculture Use NET WEIGHT 20lbs, 25lbs, 40lbs, 45lbs, 50lbs, 55lbs  
 (25 kg), 1984lbs (900 kg), 2011lbs (912 kg), 2116 lbs (960kg)

**ACCEPTED**

**JUN 14 2012**

Under the Federal Insecticide Fungicide  
 and Rodenticide Act as amended, for  
 the pesticide registered under  
 EPA Reg No **67702-32**

3/18

**SUBLABEL A Home and Garden Use**

**SLUG EXX**

Active Ingredient	By weight
Sodium Ferric EDTA	2 0%
Other Ingredients	<u>98 0%</u>
<b>Total</b>	<b>100 0%</b>

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

EPA Registration #67702-32  
 EPA Establishment # 67702 DEU 1 67702-DEU 2 67702-DEU 3 39578 TX-1 66876-OR 1 48498  
 CA 1 or 8119-WA-1 239-MS 001

NET WEIGHT 1oz, 13oz, 20oz, 26oz, 30oz, 0 5lb, 1 lb, 1 25lbs, 1 5 lbs, 1 75 lbs, 2lbs,  
 2 25lbs, 2 5lbs, 3lbs, 3 2lbs, 4 0 lbs, 5lbs, 5 25lbs, 5 5lbs, 6lbs, 7lbs, 8lbs, 10lbs, 12lbs,  
 15lbs,20lbs, 25lbs, 40 lbs, 1lb 4oz , 1lb 14oz , 2lb 8oz , 2116 lbs (960kg)

<b>FIRST AID</b>
<b>If in eyes</b> Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye Call a poison control center or doctor for treatment advice
<b>Hotline Number</b>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment For emergency information concerning this product, call the National Pesticide Information Center at 1-800-858-7378, 6 30 am to 4 30 Pacific Time, seven days a week (NPIC Web site www npic orst edu) During other times, call the poison control center at 1-800222-1222

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals** CAUTION Causes moderate eye  
 irritation Avoid contact with eyes or clothing Wash thoroughly with soap and water  
 after handling and before eating, drinking, chewing gum, using tobacco, and using the  
 toilet

**Environmental Hazards** To protect the environment, do not allow pesticide to enter or  
 run off into storm drains, drainage ditches, gutters or surface waters Applying this  
 product in calm weather when rain is not predicted for the next 24 hours will help to  
 ensure that wind or rain does not blow or wash pesticide off the treatment area

Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

**HOW TO APPLY** Scatter the slug and snail bait granules on the soil around or near the plants to be protected Do not use kitchen utensils for food uses after pesticide use Do not place in piles

Reapply as the bait is consumed or every two weeks Apply more heavily if the infestation is severe, if the area is heavily watered or after long periods of heavy rain See specific directions for different plant types and for inside greenhouses

**WHERE TO APPLY** Treat all likely areas of infestation, especially around the base of plants, between rows and around the perimeter of garden plots where pests travel into plant areas from daytime refuges Slugs/snails favor damp places around vegetable plants such as beans, tomatoes, lettuce, cabbage, celery and squash Other favorite areas are flower gardens, rockeries, hedges, dichondra lawns, citrus groves, ivy patches, and other ground cover where they obtain shelter by day

**AMOUNT TO APPLY**

0.25-1.0 lbs/1000 sq ft or 1 teaspoon/sq yd

[One of the following two directions for use may be used

For use on vegetables, fruits including citrus, berries, herbs, outdoor ornamentals, greenhouses and lawns

OR

**Vegetables**

Use the bait to protect any vegetables from slug and snail damage, including (but not limited to) artichokes, asparagus, beans, beets, blackeyed peas, broccoli, Brussels sprouts, cabbage, cantaloupe, carrots, cauliflower, celery, corn, cucumbers, eggplants, endive, garlic, ginseng, lettuce, mustard greens, okra, onions, parsnips, peas, peppers, potatoes, radishes, rutabagas, spinach, squash, sweet potatoes, Swiss chard, tomatoes and turnips Scatter the bait around the perimeter of the vegetable plot to provide a protective "barrier" for slugs and snails entering the garden plot If slugs or snails are inside the rows, then scatter the bait on the soil around the base of the plants and between the rows

**Fruits Including Citrus**

Use the bait to protect fruits from slugs and snails, including (but not limited to) apples, avocados, apricots, cherries, grapes, melons, peaches, plums, citrus, pears For seedlings spread the bait around the base of the stem Apply in a 6 inch circular band around the base of the plants to be protected For older trees, spread the bait around the base of the tree to intercept slugs and snails traveling to the trunk Apply the bait using standard fertilizer granular spreaders

**Berries**

Use the bait to protect berries from slugs and snails, including (but not limited to) strawberries, blackberries, blueberries, boysenberries, loganberries, marionberries and raspberries Spread the bait around the perimeter of the plot to intercept slugs and snails migrating toward the berries Scatter by hand or with granular spreaders If slugs and snails are already in the plots, then carefully spread bait between the furrows near the base of the plants For small plots, treat around the base of the plants to be protected Do not spread over the entire area but apply selectively

**Herbs**

Use the bait to protect any herbs from slug and snail damage, including (but not limited to) arugula, angelica, basil, chervil, dill, hops, marjoram, mint, oregano, sage, thyme Scatter the bait around the perimeter of the area, to provide a protective "barrier" for slugs and snails entering the garden plot If slugs or snails are inside the rows, then scatter the bait on the soil around the base of the plants and between the rows

**Outdoor Ornamentals**

Scatter bait in a 6 inch circular band around the base of the plants to be protected If plants are next to a grassy area, spread the bait between the ornamentals and the grass Slugs and snails traveling to the plants will encounter the bait before reaching the plant

**Greenhouses**

Where slugs or snails are a problem in greenhouses, scatter the bait in the plant pots of plants being damaged or around pots on greenhouse benches

**Lawns**

When slugs or snails are detected, scatter the bait on the lawn by hand or with a granular spreader ]

**STORAGE AND DISPOSAL**  
 Do not contaminate water, food or feed by storage or disposal  
**PESTICIDE STORAGE** Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals  
**CONTAINER DISPOSAL**  
 Nonrefillable container  
**If empty** Do not reuse or refill this container Place in trash or offer for recycling, if available  
**If partly filled** Call your local solid waste agency for disposal instructions Never place unused product down any indoor or outdoor drain

**BATCH CODE**

The registrant may use one or both of these two optional statements, either

**"WARRANTY**

To the extent consistent with applicable law, the seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with directions for use This warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied "

or

**OUR COMMITMENT TO YOUR SATISFACTION** If you are not happy with the way this product works in your garden, please let us know We will be happy to replace the product or refund your money Simply send your name, address and proof of purchase to [insert name and address of supplemental registrant] "

[The following claims and product information, may or may not be presented on the product's label and labeling

- Slug and Snail Bait
- Slug and Snail Killer
- Quick Facts
- Product Facts
  - What it does Kills snails and slugs
  - Where to Use For use around vegetables, fruit trees, citrus, berries, herbs, ornamentals, shrubs, flowers, trees, lawns, gardens and in greenhouses
- Read the Label First!
- NOTE** This package is sold by weight Contents may have settled during shipment
- US Patent number 5,437,870

- This container is made from XX% recycled materials
- Easy-pour, waterproof package
- Convenient Easy to Use Requires no mixing, spraying or special applicators
- No mixing required
- Easily applied from (convenient) re-sealable package
- The highly compressed granules (pellets) are easy to use, clean to handle and economical
- Patented technology
- Patented snail & (and) slug killer
- Unique, patented formula
- Easy-to-use (ready-to-use) (RTU) granular (pellet) formulation
- Easy to apply granules
- Easy to use small (short) pellets
- Small (short) pellets for even coverage
- Shorts
- Plant protection will be observed in the decrease in plant damage
- Kills snails & (and) slugs
- Treats (will treat) up to x,xxx sq ft
- (1 lb) treats up to 4000 sq ft
- (2 lb) treats up to 8000 sq ft
- (2.5 lbs) treats up to 10,000 sq ft
- Remains effective after rain or sprinkling
- Long-lasting resistant to rain and watering
- Not easily dissipated by water
- Rain and irrigation resistant
- Rainfast formula! All weather formula
- Moisture resistant package (bag, box, pail, as appropriate)
- Effective under wet and dry conditions
- New Formula
- May be used in areas where there are dogs, cats & (and) birds
- Proven snail & (and) slug killer (kill, control)
- Protects plants from slugs and snails
- Stops plant damage from foraging slugs and snails
- Protects plants from slug and snail damage
- (Kills) (Controls) slugs and snails
- Offers immediate protection to plants, even though slugs and snails may remain in the area
- After feeding, slugs and snails stop feeding and crawl to secluded places to die
- SATISFACTION GUARANTEED
- Money Back Guarantee If you are not satisfied with this product, we will gladly refund your original purchase price
- Can be used in vegetable gardens
- Can be used up to and including day of harvest
- For use around vegetables, fruit trees, citrus, berries, ornamentals, shrubs, flowers, trees, lawns, gardens, and in greenhouses
- For use on turf, ornamentals, vegetables and fruit

- Effective at controlling snails and slugs commonly found in and around homes, lawns, ornamentals, fruit and vegetable gardens
- Gardeners may re-enter lawn & garden immediately after bait is applied
- Use around flowers, gardens, and fruit trees
- For home and garden use
- Can be used around domestic animals (pets) and wildlife
- Read Entire Container Label Before Using This Product
- The active ingredient in this product is exempt from the requirement for a tolerance when used as a molluscicide in or on all food commodities
- For broadcast application standard broadcast applicators may be used, such as (but not limited to) Cyclone
- For row application standard granular spreaders may be used, such as (but not limited to) Gandy and Clampco
- Unconditionally guaranteed by [insert name of supplemental registrant]
- Baits and Kills
- Stops slugs and snails from feeding
- For household home garden use
- The slugs and snails controlled by this product include (but are not limited to) *Deroceras reticulatum* (Gray field slug), *Deroceras laeve* (Marsh slug or meadow slug), *Arion subfuscus* (Dusky slug), *Arion circumscriptus* (Brown-banded Arion), *Arion hortensis* (Black field slug or Garden slug), *Arion rufus* (Large red slug), *Arion ater* (Large black slug), *Limax flavus* (Yellow cellar slug or yellow garden slug), *Limax tenellus* (Slender slug) *Ariolimax columbianus* (Banana slug), *Helix* spp (snail species), *Helicella* spp (snail species), and *Cepaea* spp (snail species)
- Kills a wide variety of slugs and snails
- Effective against a wide variety of slugs and snails
- No slime trails
- No messy cleanup
- Dead snails, no slime trails
- WHEN TO APPLY Apply the bait during the morning or evening, as slugs and snails travel and feed mostly by night or early morning
- When to apply Apply when slugs and snails are active This will usually mean treating during periods when evening frost is no longer likely Check under rocks and other horizontal surfaces in contact with moist soil for snail and slug activity in the early morning Even a presence of 1-2 slugs per square yard can indicate a serious problem Snails and slugs feed almost entirely at night, so the best time to treat is late afternoon or just before dusk and when temperatures are cooler Try not to irrigate for 48 hours after application Regular application will diminish the recurrence of slug or snail infestation
- Just one slug or snail can hatch up to 40 or 80 eggs respectively, every 4-8 weeks
- Where to apply apply at the edge of the garden or area to be protected to reduce the chances of reinfestation from adjacent areas Slugs and snails migrate toward better feeding and sheltering conditions, preferring moist shady environments with tender, succulent vegetation close to the ground Use broadcast-type spreader for large areas Also treat areas where these pests shelter during the day- damp places, around mulch, shady flower gardens, rock formations, ivy patches, hedges, vegetable plants, dichondra, lawns and other ground covers



- Protects Flowers
- Protects Flower Quality
- Protects Sensitive Landscapes
- Rain-Proof Formula
- Guaranteed (Results)
- Protecting your garden and landscapes from snail and slug damage has never been easier!
- Easy (to use) Shaker Applicator
- Easy (to use) (Pour) Spout
- SLUG EXX is a (registered) trademark of (W )Neudorff (GmbH KG)
- Made with SLUG EXX®(TM)
- www neudorff com
- Manufactured under a license of W Neudorff GmbH KG, Germany



-May be used up to and including day of harvest

**GENERAL INFORMATION (WHY SLUG AND SNAIL BAIT IS EFFECTIVE)**

This product has a non-toxic mode of action and can be used in areas where pet and wildlife protection is a concern. When slugs and snails ingest the bait, they stop feeding and crawl back to their shelter where they eventually die. It remains effective under varying weather and environmental conditions.

The bait is ingested by slugs and snails when they travel from their hiding places to plants. Ingestion, even in small amounts, will cause them to cease feeding. This physiological effect of the bait gives immediate protection to the plants even though the slugs and snails may remain in the area. After eating the bait, the slugs and snails cease feeding, become less mobile and begin to die within three to six days. Dead slugs and snails may not be visible as they often crawl away to secluded places to die. Plant protection will be observed in the decrease in plant damage.

This product is effective against a wide variety of slugs and snails and will give protection to home lawns, gardens, greenhouses, outdoor ornamentals, vegetable gardens, fruits, berries, citrus and plants. The bait can be scattered on the lawn or on the soil around any vegetable plants, flowers or fruit trees or bushes to be protected.]

Registrant W Neudorff GmbH KG, Postfach 1209, An der Muhle 3,  
 31860 Emmerthal, Germany  
 Phone 250-652-5888  
[www neudorff com](http://www.neudorff.com) [in the alternative, the distributor's telephone number  
 and website address may be used]

**SUBLABEL B Commercial Agriculture Use**

**SLUG EXX**

Active Ingredient	By weight
Sodium Ferric EDTA	2 0%
Other Ingredients	<u>98 0%</u>
<b>Total</b>	100 0%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**EPA Registration #67702-32**

**EPA Establishment # 67702-DEU-1 67702-DEU 2 67702-DEU 3 39578 TX-1 66876 OR 1 48498 CA 1 or 8119-WA 1 239 MS-001**

NET WEIGHT 20lbs, 25lbs, 40 lbs, 45lbs, 50lbs, 55lbs (25 kg), 1984lbs (900 kg), 2011lbs (912 kg), 2116lbs (960kg)

<b>FIRST AID</b>
<b>If in eyes</b> Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye Call a poison control center or doctor for treatment advice
<b>Hotline Number</b>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment For emergency information concerning this product, call the National Pesticide Information Center at 1-800-858-7378 seven days a week, 6 30 am to 4 30 Pacific Time (NPIC Web site <a href="http://www.npic.orst.edu">www.npic.orst.edu</a> )

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals** CAUTION Causes moderate eye irritation Avoid contact with eyes or clothing Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet

**Personal Protective Equipment (PPE) Requirements** Applicators and other handlers must wear long-sleeved shirts and long pants, and shoes plus socks Follow manufacturer's instructions for maintaining PPE If no such instructions for washables, use detergent and hot water Keep and wash PPE separately from other laundry

**User Safety Recommendations**

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet
- Users should remove clothing/PPE immediately if pesticide gets inside Then wash thoroughly and put on clean clothing
- Users should remove PPE immediately after handling this product Wash the outside of gloves before removing As soon as possible, wash thoroughly and change into clean clothing

**Environmental Hazards** For terrestrial uses Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark Do not contaminate water when disposing of equipment washwater or rinsate

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Do not apply this product in a manner that will contact workers or other persons, either directly or through drift Only protected workers may be in the area during application For any requirements specific to your State or Tribe, consult the State or Tribal agency representative responsible for pesticide regulation

**AGRICULTURAL USE REQUIREMENTS**

Use this product in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170 This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides It contains requirements for training, decontamination, notification, and emergency assistance It also contains specific instructions and exceptions pertaining to the statements on this label about Personal Protective Equipment (PPE) and the restricted-entry interval The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS)

There is a restricted-entry interval of zero hours for this product

**NON-AGRICULTURAL USE REQUIREMENTS**

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170) The WPS

applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses

There are no restrictions

**HOW TO APPLY** Scatter the slug and snail bait granules on the soil around or near the plants to be protected Do not apply bait directly to soft-leaved plants May be applied with other baits or fertilizers of similar particle size Apply the higher rates if the infestation is severe or if the area is heavily watered or after long periods of heavy rain Reapply as the bait is consumed or at least every two weeks

Do not place in piles See specific directions for different plant types and for inside greenhouses

**WHERE TO APPLY** Treat all likely areas of infestation, especially around perimeters of plots where these pests travel into plant areas from daytime refuge sites Slugs/snails favor damp places and in weeds or ditches around field margins Other favorite areas are flower gardens, rockeries, hedges, dichondra lawns, citrus groves, ivy patches, and other ground cover where they obtain shelter by day

**AMOUNT TO APPLY**  
10-40 lbs/acre or 0.25-1.0 lbs/1000 sq ft  
1 teaspoon/sq yd  
Use higher rates when slug/snail infestations are high

**Vegetables**

Use the bait to protect any vegetables from slug and snail damage, including (but not limited to) artichokes, asparagus, beans, beets, blackeyed peas, broccoli, Brussels sprouts, cabbage, cantaloupe, carrots, cauliflower, celery, corn, cucumbers, eggplants, endive, garlic, ginseng, lettuce, mustard greens, okra, onions, parsnips, peas, peppers, potatoes, radishes, rutabagas, spinach, squash, sweet potatoes, Swiss chard, tomatoes and turnips Scatter the bait around the perimeter of the vegetable plantings to provide a protective "barrier" for slugs and snails entering the vegetable plantings If slugs or snails are inside the rows, then scatter the bait on the soil around the plants and between the rows

**Fruits Including Citrus**

Use the bait to protect fruits from slugs and snails, including (but not limited to) apples, avocados, apricots, cherries, grapes, melons, peaches, plums, nectarines, citrus, pears For seedlings spread the bait around the base of the stem Apply in a 6 inch circular band around the base of the plants to be protected For older trees, spread the bait around the base of the trees to intercept slugs and snails traveling to the trunk Apply the bait in orchards, using standard granular spreaders methods

**Berries**

Use the bait to protect berries from slugs and snails, including (but not limited to) strawberries, blackberries, blueberries, boysenberries, loganberries, marionberries, and raspberries. Spread the bait around the perimeter of the plot to intercept slugs and snails migrating toward the berries. Scatter by hand or with granular spreaders. If slugs and snails are already in the plots, then carefully spread bait between the furrows near the base of the plants. For small plots, treat around the base of the plants to be protected. Do not spread over the entire area but apply selectively.

**Herbs**

Use the bait to protect any herbs from slug and snail damage, including (but not limited to) arugula, angelica, basil, chervil, dill, hops, marjoram, mint, oregano, sage, thyme. Scatter the bait around the perimeter of the area to provide a protective "barrier" for slugs and snails entering the plot or field. If slugs or snails are inside the rows, then scatter the bait on the soil around the base of the plants and between the rows.

**Field Crops**

Use the bait to protect field and seed crops from slugs and snails, including barley, beans, canola, field corn, sweet corn, soybeans, sugarbeets, sugar cane, tobacco, asparagus, beets, broccoli, Brussels sprouts, cabbage, carrots, cauliflower, cucumbers, lettuce, oats, onions, peas, peppers, potatoes, radishes, strawberries, tomatoes, and turnips. At the seedling and later stages, apply the bait between the rows and around the perimeter of the field.

**Artichokes**

Use the bait to protect artichokes from slugs and snails. At the seedling and later stages, apply the bait within the rows and around the perimeter of the field.

**Outdoor Ornamentals**

Scatter bait in a 6 inch circular band around the base of the plants to be protected. If plants are next to a grassy area, spread the bait between the ornamentals and the grass. Slugs and snails traveling to the plants will encounter the bait before reaching the plant.

**Greenhouses**

Where slugs or snails are a problem in greenhouses, scatter the bait in the plant pots of plants being damaged or around pots on greenhouse benches.

**Outdoor Container-Grown Nursery Plants**

Where slugs or snails are a problem in outdoor nurseries, scatter the bait in the plant containers

**Commercial Turf, Sod, Golf Courses and Grass Buffers around Gardens, Crop Areas and Ornamentals**

Use the bait on turf and sod for resale, golf courses, lawns and on buffer zones around gardens and agricultural crop areas

**Grass Grown for Seed Production and cereal crops (such as wheat, barley, oats and rye)**

Use the bait on grass grown for seed production and wheat (cereals)

**Non-Crop Areas**

Use the bait to protect non-crop areas, including forests, parks, fallow land, barrier strips and buffer zones around agricultural crop areas

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal

**PESTICIDE STORAGE** Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals

**PESTICIDE DISPOSAL** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

**CONTAINER DISPOSAL** Nonrefillable container Do not reuse or refill this container Offer for recycling, if available Completely empty metal drum, plastic bag, box or plastic tote into application equipment Then dispose of empty metal drum, plastic bag, box or plastic tote in a sanitary landfill, or by incineration, or if allowed by State and local authorities, by burning If burned, stay out of smoke

**BATCH CODE**

The registrant may use one or both of these two optional statements, either

**"WARRANTY**

To the extent consistent with applicable law, the seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with the directions for use This warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied "

or

**OUR COMMITMENT TO YOUR SATISFACTION** If you are not happy with the way this product works in your garden, please let us know We will be happy to replace the product or refund your money Simply send your name, address and proof of purchase to [insert name and address of supplemental registrant] "

[The following claims and product information, may or may not be presented on the product's label and labeling

- Slug and Snail Bait
- Slug and Snail Killer
- Product Facts
  - What it does Kills snails and slugs
  - Where to Use For use around vegetables, fruit trees, citrus, berries, herbs, ornamentals, shrubs, flowers, trees, lawns, gardens and in greenhouses
- Read the Label First!
- NOTE** This package is sold by weight Contents may have settled during shipment
- US Patent number 5,437,870
- This container is made from XX% recycled materials
- Moisture resistant package (bag, box, pail, as appropriate)
- The highly compressed granules (pellets) are easy to use, clean to handle and economical
- Convenient Easy to Use Requires no mixing, spraying or special applicators
- No mixing required
- Easily applied from (convenient) re-sealable package
- Patented technology
- Patented snail & (and) slug killer
- Unique, patented formula
- Easy-to-use (ready-to-use) (RTU) granular (pellet) formulation
- Easy to apply granules
- Easy to use small (short) pellets
- Small (short) pellets for even coverage
- Shorts
- Kills snails & (and) slugs
- Plant protection will be observed in the decrease in plant damage
- Treats (will treat) x,xxx sq ft (acres)
- Effective under wet and dry conditions
- New Formula
- May be used in areas where there are dogs, cats & (and) birds
- Proven snail & (and) slug killer (kill, control)
- Protects plants from slugs and snails
- Stops plant damage from foraging slugs and snails
- Protects plants from slug and snail damage
- (Kills) (Controls) slugs and snails

- Plant protection will be observed in the decrease in plant damage
- Remains effective after rain or sprinkling
- Long-lasting resistant to rain and watering
- Not easily dissipated by water
- Rain and irrigation resistant
- Rainfast formula!
- All weather formula
- SATISFACTION GUARANTEED
- Money Back Guarantee If you are not satisfied with this product, we will gladly refund your original purchase price
- Can be used in vegetable gardens
- Can be used up to and including day of harvest
- May be used up to and including day of harvest
- For use around vegetables, fruit trees, citrus, berries, ornamentals, shrubs, flowers, trees, lawns, gardens, and in greenhouses
- For use on turf, ornamentals, vegetables and fruit
- Effective at controlling snails and slugs commonly found in and around homes, lawns, ornamentals, fruit and vegetable gardens
- Use around flowers, gardens, and fruit trees
- Can be used around domestic animals (pets) and wildlife
- Read Entire Container Label Before Using This Product
- The active ingredient in this product is exempt from the requirement for a tolerance when used as a molluscicide in or on all food commodities
- For broadcast application standard broadcast applicators may be used, such as (but not limited to) Cyclone
- For row application standard granular spreaders may be used, such as (but not limited to) Gandy and Clampco
- Gardeners (workers) may re-enter lawn & garden immediately after bait is applied
- Unconditionally guaranteed by [insert name of supplemental registrant]
- Baits and Kills
- Stops slugs and snails from feeding
- Offers immediate protection to plants, even though slugs and snails may remain in the area
- After feeding, slugs and snails stop feeding and crawl to secluded places to die
- The slugs and snails controlled by this product include (but are not limited to) *Deroceras reticulatum* (Gray field slug), *Deroceras laeve* (Marsh slug or meadow slug), *Arion subfuscus* (Dusky slug), *Arion circumscriptus* (Brown-banded Arion), *Arion hortensis* (Black field slug or Garden slug), *Arion rufus* (Large red slug), *Arion ater* (Large black slug), *Limax flavus* (Yellow cellar slug or yellow garden slug), *Limax tenellus* (Slender slug) *Ariolimax columbianus* (Banana slug), *Helix* spp (snail species), *Helicella* spp (snail species), and *Cepaea* spp (snail species)
- WHEN TO APPLY Apply the bait during the morning or evening, as slugs and snails travel and feed mostly by night or early morning
- When to apply Apply when slugs and snails are active This will usually mean treating during periods when evening frost is no longer likely Check under rocks and other horizontal surfaces in contact with moist soil for snail and slug activity in the early



morning Even a presence of 1-2 slugs per square yard can indicate a serious problem Snails and slugs feed almost entirely at night, so the best time to treat is late afternoon or just before dusk and when temperatures are cooler Try not to irrigate for 48 hours after application Regular application will diminish the recurrence of slug or snail infestation

-Just one slug or snail can hatch up to 40 or 80 eggs respectively, every 4-8 weeks  
-Where to apply apply at the edge of the garden or area to be protected to reduce the chances of reinfestation from adjacent areas Slugs and snails migrate toward better feeding and sheltering conditions, preferring moist shady environments with tender, succulent vegetation close to the ground Use broadcast-type spreader for large areas Also treat areas where these pests shelter during the day- damp places, around mulch, shady flower gardens, rock formations, ivy patches, hedges, vegetable plants, dichondra, lawns and other ground covers

-Rainproof Formula

-Protects Flowers

-Protects Flower Quality

-Protects Sensitive Landscapes

-Kills a wide variety of slugs and snails

-Effective against a wide variety of slugs and snails

-No slime trails

-No messy cleanup

-Dead snails, no slime trails

- Rain-Proof Formula

- Guaranteed (Results)

- Protecting your garden and landscapes from snail and slug damage has never been easier!

-Easy (to use) Shaker Applicator

-Easy (to use) (Pour) Spout

-SLUGG EXX is a (registered) trademark of (W )Neudorff (GmbH KG)

-Made with SLUGG EXX®(TM)

-www neudorff com

-Manufactured under a license of W Neudorff GmbH KG, Germany



### GENERAL INFORMATION (WHY SLUG AND SNAIL BAIT IS EFFECTIVE)

This product has a non-toxic mode of action and can be used in areas where pet and wildlife protection is a concern When slugs and snails ingest the bait, they stop feeding and crawl back to their shelter where they eventually die It remains effective under varying weather and environmental conditions

The bait is ingested by slugs and snails when they travel from their hiding places to plants Ingestion, even in small amounts, will cause them to cease feeding This physiological effect of the bait gives immediate protection to the plants even though the slugs and snails may remain in the area After eating the bait, the slugs and snails cease feeding, become less mobile and begin to die within three to six days Dead slugs and

snails may not be visible as they often crawl away to secluded places to die Plant protection will be observed in the decrease in plant damage

This product is effective against a wide variety of slugs and snails and will give protection to home lawns, gardens, greenhouses, outdoor ornamentals, vegetable gardens, fruits, berries, citrus, crop and seed plants The bait can be scattered on the lawn or on the soil around any vegetable or seed crops, flowers or fruit trees or bushes to be protected ]

Registrant W Neudorff GmbH KG, Postfach 1209, An der Muhle 3,  
31860 Emmerthal, Germany  
Phone 250-652-5888  
[www.neudorff.com](http://www.neudorff.com)  
[in the alternative, the distributor's telephone number and website address may be used]