

67702-32

06/20/2012

1/22



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON D C 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

June 20, 2012

W Neudorff GmbH KG
c/o Walter G Talarek, P C
1008 Riva Ridge Drive
Great Falls, VA 22066-1620

Subject Application for Label Notification to add additional container sizes, additional optional marketing claims, and revise the company web address
Slug Exx
EPA Reg No 67702-32
Your submission dated May 24, 2012
Decision Number 465435

Dear Mr Talarek

The Biopesticides and Pollution Prevention Division is in receipt of your application for Notification under PR Notice 98-10 dated above. A preliminary screen of this request has been conducted for its applicability under PR Notice 98-10 and it has been determined that the action(s) requested falls within the scope of PR Notice 98-10. Our records have been duly noted and the label submitted with the application has been stamped "Notification Accepted" and will be placed accordingly in our records.

Two (2) copies of final printed labeling must also be submitted to the Agency before your product, as modified, may be sold or distributed [PR Notice 82-2 and 40 CFR 156.10(a)(6)].

If you have any questions concerning this action, please feel free to contact Mr. Colin Walsh at (703) 308-0298 or via email at walsh.colin@epa.gov.

Sincerely,

Linda A Hollis

Linda A Hollis, Chief
Biochemical Pesticides Branch
Biopesticides and Pollution Prevention
Division (7511P)



United States
Environmental Protection Agency
Washington DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1 Company/Product Number 67702 32	2 EPA Product Manager Linda Hollis	3 Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4 Company/Product (Name) Sluq EXX	PM# 91	
5 Name and Address of Applicant (Include ZIP Code) W Neudorff GmbH KG c/o Walter G Talarek PC 1008 Riva Ridge Drive Great Falls, VA 22066-1620 <input type="checkbox"/> Check if this is a new address	6 Expedited Review In accordance with FIFRA Section 3(c)(3) (b)(i) my product is similar or identical in composition and labeling to EPA Reg No _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	Notification Accepted Date JUN 20 2012
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application	
<input checked="" type="checkbox"/> Notification Explain below	<input type="checkbox"/> Other Explain below	

Explanation Use additional page(s) if necessary (For section I and Section II)
Notification under PR Notice 98 10 of (1) new WEB address (2) additional container sizes and (3) additional optional marketing claims See the enclosed letter to Ms Linda Hollis PM 91 for a full explanation of the notification and the certification required by PR Notice 98 10
Reviewer *C Walsh*

Section - III

1 Material This Product Will Be Packaged In				2 Type of Container	
Child Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input checked="" type="checkbox"/> Paper
				<input checked="" type="checkbox"/> Other (Specify) <u>HDPE</u>	
* Certification must be submitted		If "Yes" Unit Packaging wgt	No per container	If "Yes" Package wgt	No per container
3 Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4 Size(s) Retail Container See label		5 Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6 Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1 Contact Point (Complete items directly below for identification of individual to be contacted if necessary to process this application)		
Name Walter G Talarek	Title Authorized Agent	Telephone No (Include Area Code) 703 759 4837
Certification I certify that the statements I have made on this form and all attachments thereto are true accurate and complete I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		7 Det. Application Received (Stamped)
2 Signature <i>Walter G Talarek</i>	3 Title Authorized Agent	
4 Typed Name Walter G Talarek	5 Date May 24 2012	

LAW OFFICES OF
WALTER G TALAREK, PC
1008 Riva Ridge Drive
Great Falls VA 22066 1620

PHONE 703 759 4837
FAX 703 759 5548
E MAIL wtalarek@verizon.net

May 24, 2012

DELIVERED BY COURIER
CONTAINS CONFIDENTIAL BUSINESS INFORMATION

Linda Hollis, PM 91
Biopesticides and Pollution Prevention Division
c/o Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U S Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S Crystal Drive
Arlington, VA 22202

Re Slug EXX
EPA Reg No 67702-32
Notification

Dear Ms Hollis

Please find enclosed W Neudorff GmbH KG's ("Neudorff's") application for a notification under PR Notice 98-10 regarding the registration for Slug EXX, EPA Reg No 67702-32. In essence, the notification (1) revises the company's WEB address to www.neudorffpro.com, and (2) adds six (6) container sizes to the product's home and garden use sub-label and (3) adds eleven (11) optional marketing claims to the product's home and garden use sub-label.

Two (2) copies of the revised label are enclosed for your review. One (1) copy of the revised label has the proposed changes highlighted in yellow for your convenience in reviewing this application.

This is a notification of label changes under PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 156.10 and 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms

MASTER LABEL

SLUG EXX

Active Ingredient	By weight
Sodium Ferric EDTA	2 0%
Other Ingredients	<u>98 0%</u>
Total	100 0%

SUBLABEL A Home and Garden Use
 SUBLABEL B Commercial Agriculture Use

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Registration No 67702-32

EPA Establishment No

Registrant W Neudorff GmbH KG
 An der Muhle 3, Postfach 1209
 31860 Emmerthal, Germany
www.neudorffpro.com

[in the alternative, the distributor's telephone number and website address may be used]


Home and Garden Use NET WEIGHT 1oz, 13oz, 20oz, 26oz, 30oz, 0 5lb, 1 lb, 1 25lbs,
 1 5 lbs, 1 75 lbs, 2lbs, 2 25lbs, 2 5lbs, 3lbs, 3 2lbs, 3 5lbs, 3 75lbs, 4 0 lbs, 4 5lbs, 5lbs,
 5 25lbs, 5 5lbs, 6lbs, 6 5lbs, 7lbs, 8lbs, 9lbs, 10lbs, 11lbs, 12lbs, 15lbs,20lbs, 25lbs, 40
 lbs, 1lb 4oz , 1lb 14oz , 2lb 8oz , 2116 lbs (960kg)

Commercial Agriculture Use NET WEIGHT 20lbs, 25lbs, 40lbs, 45lbs, 50lbs, 55lbs
 (25 kg), 1984lbs (900 kg), 2011lbs (912 kg), 2116 lbs (960kg)

Notification Accepted

Date JUN 20 2012

Reviewer C Walsh



6/22

SUBLABEL A Home and Garden Use

SLUG EXX

Active Ingredient	By weight
Sodium Ferric EDTA	2 0%
Other Ingredients	<u>98 0%</u>
Total	100 0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Registration No 67702-32

EPA Establishment No

NET WEIGHT 1oz, 13oz, 20oz, 26oz, 30oz, 0 5lb, 1 lb, 1 25lbs, 1 5 lbs, 1 75 lbs, 2lbs, 2 25lbs, 2 5lbs, 3lbs, 3 2lbs, 3 5lbs, 3 75lbs, 4 0 lbs, 4 5lbs, 5lbs, 5 25lbs, 5 5lbs, 6lbs, 6 5lbs, 7lbs, 8lbs, 9lbs, 10lbs, 11lbs, 12lbs, 15lbs, 20lbs, 25lbs, 40 lbs, 11b 4oz , 11b 14oz , 2lb 8oz , 2116 lbs (960kg)

FIRST AID
If in eyes Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye Call a poison control center or doctor for treatment advice
Hotline Number
Have the product container or label with you when calling a poison control center or doctor, or going for treatment For emergency information concerning this product, call the National Pesticide Information Center at 1-800-858-7378, 6 30 am to 4 30 Pacific Time, seven days a week (NPIC Web site www npic orst edu) During other times call the poison control center at 1-800222-1222

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals CAUTION Causes moderate eye irritation Avoid contact with eyes or clothing Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, and using the toilet

Environmental Hazards To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated

area of the lawn or garden will help to prevent run off to water bodies or drainage systems

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

HOW TO APPLY Scatter the slug and snail bait granules on the soil around or near the plants to be protected Do not use kitchen utensils for food uses after pesticide use Do not place in piles

Reapply as the bait is consumed or every two weeks Apply more heavily if the infestation is severe, if the area is heavily watered or after long periods of heavy rain See specific directions for different plant types and for inside greenhouses

WHERE TO APPLY Treat all likely areas of infestation, especially around the base of plants, between rows and around the perimeter of garden plots where pests travel into plant areas from daytime refuges Slugs/snails favor damp places around vegetable plants such as beans, tomatoes, lettuce, cabbage, celery and squash Other favorite areas are flower gardens, rockeries, hedges, dichondra lawns, citrus groves, ivy patches, and other ground cover where they obtain shelter by day

AMOUNT TO APPLY

0.25-1.0 lbs/1000 sq ft or 1 teaspoon/sq yd

[One of the following two directions for use may be used

For use on vegetables, fruits including citrus, berries, herbs, outdoor ornamentals, greenhouses and lawns

OR

Vegetables

Use the bait to protect any vegetables from slug and snail damage, including (but not limited to) artichokes, asparagus, beans, beets, blackeyed peas, broccoli, Brussels sprouts, cabbage, cantaloupe, carrots, cauliflower, celery, corn, cucumbers, eggplants, endive, garlic, ginseng, lettuce, mustard greens, okra, onions, parsnips, peas, peppers, potatoes, radishes, rutabagas, spinach, squash, sweet potatoes, Swiss chard, tomatoes and turnips Scatter the bait around the perimeter of the vegetable plot to provide a protective "barrier" for slugs and snails entering the garden plot If slugs or snails are inside the rows, then scatter the bait on the soil around the base of the plants and between the rows

Fruits Including Citrus

Use the bait to protect fruits from slugs and snails, including (but not limited to) apples, avocados, apricots, cherries, grapes, melons, peaches, plums, citrus, pears For seedlings spread the bait around the base of the stem Apply in a 6 inch circular band around the base of the plants to be protected For older trees, spread the bait around the base of the tree to intercept slugs and snails traveling to the trunk Apply the bait using standard fertilizer granular spreaders

Berries

Use the bait to protect berries from slugs and snails, including (but not limited to) strawberries, blackberries, blueberries, boysenberries, loganberries, marionberries and raspberries Spread the bait around the perimeter of the plot to intercept slugs and snails migrating toward the berries Scatter by hand or with granular spreaders If slugs and snails are already in the plots, then carefully spread bait between the furrows near the base of the plants For small plots, treat around the base of the plants to be protected Do not spread over the entire area but apply selectively

Herbs

Use the bait to protect any herbs from slug and snail damage, including (but not limited to) arugula, angelica, basil, chervil, dill, hops, marjoram, mint, oregano, sage, thyme Scatter the bait around the perimeter of the area, to provide a protective "barrier" for slugs and snails entering the garden plot If slugs or snails are inside the rows, then scatter the bait on the soil around the base of the plants and between the rows

Outdoor Ornamentals

Scatter bait in a 6 inch circular band around the base of the plants to be protected If plants are next to a grassy area, spread the bait between the ornamentals and the grass Slugs and snails traveling to the plants will encounter the bait before reaching the plant

Greenhouses

Where slugs or snails are a problem in greenhouses, scatter the bait in the plant pots, of plants being damaged or around pots on greenhouse benches

Lawns

When slugs or snails are detected, scatter the bait on the lawn by hand or with a granular spreader]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

PESTICIDE STORAGE Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals

CONTAINER DISPOSAL

Nonrefillable container

If empty Do not reuse or refill this container Place in trash or offer for recycling, if available

If partly filled Call your local solid waste agency for disposal instructions Never place unused product down any indoor or outdoor drain

BATCH CODE

The registrant may use one or both of these two optional statements, either

"WARRANTY

To the extent consistent with applicable law, the seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with directions for use This warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied "

or

OUR COMMITMENT TO YOUR SATISFACTION If you are not happy with the way this product works in your garden, please let us know We will be happy to replace the product or refund your money Simply send your name, address and proof of purchase to [insert name and address of supplemental registrant] "

[The following claims and product information, may or may not be presented on the product's label and labeling

- Slug and Snail Bait
- Slug and Snail Killer
- Quick Facts
- Product Facts
 - What it does Kills snails and slugs
 - Where to Use For use around vegetables, fruit trees, citrus, berries, herbs, ornamentals, shrubs, flowers, trees, lawns, gardens and in greenhouses
- Read the Label First!
- NOTE** This package is sold by weight Contents may have settled during shipment
- US Patent number 5,437,870

- This container is made from XX% recycled materials
- Easy-pour, waterproof package
- Convenient Easy to Use Requires no mixing, spraying or special applicators
- No mixing required
- Easily applied from (convenient) re-sealable package
- The highly compressed granules (pellets) are easy to use, clean to handle and economical
- Patented technology
- Patented snail & (and) slug killer
- Unique, patented formula
- Easy-to-use (ready-to-use) (RTU) granular (pellet) formulation
- Easy to apply granules
- Easy to use small (short) pellets
- Small (short) pellets for even coverage
- Shorts
- Plant protection will be observed in the decrease in plant damage
- Kills snails & (and) slugs
- Treats (will treat) up to x,xxx sq ft
- (1 lb) treats up to 4000 sq ft
- (2 lb) treats up to 8000 sq ft
- (2 5 lbs) treats up to 10,000 sq ft
- (This container) Treats X,XXX sq ft
- XX lbs treats X,XXX sq ft
- (This container) treats between X,XXX sq ft and X,XXX sq ft
- Remains effective after rain or sprinkling
- Long-lasting resistant to rain and watering
- Not easily dissipated by water
- Rain and irrigation resistant
- Rainfast formula! All weather formula
- Moisture resistant package (bag, box, pail, as appropriate)
- Effective under wet and dry conditions
- New Formula
- May be used in areas where there are dogs, cats & (and) birds
- Proven snail & (and) slug killer (kill, control)
- Protects plants from slugs and snails
- Stops plant damage from foraging slugs and snails
- Protects plants from slug and snail damage
- (Kills) (Controls) slugs and snails
- Offers immediate protection to plants, even though slugs and snails may remain in the area
- After feeding, slugs and snails stop feeding and crawl to secluded places to die
- SATISFACTION GUARANTEED
- Money Back Guarantee If you are not satisfied with this product, we will gladly refund your original purchase price
- Can be used in vegetable gardens
- Can be used up to and including day of harvest



- For use around vegetables, fruit trees, citrus, berries, ornamentals, shrubs, flowers, trees, lawns, gardens, and in greenhouses
- For use on turf, ornamentals, vegetables and fruit
- Effective at controlling snails and slugs commonly found in and around homes, lawns, ornamentals, fruit and vegetable gardens
- Gardeners may re-enter lawn & garden immediately after bait is applied
- Use around flowers, gardens, and fruit trees
- For home and garden use
- Can be used around domestic animals (pets) and wildlife
- Read Entire Container Label Before Using This Product
- The active ingredient in this product is exempt from the requirement for a tolerance when used as a molluscicide in or on all food commodities
- For broadcast application standard broadcast applicators may be used, such as (but not limited to) Cyclone
- For row application standard granular spreaders may be used, such as (but not limited to) Gandy and Clampco
- Unconditionally guaranteed by [insert name of supplemental registrant]
- Baits and Kills
- Stops slugs and snails from feeding
- For household home garden use
- The slugs and snails controlled by this product include (but are not limited to) *Deroceras reticulatum* (Gray field slug), *Deroceras laeve* (Marsh slug or meadow slug), *Arion subfuscus* (Dusky slug), *Arion circumscriptus* (Brown-banded Arion), *Arion hortensis* (Black field slug or Garden slug), *Arion rufus* (Large red slug), *Arion ater* (Large black slug), *Limax flavus* (Yellow cellar slug or yellow garden slug), *Limax tenellus* (Slender slug) *Ariolimax columbianus* (Banana slug), *Helix* spp (snail species), *Helicella* spp (snail species), and *Cepaea* spp (snail species)
- Kills a wide variety of slugs and snails
- Effective against a wide variety of slugs and snails
- No slime trails
- No messy cleanup
- Dead snails, no slime trails
- WHEN TO APPLY Apply the bait during the morning or evening, as slugs and snails travel and feed mostly by night or early morning
- When to apply Apply when slugs and snails are active This will usually mean treating during periods when evening frost is no longer likely Check under rocks and other horizontal surfaces in contact with moist soil for snail and slug activity in the early morning Even a presence of 1-2 slugs per square yard can indicate a serious problem Snails and slugs feed almost entirely at night, so the best time to treat is late afternoon or just before dusk and when temperatures are cooler Try not to irrigate for 48 hours after application Regular application will diminish the recurrence of slug or snail infestation
- Just one slug or snail can hatch up to 40 or 80 eggs respectively, every 4-8 weeks
- Where to apply apply at the edge of the garden or area to be protected to reduce the chances of reinfestation from adjacent areas Slugs and snails migrate toward better feeding and sheltering conditions, preferring moist shady environments with tender, succulent vegetation close to the ground Use broadcast-type spreader for large areas

Also treat areas where these pests shelter during the day- damp places, around mulch, shady flower gardens, rock formations, ivy patches, hedges, vegetable plants, dichondra, lawns and other ground covers

- Protects Flowers
- Protects Flower Quality
- Protects Sensitive Landscapes
- Rain-Proof Formula
- Guaranteed (Results)
- Protecting your garden and landscapes from snail and slug damage has never been easier!
- Easy (to use) Shaker Applicator
- Easy (to use) (Pour) Spout
- Bonus Size
- Bonus Pack
- Bonus Bag
- Twin Pack
- 10% More
- 20% More
- 25% More
- 50% More
- SLUG EXX is a (registered) trademark of (W)Neudorff (GmbH KG)
- Made with SLUG EXX®(™)
- www neudorffpro com
- Manufactured under a license of W Neudorff GmbH KG, Germany



-May be used up to and including day of harvest

GENERAL INFORMATION (WHY SLUG AND SNAIL BAIT IS EFFECTIVE)

This product has a non-toxic mode of action and can be used in areas where pet and wildlife protection is a concern. When slugs and snails ingest the bait, they stop feeding and crawl back to their shelter where they eventually die. It remains effective under varying weather and environmental conditions.

The bait is ingested by slugs and snails when they travel from their hiding places to plants. Ingestion, even in small amounts, will cause them to cease feeding. This physiological effect of the bait gives immediate protection to the plants even though the slugs and snails may remain in the area. After eating the bait, the slugs and snails cease feeding, become less mobile and begin to die within three to six days. Dead slugs and snails may not be visible as they often crawl away to secluded places to die. Plant protection will be observed in the decrease in plant damage.

This product is effective against a wide variety of slugs and snails and will give protection to home lawns, gardens, greenhouses, outdoor ornamentals, vegetable gardens,

fruits, berries, citrus and plants The bait can be scattered on the lawn or on the soil around any vegetable plants, flowers or fruit trees or bushes to be protected]

Registrant W Neudorff GmbH KG, Postfach 1209, An der Muhle 3,
31860 Emmerthal, Germany
Phone 250-652-5888
www.neudorffpro.com [in the alternative, the distributor's telephone number and website address may be used]

0000'

User Safety Recommendations

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet
- Users should remove clothing/PPE immediately if pesticide gets inside Then wash thoroughly and put on clean clothing
- Users should remove PPE immediately after handling this product Wash the outside of gloves before removing As soon as possible, wash thoroughly and change into clean clothing

Environmental Hazards For terrestrial uses Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark Do not contaminate water when disposing of equipment washwater or rinsate

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Do not apply this product in a manner that will contact workers or other persons, either directly or through drift Only protected workers may be in the area during application For any requirements specific to your State or Tribe, consult the State or Tribal agency representative responsible for pesticide regulation

AGRICULTURAL USE REQUIREMENTS

Use this product in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170 This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides It contains requirements for training, decontamination, notification, and emergency assistance It also contains specific instructions and exceptions pertaining to the statements on this label about Personal Protective Equipment (PPE) and the restricted-entry interval The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS)

There is a restricted-entry interval of zero hours for this product

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170) The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses

There are no restrictions

User Safety Recommendations

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet
- Users should remove clothing/PPE immediately if pesticide gets inside Then wash thoroughly and put on clean clothing
- Users should remove PPE immediately after handling this product Wash the outside of gloves before removing As soon as possible, wash thoroughly and change into clean clothing

Environmental Hazards For terrestrial uses Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark Do not contaminate water when disposing of equipment washwater or rinsate

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Do not apply this product in a manner that will contact workers or other persons, either directly or through drift Only protected workers may be in the area during application For any requirements specific to your State or Tribe, consult the State or Tribal agency representative responsible for pesticide regulation

AGRICULTURAL USE REQUIREMENTS

Use this product in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170 This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides It contains requirements for training, decontamination, notification, and emergency assistance It also contains specific instructions and exceptions pertaining to the statements on this label about Personal Protective Equipment (PPE) and the restricted-entry interval The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS)

There is a restricted-entry interval of zero hours for this product

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170) The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses

There are no restrictions

HOW TO APPLY Scatter the slug and snail bait granules on the soil around or near the plants to be protected Do not apply bait directly to soft-leaved plants May be applied with other baits or fertilizers of similar particle size Apply the higher rates if the infestation is severe or if the area is heavily watered or after long periods of heavy rain Reapply as the bait is consumed or at least every two weeks

Do not place in piles See specific directions for different plant types and for inside greenhouses

WHERE TO APPLY Treat all likely areas of infestation, especially around perimeters of plots where these pests travel into plant areas from daytime refuge sites Slugs/snails favor damp places and in weeds or ditches around field margins Other favorite areas are flower gardens, rockeries, hedges, dichondra lawns, citrus groves, ivy patches, and other ground cover where they obtain shelter by day

AMOUNT TO APPLY
10-40 lbs/acre or 0.25-1.0 lbs/1000 sq ft
1 teaspoon/sq yd
Use higher rates when slug/snail infestations are high

Vegetables

Use the bait to protect any vegetables from slug and snail damage, including (but not limited to) artichokes, asparagus, beans, beets, blackeyed peas, broccoli, Brussels sprouts, cabbage, cantaloupe, carrots, cauliflower, celery, corn, cucumbers, eggplants, endive, garlic, ginseng, lettuce, mustard greens, okra, onions, parsnips, peas, peppers, potatoes, radishes, rutabagas, spinach, squash, sweet potatoes, Swiss chard, tomatoes and turnips Scatter the bait around the perimeter of the vegetable plantings to provide a protective "barrier" for slugs and snails entering the vegetable plantings If slugs or snails are inside the rows, then scatter the bait on the soil around the plants and between the rows

Fruits Including Citrus

Use the bait to protect fruits from slugs and snails, including (but not limited to) apples, avocados, apricots, cherries, grapes, melons, peaches, plums, nectarines, citrus, pears For seedlings spread the bait around the base of the stem Apply in a 6 inch circular band around the base of the plants to be protected For older trees, spread the bait around the base of the trees to intercept slugs and snails traveling to the trunk Apply the bait in orchards, using standard granular spreaders methods

Berries

Use the bait to protect berries from slugs and snails, including (but not limited to) strawberries, blackberries, blueberries, boysenberries, loganberries, marionberries, and raspberries Spread the bait around the perimeter of the plot to intercept slugs and snails

migrating toward the berries Scatter by hand or with granular spreaders If slugs and snails are already in the plots, then carefully spread bait between the furrows near the base of the plants For small plots, treat around the base of the plants to be protected Do not spread over the entire area but apply selectively

Herbs

Use the bait to protect any herbs from slug and snail damage, including (but not limited to) arugula, angelica, basil, chervil, dill, hops, marjoram, mint, oregano, sage, thyme Scatter the bait around the perimeter of the area to provide a protective "barrier" for slugs and snails entering the plot or field If slugs or snails are inside the rows, then scatter the bait on the soil around the base of the plants and between the rows

Field Crops

Use the bait to protect field and seed crops from slugs and snails, including barley, beans, canola, field corn, sweet corn, soybeans, sugarbeets, sugar cane, tobacco, asparagus, beets, broccoli, Brussels sprouts, cabbage, carrots, cauliflower, cucumbers, lettuce, oats, onions, peas, peppers, potatoes, radishes, strawberries, tomatoes, and turnips At the seedling and later stages, apply the bait between the rows and around the perimeter of the field

Artichokes

Use the bait to protect artichokes from slugs and snails At the seedling and later stages, apply the bait within the rows and around the perimeter of the field

Outdoor Ornamentals

Scatter bait in a 6 inch circular band around the base of the plants to be protected If plants are next to a grassy area, spread the bait between the ornamentals and the grass Slugs and snails traveling to the plants will encounter the bait before reaching the plants

Greenhouses

Where slugs or snails are a problem in greenhouses, scatter the bait in the plant pots of plants being damaged or around pots on greenhouse benches

Outdoor Container-Grown Nursery Plants

Where slugs or snails are a problem in outdoor nurseries, scatter the bait in the plant containers

Commercial Turf, Sod, Golf Courses and Grass Buffers around Gardens, Crop Areas and Ornamentals

Use the bait on turf and sod for resale, golf courses, lawns and on buffer zones around gardens and agricultural crop areas

Grass Grown for Seed Production and cereal crops (such as wheat, barley, oats and rye)

Use the bait on grass grown for seed production and wheat (cereals)

Non-Crop Areas

Use the bait to protect non-crop areas, including forests, parks, fallow land, barrier strips and buffer zones around agricultural crop areas

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal
PESTICIDE STORAGE Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals
PESTICIDE DISPOSAL Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility
CONTAINER DISPOSAL Nonrefillable container Do not reuse or refill this container Offer for recycling, if available Completely empty metal drum, plastic bag, box or plastic tote into application equipment Then dispose of empty metal drum, plastic bag, box or plastic tote in a sanitary landfill, or by incineration, or if allowed by State and local authorities, by burning If burned, stay out of smoke

BATCH CODE

The registrant may use one or both of these two optional statements, either

"WARRANTY

To the extent consistent with applicable law, the seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with the directions for use This warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied ”

- Plant protection will be observed in the decrease in plant damage
- Remains effective after rain or sprinkling
- Long-lasting resistant to rain and watering
- Not easily dissipated by water
- Rain and irrigation resistant
- Rainfast formula!
- All weather formula
- SATISFACTION GUARANTEED
- Money Back Guarantee If you are not satisfied with this product, we will gladly refund your original purchase price
- Can be used in vegetable gardens
- Can be used up to and including day of harvest
- May be used up to and including day of harvest
- For use around vegetables, fruit trees, citrus, berries, ornamentals, shrubs, flowers, trees, lawns, gardens, and in greenhouses
- For use on turf, ornamentals, vegetables and fruit
- Effective at controlling snails and slugs commonly found in and around homes, lawns, ornamentals, fruit and vegetable gardens
- Use around flowers, gardens, and fruit trees
- Can be used around domestic animals (pets) and wildlife
- Read Entire Container Label Before Using This Product
- The active ingredient in this product is exempt from the requirement for a tolerance when used as a molluscicide in or on all food commodities
- For broadcast application standard broadcast applicators may be used, such as (but not limited to) Cyclone
- For row application standard granular spreaders may be used, such as (but not limited to) Gandy and Clampco
- Gardeners (workers) may re-enter lawn & garden immediately after bait is applied
- Unconditionally guaranteed by [insert name of supplemental registrant]
- Baits and Kills
- Stops slugs and snails from feeding
- Offers immediate protection to plants, even though slugs and snails may remain in the area
- After feeding, slugs and snails stop feeding and crawl to secluded places to die
- The slugs and snails controlled by this product include (but are not limited to) *Deroceras reticulatum* (Gray field slug), *Deroceras laeve* (Marsh slug or meadow slug), *Arion subfuscus* (Dusky slug), *Arion circumscriptus* (Brown-banded Arion), *Arion hortensis* (Black field slug or Garden slug), *Arion rufus* (Large red slug), *Arion ater* (Large black slug), *Limax flavus* (Yellow cellar slug or yellow garden slug), *Limax tenellus* (Slender slug), *Ariolimax columbianus* (Banana slug), *Helix* spp (snail species), *Helicella* spp (snail species), and *Cepaea* spp (snail species)
- WHEN TO APPLY Apply the bait during the morning or evening, as slugs and snails travel and feed mostly by night or early morning
- When to apply Apply when slugs and snails are active This will usually mean treating during periods when evening frost is no longer likely Check under rocks and other horizontal surfaces in contact with moist soil for snail and slug activity in the early

morning Even a presence of 1-2 slugs per square yard can indicate a serious problem Snails and slugs feed almost entirely at night, so the best time to treat is late afternoon or just before dusk and when temperatures are cooler Try not to irrigate for 48 hours after application Regular application will diminish the recurrence of slug or snail infestation

-Just one slug or snail can hatch up to 40 or 80 eggs respectively, every 4-8 weeks
-Where to apply apply at the edge of the garden or area to be protected to reduce the chances of reinfestation from adjacent areas Slugs and snails migrate toward better feeding and sheltering conditions, preferring moist shady environments with tender, succulent vegetation close to the ground Use broadcast-type spreader for large areas Also treat areas where these pests shelter during the day- damp places, around mulch, shady flower gardens, rock formations, ivy patches, hedges, vegetable plants, dichondra, lawns and other ground covers

- Rainproof Formula
- Protects Flowers
- Protects Flower Quality
- Protects Sensitive Landscapes
- Kills a wide variety of slugs and snails
- Effective against a wide variety of slugs and snails
- No slime trails
- No messy cleanup
- Dead snails, no slime trails
- Rain-Proof Formula
- Guaranteed (Results)
- Protecting your garden and landscapes from snail and slug damage has never been easier!
- Easy (to use) Shaker Applicator
- Easy (to use) (Pour) Spout
- SLUGG EXX is a (registered) trademark of (W)Neudorff (GmbH KG)
- Made with SLUGG EXX®(TM)
- www neudorffpro com
- Manufactured under a license of W Neudorff GmbH KG, Germany



GENERAL INFORMATION (WHY SLUG AND SNAIL BAIT IS EFFECTIVE)

This product has a non-toxic mode of action and can be used in areas where pet and wildlife protection is a concern When slugs and snails ingest the bait, they stop feeding and crawl back to their shelter where they eventually die It remains effective under varying weather and environmental conditions

The bait is ingested by slugs and snails when they travel from their hiding places to plants Ingestion, even in small amounts, will cause them to cease feeding This physiological effect of the bait gives immediate protection to the plants even though the slugs and snails may remain in the area After eating the bait, the slugs and snails cease feeding, become less mobile and begin to die within three to six days Dead slugs and

snails may not be visible as they often crawl away to secluded places to die Plant protection will be observed in the decrease in plant damage

This product is effective against a wide variety of slugs and snails and will give protection to home lawns, gardens, greenhouses, outdoor ornamentals, vegetable gardens, fruits, berries, citrus, crop and seed plants The bait can be scattered on the lawn or on the soil around any vegetable or seed crops, flowers or fruit trees or bushes to be protected]

Registrant W Neudorff GmbH KG, Postfach 1209, An der Muhle 3, 31860 Emmerthal, Germany Phone 250-652-5888 www.neudorffpro.com [in the alternative, the distributor's telephone number and website address may be used]

