



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

June 5, 2024

W. Neudorff GmbH KG
c/o Megan Priest
Delta Analytical Corporation
12510 Prosperity Dr. Suite 160
Silver Spring, MD 20904

Subject: Label Amendment – Adding new language for indoor industrial use and making revisions according to the 2018 Spinosad Interim Decision.
Product Name: Neudorff Liquid Ant Bait
EPA Registration Number: 67702-52
Application Date: 8/8/2022, 1/25/2022, 8/8/2022
Case Number: 477171, 477982, 481546

Dear Megan Priest:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the Registration Review of the above referenced product in connection with the Spinosad Final and/or Interim Decision, and has concluded that your submission is acceptable.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the

Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact David Drawbaugh at Drawbaugh.David@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'Kable Bo Davis', enclosed within a hand-drawn oval.

Kable Bo Davis
Senior Regulatory Specialist
Office of Pesticide Programs
Registration Division, Immediate Office

Enclosure

Text in braces is for informational purposes only and will not appear on label
Text in brackets is optional language and may or may not appear on the label
Text in parentheses is language that will appear on the label

{Master Label}

Spinosad	Group	5	INSECTICIDE
----------	-------	---	-------------

Neudorff Liquid Ant Bait

[ABN: Antixx® Liquid Ant Bait]

Sublabel A: PCO Liquid Ant Bait for Refillable Bait Stations

Sublabel B: Commercial/Agricultural Liquid Ant Bait for Refillable Bait Stations

Active Ingredient:

Spinosad (a mixture of spinosyn A

and spinosyn D)0.015%

Other Ingredients:99.985%

Total:100.000%

A C C E P T E D

06/05/2024

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under

EPA Reg. No. 67702-52

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Reg. No. 67702-52

Registrant: W. Neudorff GmbH KG

An der Mühle 3

31860 Emmerthal, Germany

250-652-5888

{alternately the distributor address and phone number will appear on the label}

Sublabel A: Net Contents: 16 fl. oz., 24 fl. oz., 32 fl. oz., 64 fl. oz., 1 gallon, 2.5 gallons,
5 gallons, 10 gallons, 55 gallons, 200 gallons, 250 gallons

Sublabel B: Net Contents: 16 fl. oz., 24 fl. oz., 32 fl. oz., 64 fl. oz., 1 gallon, 2.5 gallons, 5
gallons, 10 gallons, 55 gallons, 200 gallons, 250 gallons

}

{Sublabel A: PCO Liquid Ant Bait for Refillable Bait Stations}

Spinosad	Group	5	INSECTICIDE
----------	-------	---	-------------

Neudorff Liquid Ant Bait

[ABN: Antixx® Liquid Ant Bait]

KILLS: Ants

{The following list of ant species may or may not be presented on the product's label and labeling:} [including foraging carpenter ants*, foraging fire ants*, sweet-feeding listed ants, pavement ants, moisture ants, little black ants, Argentine ants, crazy ants, acrobat ants, bigheaded ants, cornfield ants, ghost ants, odorous house ants, thief ants, Texas leafcutting ants, and field ants]
(excluding harvester ants and pharaoh ants)

*Not for use in California

RESIDENTIAL AREAS:

Use indoors and outdoors around single and multi- family residential buildings: along baseboards, in corners of rooms and cabinets, under and behind appliances, under sinks, in pantry, on window sills, around doorways, around garbage cans, on or around decks, patios, balconies, garden paths, ornamentals, lawns, electrical conduits, vents, pipe chases, concrete slabs, crawlspaces, skylights on roofs, sidewalks, and driveways; in home greenhouses, on ground around home or structure, and other areas where listed ants are found.

INDUSTRIAL AND RECREATION AREAS:

Use indoors and outdoors in industrial, commercial and recreational areas: warehouses, processing facilities/plants, railyards, roadsides, rights of way, golf courses, parks, playgrounds, athletic [playing] fields, hotel and motel landscaping, campgrounds.

Active Ingredient:

Spinosad (a mixture of spinosyn A
and spinosyn D)0.015%

Other Ingredients:99.985%

Total:100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

Net Contents: 16 fl. oz., 24 fl. oz. 32 fl. oz. 64 fl. oz. 1 gallon, 2.5 gallons, 5 gallons, 10 gallons, 55 gallons, 200 gallons, 250 gallons

EPA Reg. No. 67702-52

EPA Est. No.

Environmental Hazards

This pesticide is toxic to aquatic invertebrates. Applying this product when rain is not predicted for the next 24 hours will help reduce potential risk to aquatic invertebrates by reducing pesticide runoff from the treatment area into water bodies. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters.

Personal Protective Equipment (PPE): Mixers/loaders and other handlers must wear the following: long-sleeved shirts, long pants, shoes, socks plus gloves made of any waterproof material. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read and follow all applicable directions and precautions on this label before using.

APPLICATION DIRECTIONS

Set empty bait station beside ant mounds and nests, ant trails, or where listed ants crawl before filling with Neudorff Liquid Ant Bait.

Follow the filling instructions for the bait station [purchased][sold] separately. When foraging ants are no longer visiting the bait station, the bait station may be cleaned and moved to a different location. Use two or more bait stations to treat larger nests of listed ants (excluding foraging fire ants, carpenter ants, harvester ants and pharaoh ants).

Avoid applying in direct sun to decrease evaporation of the bait solution. Refill when the Neudorff Liquid Ant Bait has been consumed or dried out.

RESTRICTIONS

1. Use only tamper proof and spill resistant bait stations when used indoors and outdoors if children and pets have access to the treatment area.
2. Place bait stations in areas inaccessible to children and pets.

3. Do not use this product without a bait station or apply product directly to soil or plant parts.

Resistance-Management Recommendations

For resistance management, Neudorff Liquid Ant Bait contains a Group 5 Insecticide. Any insect population may contain individuals naturally resistant to Neudorff Liquid Ant Bait and other Group 5 insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance, take the following steps:

- Rotate the use of Neudorff Liquid Ant Bait or other Group 5 insecticides within a growing season, or among growing seasons, with different groups that control the same pests.
- Adopt an integrated pest management program for insecticides use that includes scouting, uses historical information related to pesticide use, crop rotation, record keeping, and which considers cultural, biological and other chemicals control practices.
- Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact Neudorff at neudorffpro.com.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in sanitary landfill or by incineration.

BATCH CODE: _____

{Optional warranty statement}

["WARRANTY

To the extent consistent with applicable law, seller warrants that this product conforms to the chemical description on this label and is fit for the purposes stated on this label only when used in accordance with directions under normal use conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied."]

{**OPTIONAL LABEL CLAIMS:** The following claims and product information may or may not be presented on the product's label and labeling}

[

- Since invading ants usually have outdoor nesting sites, it often helps to put the product outside, close to where ants are found entering [building] [home]
- Use in and around residential [areas] [buildings]
- Use around industrial and recreational [areas][buildings]
- May be used in bait stations placed around ornamentals
- May be used in bait stations placed around the base of trees
- Use Neudorff Liquid Ant Bait with any tamper and spill proof bait station.
- Ant bait station not included and must be purchased separately
- Ant bait station must be purchased separately
- Use Neudorff Liquid Ant Bait with bait stations that are designed for ant control such as [KM AntPro Baiting System], [Ants-no-More® Ant Bait Station], [Ant café], [Antopia® Bait Stations] or [D-SECT IPM Station].
- May be used with [KM AntPro Baiting System], [Ants-no-More® Ant Bait Station], [Ant café], [Antopia® Bait Stations] or [D-SECT IPM Station]. (sold separately)
- Where tamper and spill proof traps are required, use Neudorff Liquid Ant Bait with one of the following bait stations: [KM AntPro Baiting System], [Ants-no-More® Ant Bait Station], [Antopia® Bait Stations] or [D-SECT IPM Station].
- To fill, follow filling instructions accompanying separately purchased ant bait station.
- Liquid Ant Bait
- Spinosad is derived from the fermentation of a soil dwelling bacterium.
- Spinosad is derived from the fermentation of *Saccharopolyspora spinosa*, a soil organism.
- Spinosad is derived from a soil dwelling bacterium
- Kills foraging carpenter ants*, foraging fire ants*, sweet-feeding listed ants, pavement ants, moisture ants, little black ants, Argentine ants, crazy ants, acrobat ants, bigheaded ants, cornfield ants, ghost ants, odorous house ants, thief ants, Texas leafcutting ants, and field ants (excluding harvester ants and pharaoh ants)
- Controls: foraging ants (excluding carpenter ants, fire ants, harvester ants and pharaoh ants), sweet-feeding listed ants, pavement ants, moisture ants, little black ants, Argentine ants, crazy ants, acrobat ants, bigheaded ants, cornfield ants, ghost ants, odorous house ants, thief ants, Texas leafcutting ants, and field ants (excluding harvester ants, fire ants, carpenter ants, and pharaoh ants)

- See [attached booklet] [side panels] [inside panels] [back panel] for [additional] [Directions for Use] [precautionary statements]
- Kill listed ants (excluding fire ants, carpenter ants, harvester ants, pharaoh ants) where they breed
- Controls foraging listed ants (excluding carpenter ants, fire ants, harvester ants and pharaoh ants)
- Mode of Action: Neudorff Liquid Ant Bait is taken by the worker ants into the colony where it is fed to other worker ants, larvae and the queen ant
- For residential indoor use
- For residential and industrial outdoor use
- For residential and industrial indoor use
- For residential indoor and outdoor use
- Kills entire colony (excluding fire ants, carpenter ants, harvester ants, pharaoh ants)
- Kills the colony and queen (excluding fire ants, carpenter ants, harvester ants and pharaoh ants)
- Destroys the colony (excluding fire ants, carpenter ants, harvester ants and pharaoh ants)
- Ants carry bait back to the colony
- Place the bait station containing Neudorff Liquid Ant Bait where ants are present
- Starts killing within 48 hours for listed ants (excluding carpenter ants, harvester ants and pharaoh ants)
- Kills within 48 hours for listed ants (excluding carpenter ants, harvester ants and pharaoh ants)
- See fewer ants within 48 hours for listed ants (excluding carpenter ants, harvester ants and pharaoh ants)
- Kills listed foraging ants (excluding harvester ants and pharaoh ants)
- People and pets may enter area when tamper and spill proof bait stations are in use
- Can be used on listed ants in and around homes (excluding fire ants, carpenter ants, harvester ants and pharaoh ants)
- Can be used on listed ants around recreational areas and industrial sites (excluding fire ants, carpenter ants, harvester ants and pharaoh ants)
- Intended For Use by Pest Management Professionals
- Read Entire Container Label Before Using This Product.
- *Not for use in California
- www.neudorff.com
- Sold under a license of W. Neudorff GmbH KG, Germany
- Manufactured under a license of W. Neudorff GmbH KG, Germany.



]

Registrant: W. Neudorff GmbH KG, An der Mühle 3,
31860 Emmerthal, Germany
011-49-5155-624-100
www.neudorffpro.com

[in the alternative, the distributor's telephone number and website address may be used]

{Sublabel B: Commercial/Agricultural Liquid Ant Bait for Refillable Bait Stations}

Spinosad	Group	5	INSECTICIDE
----------	-------	---	-------------

Neudorff Liquid Ant Bait

[ABN: Antixx® Liquid Ant Bait]

KILLS: Ants

{The following list of ant species may or may not be presented on the product's label and labeling:} [including foraging carpenter ants*, foraging fire ants*, sweet-feeding listed ants, pavement ants, moisture ants, little black ants, Argentine ants, crazy ants, acrobat ants, bigheaded ants, cornfield ants, ghost ants, odorous house ants, thief ants, Texas leafcutting ants, and field ants]

(excluding harvester ants and pharaoh ants)

*Not for use in California

Active Ingredient:

Spinosad (a mixture of spinosyn A

and spinosyn D)0.015%

Other Ingredients:99.985%

Total:100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

Net Contents: 16 fl. oz., 24 fl. oz. 32 fl. oz. 64 fl. oz. 1 gallon, 2.5 gallons, 5 gallons, 10 gallons, 55 gallons, 200 gallons, 250 gallons

EPA Reg. No. 67702-52

EPA Est. No.

Environmental Hazards

This pesticide is toxic to aquatic invertebrates. Applying this product when rain is not predicted for the next 24 hours will help reduce potential risk to aquatic invertebrates by reducing pesticide runoff from the treatment area into water bodies. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters.

Personal Protective Equipment (PPE): Mixers/loaders and other handlers must wear the following: long-sleeved shirts, long pants and shoes, socks plus gloves made of any waterproof material. Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a manner that will contact workers or other persons, either directly or through drift. Only protected workers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Read and follow all applicable directions and precautions on this label before using.

Agricultural Use Requirements

Use this product in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), restricted-entry interval, and notification to workers. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS).

Entry-Restrictions: Do not enter or allow worker entry into treated areas during the restricted-entry interval of 0 hours.

PPE required for early-entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, wear: long-sleeved shirt, long pants, socks, shoes plus gloves made of any waterproof material.

Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Unprotected persons may enter treated area after product is applied.

APPLICATION DIRECTIONS

Set empty bait station beside ant mounds and nests, ant trails, or where ants crawl before filling with Neudorff Liquid Ant Bait. Follow the filling instructions for the bait station [purchased][sold] separately. When foraging ants are no longer visiting the bait station, the bait station may be cleaned and moved to a different location. Use two or more bait stations to treat larger nests of listed ants (excluding foraging fire ants, carpenter ants, harvester ants, pharaoh ants).

Avoid applying in direct sun to decrease evaporation of the bait solution. Refill when the Neudorff Liquid Ant Bait has been consumed or dried out.

RESTRICTIONS:

1. Use only tamper proof and spill resistant bait stations when used outdoors if children and animals have access to the treatment area.
2. Place bait stations in areas inaccessible to children and animals.
3. Do not use without a bait station or apply product directly to soil or plant parts.

Resistance-Management Recommendations

For resistance management, Neudorff Liquid Ant Bait contains a Group 5 Insecticide. Any insect population may contain individuals naturally resistant to Neudorff Liquid Ant Bait and other Group 5 insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance, take the following steps:

- Rotate the use of Neudorff Liquid Ant Bait or other Group 5 insecticides within a growing season, or among growing seasons, with different groups that control the same pests.
- Adopt an integrated pest management program for insecticides use that includes scouting, uses historical information related to pesticide use, crop rotation, record keeping, and which considers cultural, biological and other chemicals control practices.

- Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact Neudorff at neudorffpro.com.

USE SITES:

CROP Outdoors and Greenhouses
Fruit Trees and Vines
Banana and plantain
Fig
Grape
Tropical tree fruits (avocado, guava, mango, papaya, passion fruit)
Citrus Fruits (grapefruit, lemons, limes, oranges, tangerines)
Pome Fruits (apples, crabapples, loquat, mayhaw, pears, quince)
Stone Fruit (cherries, plums, prunes, peaches, nectarines, apricots)
Berries
Bushberries (blueberry, currant, elderberry, gooseberry, huckleberry, juneberry, ligonberry, salal)
Caneberries (blackberry, loganberry, red and black raspberry)
Cranberry
Strawberry
Vegetables
Artichoke
Asparagus (For post harvest protection of ferns only)
Legumes (succulent and dried beans and peas)
Bulb vegetables (dry bulb onion, garlic, great-headed (elephant) garlic, green onion, leek, shallot, welch onion)
Cole crops (broccoli, broccoli raab, Brussels sprouts, cabbage, cauliflower, cavalo, Chinese broccoli, Chinese cabbage (bok choy), Chinese cabbage (napa), Chinese mustard cabbage (gai choy), collards, kale, kohlrabi, mizuna, mustard greens, mustard spinach, rape greens)
Corn – field corn
Corn – sweet corn
Cucurbits (cucumber, edible gourds, melons, muskmelons, cantaloupe, honeydew, pumpkin, summer squash, watermelon, winter squash)
Fruiting vegetables (eggplant, groundcherry, pepino, pepper (except black), tomatillo, tomato) and okra
Leafy vegetables (except Brassica) and leaves of root and tuber and legume vegetables (arugula, beets, celery, peas, lettuce, rhubarb, spinach, swiss chard), turnip greens, and watercress
Root and Tuber Vegetables Potatoes, ginger, sweet potatoes, yams, carrot, parsnip, radish, rutabaga, turnip, beets, sugarbeets
Soybean

Tree Nuts, Peanuts and Pistachios
Peanut (not for use in California)
Tree nuts (almond, cashew, chestnut, filbert (hazelnut), macadamia nut, pecan, walnut); Pistachios
Herbs
Herbs (angelica, balm, basil, borage, burnet, chamomile, catnip, chervil (dried), chive, chive (Chinese), cilantro (leaf), clary, coriander (leaf), costmary, cilantro, curry (leaf), dillweed, horehound, hyssop, lavender, lemongrass, lovage (leaf), marigold, marjoram, nasturtium, parsley (dried), pennyroyal, rosemary, rue, sage, savory (summer and winter), sweet bay, tansy, tarragon, thyme, wintergreen, woodruff and wormwood)
Peppermint and spearmint
Grass Grown for Seed Production and Cereal Grains
Small cereal grains (barley, buckwheat, grain amaranth, milo, oats, pearl millet, proso millet, rye, sorghum, triticale, wheat).
Grass crops, grass grown for seed, pastures and rangeland
Turf and Ornamental
Turf (lawns, athletic field and recreational areas, commercial turf, sod, golf courses, and grass buffers around gardens, crop areas and ornamentals)
Outdoor Ornamentals (herbaceous and woody plants)
Greenhouse Ornamentals
Outdoor container-grown nursery plants
Tree Farms and Plantations (Conifers, including Christmas trees, and deciduous trees)
Non-crop areas (pastures, rangeland, forests, parks, playgrounds, cemeteries, picnic areas, roadsides, campgrounds, industrial sites, fallow land, barrier strips and buffer zones)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING:

Nonrefillable container. Do not reuse or refill this container. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in sanitary landfill or by incineration.

BATCH CODE: _____

{Optional Warranty Statement:}

[WARRANTY

To the extent consistent with applicable law, seller warrants that this product conforms to the chemical description on this label and is fit for the purposes stated on this label only when used in accordance with directions under normal use conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under

conditions not reasonably foreseeable to seller. To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied.]

{**OPTIONAL LABEL CLAIMS:** The following claims and product information may or may not be presented on the product's label and labeling:}

[

- May be used in bait stations placed around ornamentals
- May be used in bait stations placed around the base of trees
- Can be used around livestock and animal dwellings
- Can be used around out buildings, barns, equipment storage, and covered workplaces
- Use Neudorff Liquid Ant Bait with any tamper and spill proof ant bait station.
- Ant bait station not included and must be purchased separately
- Ant bait station must be purchased separately
- Use Neudorff Liquid Ant Bait with bait stations that are designed for ant control such as [KM AntPro Baiting System], [Ants-no-More® Ant Bait Station], [Ant café], [Antopia® Bait Stations] or [D-SECT IPM Station].
- May be used with [KM AntPro Baiting System], [Ants-no-More® Ant Bait Station], [Ant café], [Antopia® Bait Stations] or [D-SECT IPM Station]. (sold separately)
- Where tamper and spill proof bait stations are required, use Neudorff Liquid Ant Bait with one of the following bait stations: [KM AntPro Baiting System], [Ants-no-More® Ant Bait Station], [Antopia® Bait Stations] or [D-SECT IPM Station].
- To fill, follow filling instructions accompanying separately purchased ant bait station.
- Ant Bait
- Kills listed ants (excluding carpenter ants, fire ants, harvester ants and pharaoh ants)
- Kills: foraging carpenter ants*, foraging fire ants, sweet-feeding listed ants, pavement ants, moisture ants, little black ants, Argentine ants, crazy ants, acrobat ants, bigheaded ants, cornfield ants, ghost ants, odorous house ants, thief ants, Texas leafcutting ants, and field ants (excluding harvester ants and pharaoh ants)
- Controls: sweet-feeding listed ants, pavement ants, moisture ants, little black ants, Argentine ants, crazy ants, acrobat ants, bigheaded ants, cornfield ants, ghost ants, odorous house ants, thief ants, Texas leafcutting ants, and field ants (excluding carpenter ants, fire ants, harvester ants and pharaoh ants)
- See [attached booklet] [inside panels][back panel] for [additional] [Directions for Use] [precautionary statements]
- Kill listed ants (excluding carpenter ants, fire ants, harvester ants and pharaoh ants) where they breed
- Controls listed foraging ants (excluding carpenter ants, fire ants, harvester ants and pharaoh ants)
- Spinosad is derived from the fermentation of a soil dwelling bacterium.
- Spinosad is derived from the fermentation of *Saccharopolyspora spinosa*, a soil organism.
- Spinosad is derived from a soil dwelling bacterium
- Controls sweet eating listed ants [and other common listed ants] (excluding carpenter ants, fire ants, harvester ants and pharaoh ants)
- Mode of Action: Neudorff Liquid Ant Bait is taken by the worker ants into the colony where it is fed to other worker ants, larvae and the queen ant.

-For use outdoors

-Kills entire colony (excluding carpenter ants, fire ants, harvester ants and pharaoh ants)

-Kills the colony and queen (excluding carpenter ants, fire ants, harvester ants and pharaoh ants)

-Destroys the colony (excluding carpenter ants, fire ants, harvester ants and pharaoh ants)

-Ants carry bait back to the colony

-Place the bait station [containing Neudorff Liquid Ant Bait] where ants are present

-Starts killing within 48 hours for listed ants (excluding carpenter ants, harvester ants and pharaoh ants)

-Kills within 48 hours for listed ants (excluding carpenter ants, harvester ants and pharaoh ants)

-See fewer ants within 48 hours for listed ants (excluding carpenter ants, fire ants, harvester ants and pharaoh ants)

-Kills foraging listed ants (excluding harvester ants and pharaoh ants)

-People and pets may enter area when tamper and spill proof bait stations are in use - Neudorff Liquid Ant Bait may become discolored when it is exposed to sunlight, indicating that the bait station location is not ideal.

-Place the bait station containing Neudorff Liquid Ant Bait near ant infestations

-Intended For Use by Pest Management Professionals

- Commercial ant control for listed ants (excluding carpenter ants, fire ants, harvester ants and pharaoh ants)

-Read Entire Container Label Before Using This Product.

*Not for use in California

-Sold under a license of W. Neudorff GmbH KG, Germany

-Manufactured under a license of W. Neudorff GmbH KG, Germany.



Registrant: W. Neudorff GmbH KG, An der Mühle 3,
31860 Emmerthal, Germany
011-49-5155-624-100

www.neudorffpro.com

[in the alternative, the distributor's telephone number and website address may be used]