



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division (7511P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration
(under FIFRA, as amended)

EPA Reg. Number:

67702-64

Date of Issuance:

10/9/2024

Term of Issuance:

Unconditional

Name of Pesticide Product:

Homeplate 50

Name and Address of Registrant (include ZIP Code):

W. Neudorff GmbH KG
An der Muhle 3,
31860 Emmerthal, Germany

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above EPA Registration Number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA or the Act).

Registration is in no way to be construed as an endorsement or recommendation of this product by the U.S. Environmental Protection Agency (EPA). In order to protect health and the environment, the Administrator, on his or her motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under the Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration or registration review of your product when the EPA requires all registrants of similar products to submit such data.

Signature of Approving Official:

Andrew Bryceland, Team Leader
Biochemical Pesticides Branch
Biopesticides and Pollution Prevention Division (7511M)
Office of Pesticide Programs

Date:

10/9/2024

2. Make the following labeling change before you release this product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 67702-64."
3. Submit one (1) copy of the final printed labeling for the record before you release this product for shipment.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6. A stamped copy of the labeling is enclosed for your records. Please also note that the record for this product currently contains the following acceptable Confidential Statements of Formula (CSFs):

- Basic CSF dated 02/21/2023
- Alternate CSF #1 dated 02/21/2023
- Alternate CSF #2 dated 02/21/2023

If you have any questions, please contact Sydnie Vergara by phone at (202) 566-1606 or via email at vergara.sydnie@epa.gov.

Sincerely,




Andrew Bryceland, Team Leader
Biochemical Pesticides Branch
Biopesticides and Pollution
Prevention Division (7511M)
Office of Pesticide Programs

Enclosure

Text in braces { } is for information only and will not appear on label.
Text in brackets [] is optional and may or may not appear on the label.
Text in parentheses () will appear on the label.

{MASTER LABEL

Homeplate 50
[ABN: Fireworxx 50]
[ABN: Homeplate 50 Total Vegetation Killer]



Active Ingredients:
Caprylic Acid _____ 28.263%
Capric Acid _____ 21.737%
Other Ingredients: _____ 50.000%
Total: _____ 100.000%

(C8/C10 Fatty Acid blend = 50%)

KEEP OUT OF REACH OF CHILDREN

WARNING

EPA REG. NO. 67702-

EPA EST. NO.

NET CONTENTS: 1 gallon, 2.5 gallon, 5 gallon, 30 gallon, 50 gallon, 55 gallon, 200 gallon, 211 gallon (800 Liters) and 250 gallon

FIRST AID	
IF SWALLOWED	-Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. DO not give any liquid to the person. Do not give anything by mouth to an unconscious person.
IF IN EYES	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. -Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. -Call a poison control center or doctor for treatment advice
IF ON SKIN OR CLOTHING	-Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes -Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. [For emergency information concerning this product, call poison control center 1-800-222-1222 {alternately insert registrant's toll free number}]

Note to Physician: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Avoid contact with skin or clothing. Wear eye protection (goggles, face shield or safety glasses). Wash thoroughly with soap and water after handling, and before eating, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE) Requirements: Applicators and other handlers must wear: coveralls worn over short-sleeved shirt and short pants, socks, chemical-resistant footwear, chemical-resistant gloves, such as (such as barrier laminate, nitrile rubber, neoprene, viton) and protective eyewear. When cleaning equipment a chemical-resistant apron should also be worn.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a manner that will contact workers or other persons, either directly or through drift. Only protected workers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Read and follow all applicable directions and precautions on this label before using.

Agricultural Use Requirements

Use this product in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), restricted-entry interval, and notification to workers. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS).

Entry-Restrictions: Do not enter or allow worker entry into treated areas during the restricted-entry interval of 24 hours.

PPE required for early-entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, wear: coveralls worn over short-sleeved shirts and short pants, socks, chemical-resistant footwear, chemical-resistant gloves and protective eyewear.

Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep unprotected persons out of treated areas until sprays have dried.

For early reentry to treated areas and that involves contact with anything that has been treated such as plants, soil, or water, wear: coveralls, shoes, socks, and chemical-resistant gloves.

Application Directions

Shake well before using. Dilute with water using the chart below as a guide. Use the 5% solution for small, easy-to-kill weeds, less than 5 inches tall, and for moss and algae. Use the 5 - 10% solution for larger perennial weeds and grasses. Use the 10-14% solution for tough to kill weeds, vines, brush and sucker control, and in lettuce thinning machines. Apply the mixed solution at 0.75 – 9 gallons/1,000 ft² (35 – 400 gallons per acre). In situations where weed pressure is high and/or weeds are larger than 5 inches, higher volumes are advised for acceptable control. Any standard sprayer can be used, including machine and backpack. Do not apply this product by aerial application. Do not apply this product through any type of irrigation system. Spray weeds thoroughly, using a coarse nozzle setting to reduce drift. Thorough coverage is extremely important. For spot treatment of individual weeds, apply the mixed solution to the center of plant to the point of runoff. Plant damage will be visible from a few hours to 2 days after spraying. Repeat treatment as needed to control new weeds growing from seed and re-growth from biennial and perennial weeds. Avoid spraying desirable plants. Thoroughly wash equipment after use.

Applications must be made directly to weeds, moss, algae and grass. Do not apply directly to hardscapes, such as driveways, sidewalks and patios.

Desired volume of spray solution	Amount of [Homeplate 50] [this product] [insert alternate brand name] per volume of water		
	5% solution	10% solution	14% solution
1 gallon	6 fl. oz.	12 fl. oz.	18 fl. oz.
5 gallons	32 fl. oz.	64 fl. oz.	92 fl. oz.
10 gallons	64 fl. oz.	1 gal	1.5 gal
35 gallons	1.75 gal	3.5 gal	5 gal
50 gallons	2.5 gal	5 gal	7 gal
100 gallons	5 gal	10 gal	14 gal
400 gallons	20 gal	40 gal	56 gal

Product Information:

This product is a, non-selective broadleaf weed, grass, algae and moss killer that will start working in hours. This product is not translocated. It will burn only those plant parts that are coated with spray solution. This product can be used any time during the year and works best during warm and dry conditions. Application during cold weather may delay appearance of plant damage. If rain falls within 3 hours of treatment, an additional spray may be required. This product controls many common annual weeds and suppresses the growth of biennial and perennial weeds. It can be used in cultivated areas prior to planting crops. Areas can be re-planted as soon as desirable level of weed control is obtained.

Use Sites: Outdoors and Greenhouses

For use in and around all food and non-food crops, including but not limited to:

Crop Group	Crops	Use Methods
Berry and small fruits	Aronia berry; barberry; bayberry; bearberry; bilberry; blackberry; blueberry; boysenberry; buffaloberry; chokecherry; cloudberry; currant; cranberry; dewberry; elderberry; gooseberry; grape (includes raisin, table, wine); honeysuckle; huckleberry; jostaberry; Juneberry; kiwifruit; lingonberry; loganberry; mountain pepper berries; mulberry; muntries; partridgeberry; phalsa; pincherry; riberry; red and black raspberry; salal; sea buckthorn; serviceberry; strawberry; wild raspberry.	1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre-plant Application 5. Sucker Control, Pruning and Trimming
Brassica Leafy vegetables	Broccoli, Chinese broccoli, broccoli raab, broccolo; brussels sprouts; cauliflower; cavalo; Chinese cabbage (bok choy, napa); Chinese mustard; collards; kale; kohlrabi; mizuna; mustard greens; mustard spinach; rape greens; watercress.	1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre-plant Application 4. Post-Harvest Spray (annual crops)

Leafy Vegetables	Amaranth; arugula; cardoon; celery; Chinese celery; celtuce; chervil; red chicory; chrysanthemum; corn salad; cress; dandelion; dock; endive; fennel;	1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre-plant Application
	lettuce; orach; rhubarb; radicchio; parsley; purslane; spinach; Swiss chard.	4. Post-Harvest Spray (annual crops) 8. Lettuce thinning
Root Vegetables	Beet; sugar beet; burdock; carrot; celeriac; chervil, chicory; ginseng; horseradish; parsnip; radish; rutabaga; salsify; skirret; turnip;	1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre-plant Application 4. Post-Harvest Spray 6. Harvest Aid and Desiccation
Tuberous and corm vegetables	Arracacha; arrowroot; artichoke; canna; bitter and sweet cassava; chayote (root); chufa; ginger; leren; potato; sweet potato; taro; turmeric; yam bean; yam.	1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre-plant Application 4. Post-Harvest Spray (annual crops) 6. Harvest Aid and Desiccation
Bulb vegetables	Chive; daylily; fritillaria; garlic; kurrat; leek; bulb lily; onion; green onion; shallot, cultivars, varieties and/or hybrids of these.	1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre-plant Application 4. Post-Harvest Spray (annual crops) 6. Harvest Aid and Desiccation
Citrus	Calamondin; citron; grapefruit; kumquat; lemon; lime; mandarin; orange; tangelo; tangerine; pummelo; uniq fruit; cultivars, varieties, and/or hybrids of these.	1. Vegetation Burndown 2. Directed and Shielded Sprays
Cucurbits	Cantaloupe; Chayote (fruit); Chinese waxgourd; citron melon; cucumber; gherkin; edible gourd; honeydew; muskmelon; pumpkin; summer squash; watermelon; winter squash (includes butternut squash, calabaza, hubbard squash, acorn squash, spaghetti squash); zucchini.	1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre-plant Application 4. Post-Harvest Spray
Cereal grains	Barley; buckwheat; corn; millet; oats; popcorn; rice*; rye; sorghum (milo); teosinte; triticale; wheat; wild rice*	1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre-plant Application 4. Post-Harvest Spray

Fruiting Vegetables	cocona; currant tomato; eggplant; goji berry; ground cherry; martynia; naranjilla; okra; pepino; pepper (includes bell pepper, chili pepper, cooking pepper, pimento, sweet pepper); roselle; sunberry; tomatillo; tomato; cultivars; varieties and/or hybrids of these.	1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre-plant Application 4. Post-Harvest Spray
Legumes	Beans; broad bean (fava bean); chickpea (garbanzo bean); guar; jackbean; lablab bean (hyacinth bean); lentil; pea; soybean; sword bean.	1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre-plant Application 4. Post-Harvest Spray 6. Harvest Aid and Desiccation
Oilseed	Borage; crambe; cuphea; echium; flax seed; gold of pleasure; hare's ear mustard; lesquerella; lunaria; meadowfoam; milkweed; mustard seed; oil radish; poppy seed; rapeseed (canola); sesame; sweet rocket, Calendula; castor oil plant; chinese tallowtree; euphorbia; evening primrose; jojoba; niger seed; rose hip; safflower; stokes aster; sunflower; tallowwood; tea oil plant; vernonia; cottonseed; cotton; cultivars, varieties, and/or hybrids of these.	1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre-plant Application 4. Post-Harvest Spray 6. Harvest Aid and Desiccation
Stalk, Stem and Leaf Petiole Vegetables	Agave; aloe vera; asparagus; bamboo, shoots; celtuce; cardoon; fiddlehead fern; fuki; kohlrabi; palm hearts; prickly pear; udo; zuiki.	1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre-plant Application 4. Post-Harvest Spray (annual crops)
Tree Nuts	Almond; beech nut; brazil nut; butternut; cashew; chestnut; chinquapin; coconut; filbert (hazelnut); hickory nut; macadamia nut; pecan; pine nut; pistachio; walnut.	1. Vegetation Burndown 2. Directed and Shielded Sprays 5. Sucker Control, Pruning and Trimming
Pome Fruits	Apples; azarole; crabapple; loquats; mayhaw; pears; quince; Cultivars, varieties and/or hybrids of these	1. Vegetation Burndown 2. Directed and Shielded Sprays 5. Sucker Control, Pruning and Trimming
Stone Fruit	Apricot; capulin; cherry; nectarine; peach; plum; plumcot; prune; sloe; cultivars, varieties, and/or hybrids of these.	1. Vegetation Burndown 2. Directed and Shielded Sprays 5. Sucker Control, Pruning and Trimming

Tropical and Subtropical Fruit	Avocado; banana; casaba; date; dragon fruit; guava; jackfruit; lychee; Spanish lime; loquat; lychee; mango; mangosteen; olive; papaya; passionfruit; pawpaw; persimmon; pineapple; plantain; pomegranate; prickly pear; sapote; soursop; star fruit; sugar apple; tamarind; white star apple.	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre-plant Application 4. Post-harvest Spray (annual crops) 5. Sucker Control, Pruning and Trimming
Herbs	Angelica; balm; basil; borage; burnet; camomile; catnip; chervil; chive; coriander (cilantro); costmary; culantro; curry; dillweed; horehound; hyssop; lavender; lemongrass; lovage; marigold; marjoram; nasturtium; parsley; pennyroyal; rosemary; rue; sage; savory; sweet bay; tansy; tarragon; thyme; wintergreen; woodruff; wormwood.	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre-plant Application 4. Post-Harvest Spray (annual crops)
Spices	Allspice; anise; annatto; caper; caraway; cardamom; cassia; celery seed; cinnamon; clove; coriander; cumin; dill seed; fennel; fenugreek; grains of paradise; juniper berry; lovage; mace; mustard seed; nutmeg; pepper (white and black); poppy seed; saffron; vanilla.	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre-plant Application 4. Post-Harvest Spray (annual crops)
Other Crops	coffee; cocoa; hops; mint; peanut; peppermint; quinoa; tea; tobacco; hemp;.	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre-plant Application 4. Post-Harvest Spray (annual crops) 5. Sucker Control, Pruning and Trimming
Nongrass animal feeds	Alfalfa, clover	<ol style="list-style-type: none"> 1. Vegetation Burndown 3. Pre-plant Application 4. Post-Harvest Spray
Terrestrial Non-Food Crops	Ornamental herbaceous plants; ornamental lawns and turf; bedding plants; ornamental woody shrubs; vines; ornamental shade trees; Christmas trees; forestry sites.	<ol style="list-style-type: none"> 1. Vegetation Burndown 2. Directed and Shielded Sprays 5. Sucker Control, Pruning and Trimming 7. Weed Application on and around Buildings and Structures

Terrestrial Non-Crop Sites	Direct application to weeds around and on buildings, sidewalks, fences, trees, bark mulch, driveways and other right-of-ways, patios, gravel, on structures holding flowers, trees, shrubs, vines and vegetables, landscaped areas, lawns, and on and around buildings and structures, such as benches, walls, floors, and roofs in commercial, commercial applications to residential, institutional, recreational and industrial sites; railways; fallow land, forages and pastures, uncultivated land	1. Vegetative Burndown 7. Weed Application on and around Buildings and Structures
Greenhouse	All crops, plants and weeds on and around structures	1. Vegetation Burndown 2. Directed and Shielded Sprays 3. Pre-plant Application 7. Weed Application on and around Buildings and Structures

*Do not apply when fields are flooded.

Use Methods

1. Vegetation Burndown: General control of weeds, grass, algae and moss for site preparation and non-crop areas. Spot treatments may be used in crop and pasture situations. Applications may be made in and around desirable plants when contact of foliage and green bark is avoided.

2. Directed and Shielded Sprays: Applications may be made around desirable plants when contact of foliage and green bark is avoided.

3. Pre-plant Application: Prior to Emergence of Plants from Seed, Perennial Rootstocks, and Bulbs, Tubers etc. Ensure applications are made before new growth or crop emerges from soil or damage will occur.

4. Post-Harvest Spray: To control weeds, grass, moss and algae growing in fields after the commodity has been harvested.

5. Sucker Control, Pruning and Trimming: To burn back and control epicormic shoots, sucker growth, and other unwanted growth on woody trees, foliage growth on vines, excessive cane growth in brambles, or other listed use sites. Apply only to unwanted vegetative parts. Apply before suckers become woody.

6. Harvest Aid and Desiccation: To remove leaves of plants prior to harvest and/or burndown of weeds to facilitate harvest. Harvest aid and desiccation uses include applications to root and tuber vegetables, bulb vegetables, seed crops and cotton. Applications must be made at least 24 hours prior to harvest to ensure full burndown.

7. Weed Application on and around Buildings and Structures: To control weeds, grass,

moss and algae in and around buildings and structures such as benches, walls, floors, and roofs.

8. Lettuce thinning: For use on lettuce to chemically thin unwanted lettuce plants. Use in the spring or the fall. Applications must be made with a mechanical sprayer designed for thinning lettuce. The machine must accurately spray unwanted plants without injuring desirable lettuce plants. Good coverage of unwanted plants is essential to assure their removal. Apply after all the lettuce has emerged but before lettuce is 4 inches for accurate thinning. Do not use after lettuce is taller than 4 inches. Avoid spray drift to desirable lettuce plants and other non-target areas. Use a 10% to 14% solution for lettuce thinning.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a secure place, away from open fire or flame. Keep container closed and reseal after use. Product may be damaged by freezing. Do not store product below 39°F. If spilled, use absorbent materials and dispose of in an approved manner.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING:

{For containers equal to or less than 5 gallons use these directions on final, printed label):}

[Nonrefillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available.]

{For containers greater than 5 gallons use these directions on final, printed label):}

[Nonrefillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling, if available.]

BATCH CODE

{The following claims and product information may or may not be presented on the product's label and labeling:}

[

- The active ingredient in this product is exempt from the requirement of a tolerance when used in or on all food commodities
- Treated surfaces may be slippery when wet.
- non-selective herbicide
- total vegetation killer

Can Be Used In Organic Production



-For Organic Production

]

{Optional warranty statements:}

{Registrant may use either or none of the following statements.}

[NOTICE (TO BUYER)]

[To the extent consistent with applicable law, seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. Buyer assumes all risk of any such use. To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied.]

{OR}

[Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.]

Registrant: W. Neudorff GmbH KG
An der Muhle 3,
31860 Emmerthal, Germany