

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

070507

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms. Sally Hayes Scientific and Regulatory Consultants, Inc. Regulatory Agent for, Zodiac Pool Care, Inc. 2028 N.W. Beach Pool, Florida 33069

Mail to: Attn: Sally Hayes

SRC Scientific and Regulatory Consultants, Inc.

P.O. Box 1014

Columbia City, IN 46725

Subject: Nature G45-VC40

EPA Registration Number 67712-1 Your Amendment Dated March 6th, 2006 EPA Received Date March 7th, 2006

The amendment referred to above, submitted in connection with registration under the Federal Inseciticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to expand existing labeling claims is acceptable provided you make the following labeling revisions:

Based on the efficacy review of the product labeling, the following revisions must be made to the proposed labeling:

EFFICACY CLAIMS

Under the "Efficacy Claims" section, make the following labeling revisions to read as follows:

1. The Agency standards, as described in DIS/TSS-12, are to determine the efficacy of swimming pool water disinfectants, not a sanitizer. If you prefer to retain sanitizer claims, references to disinfection must be removed from the label, as these claims are not analogous.

- 2. Spell Out "CRT" on the label, before using the abbreviation.
- 3. The contact time of 30 seconds is false and misleading, as the circulating time for the volume of water in a swimming pool exceeds this timeframe.
- 4. Delete "overpowers" and "restrains" from the proposed label.

CONTROLLED RELEASE TECHNOLOGY CLAIMS

5. Under the "Controlled Release Technology" section, delete "overpowers" and "restrains" from the label.

INNOVATIVE RELEASE TECHNOLOGY CLAIMS

6. Under the Innovative Technology section, delete the following claims:

Remove the following claims from the labeling:

- "21st century mineral technology"
- "Advanced"
- "Cutting edge for pool technology"
- "Mineral technology"
- "Mastering the elements"
- "Natural mineral technology"
- "Nature is the only, first mineral system"
- "Start changing the way you swim....naturally"
- "The first[EPA registered]pool disinfectant[system] based on silver and copper mineral"
- "The original [mineral][pool]sanitation"
- "The original mineral pool disinfectant [sanitizer technology]"
- "With standard chlorine products for swimming pools, EPA has NOT approved a chlorine level of 0.5 ppm without using minerals"
- 7. Under "Water Attribute" section, delete "overpowers" and "restrains" from the product labeling.

A stamped copy of the labeling is enclosed for your records.

If you have questions concerning this letter, please contact Karen M. Leavy-Munk at (703)-308-6237.

Sincerely

Marshall Swindell Product Manager 33

Regulatory Management Branch I Antimicrobial Division(7510P)

ACTIVE INGREDIENTS:	
Metallic Silver**	3.51%
Copper Sulfate pentahydrate***.	8.23%
OTHER INGREDIENTS	88.26%
TOTAL	100.00%
**From Silver Nitrate	
*** Conner (Cu) as metallic 2	09%

*The Nature² System consists of the patented Nature² technology[†] used in conjunction with a chlorine delivery device or 0.5ppm of an EPA registered chlorine pool product.

[†] Nature² technology consists of the minerals silver and copper.

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE [BACK, SIDE, REAR] PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



ACCEPTED with COMMENTS in EPA Letter Dated:

070507

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

Nature^{2®} G45-VC40

EPA Reg. No. 67712-1 EPA Est. No. 67712-FL-001

NET CONTENTS: [ONE CARTRIDGE] [ONE UNIT]

CHANGE THIS CARTRIDGE EVERY [SIX, FOUR] MONTHS

Use of this cartridge [for] longer than [four, six] continuous months will void the warranty. Discard [the, this] cartridge at the end of [six, four] months.

PRECAUTIONARY STATEMENT

Hazards to Humans and Domestic Animals

Caution

In the unlikely event that a cartridge breaks, mineral media should not be ingested by humans or animals as it may cause gastric distress.

FIRST AID

IF INGESTED: Call poison control center or doctor immediately for treatment advice.

DISPOSAL

After [six, four] months of use, discard [the cartridge, Nature², {product name}] in household trash. Do not save [the cartridge, Nature², {product name}] for re-use. [The cartridge, Nature², {product name}] is manufactured with the mineral media sealed inside. In the unlikely event [the cartridge, Nature², {product name}] breaks, remove [it, the cartridge] and vacuum out any media introduced into the pool [water].

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. See owner's manual inside box for directions for use.

Zodiac Pool Care, Inc. 2028 NW 25th Avenue Pompano Beach, FL 33069

© 2006 Zodiac Pool Care, Inc.

{insert part number}

ACCEPTED
with COMMENTS
in EPA Latter Dated:

070507

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

Efficacy Claims

[4, 6 month] algae [control, treatment, preventative].

[4, 6] month Nature² cartridge meets [the] EPA [pool] efficacy requirements.

Algae control for [4, 6] months [for the life of the cartridge]

Algae treatment system

[Around, Round, 24/7] the clock algae [fighter, fighting]

[Around, Round, 24/7] the clock [disinfection, disinfecting, sanitation, sanitization]

[Around, Round] the clock algae [treatment, control, preventative] [for your swimming pool]

[Constant, Consistent, Continual, 24/7] algae [control, treatment] [for your swimming pool]

[Disinfects, Sanitizes, Works] [around, round, 24/7] [the clock]

Defend against algae [with] [the] [Nature²] [system*]

Destroys bacteria and algae growth with CRT

[Hassle, Trouble] free algae control

[Effectively] [Fights, combats, defends against, inhibits, suppresses, restrains, resists, overpowers, controls] algae [for [4, 6] months]

Keeps algae in check [for [4, 6] months]

In combination with lower chlorine levels, [Nature² technology[†], [insert product name]] is proven to [effectively] control[s] [typical, common] swimming pool algae

Keep algae [at bay, under control] [for [4, 6] months]

Kills [common, typical] [swimming] pool bacteria [in 30 seconds, quickly, in a hurry]

[Insert product name] meets [the] EPA's [pool] efficacy requirements [for a period of [four, six] months].

[Nature² technology[†], {product name}] and chlorine work together to effectively [inhibit, reduce, suppress, fight, control] bacteria and algae

[Nature² technology[†], {product name}] effectively [reduces, inhibits, suppresses, controls] bacteria and algae

[Nature² technology[†], {product name}] [Fights, combats, defends against, inhibits, suppresses, restrains, resists, overpowers] algae growth

[Nature², {product name}] minerals help rid the water of harmful bacteria

[Nature², {product name}] [patented] mineral[s] [technology] destroy bacteria with a controlled release formula that lasts [4, 6] months

["Product name" features] Nature² technology[†] [which] is an effective process that sanitizes pool water using minerals and just 0.5ppm chlorine.

[Proven] control of [common] [swimming pool] bacteria [and] [algae]

Reduces [common] [swimming pool] bacteria [and] [algae]

Sanitize and inhibit [suppress, control] algae [the Nature2 way!]

[Silver, Nature² technology[†], {insert product name}] [with, and] [chlorine] kills bacteria

[Silver, Nature² technology[†], finsert product name)] is an effective bactericide [and works well with oxidizing agents

[Silver, Nature² technology[†], finsert product name] kills bacteria and lowers chlorine usage.

The Nature² System* [with CRT] effectively sanitizes your pool.

in EPA Letter Dated:

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

Ease of Use

Algaecide [Algae] and bactericide [bacteria] [control] [all] in one [cartridge]

[Automatic], [Automatically] [dispensing of, dispenses] minerals [and chlorine] [automatically] {the chlorine claim for use with models paired with chlorine dispensers/generators}

Automatically dispenses minerals [and chlorine] {the chlorine claim for use with models paired with Zodiac's salt water generator}

Conveniently simple

Effortless algae [management, control]

Eliminate daily dosing

Engineered [for, to last] [4, 6] months [for your size] [in your] [pool]

Engineered to control bacteria and algae for [4, 6] months

Enjoy the water

Enjoy your pool [with less work]

Enjoy your pool again - eliminate the need for daily dosing

Install in seconds [- lasts [six, four] months]

Installation is simple

[It works [to control algae]] so you don't have to

[It] does the work for you

[It] works while you [sleep, play, swim]

Less time maintaining, more time relaxing!

[Maintenance, management] free algae control.

[Nature², technology[†], {product name}] minerals require no manual dosing

No more daily maintenance with [replacement] products that last weeks or months at a time

One [easy] step [to] algae [control, management] [in your swimming pool]

[Reclaim, regain] the fun. [Reduce the work.] [Increase your pool's life]

Save time

Simple, Do-It-Yourself Installation

Simple, [effective, efficacious], cost effective

Simply discard at the end of the season

Simply replace the cartridge every [six, four] months

Simply [replace, discard] the cartridge every [six, four] months

Spend less time shocking your pool

Spend more time in your pool, less time adding chlorine

Take back the fun of your pool by reducing the work and increasing the pool's life

Twice as nice – bacteria and algae control in one cartridge

Controlled Release Technology

Controlled copper release prevents pool staining

Controls coppers release to prevent pool staining

ACCEPTED
with COMMENTS
in EPA Letter Dated:

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

67712-1

at a time

2

Note: Bracketed [] information is optional text/picture/diagram. Text separated by a comma (,) denotes and/or options {Bracket Text} is for administrative purposes. Punctuation, text size, text font, text color, capital letters, lower case letters, italics, bold and underline may vary on final printed labels. Spelling may vary when alternate spelling is acceptable; for example "algaecide" or "algicide" 030607

Controlled release [of] algaecide

Controlled released algae treatment [technology]

Controlled Release Technology

Controlled Release Technology (CRT) controls the release of silver and copper mineral ions into your pool water.

Controlled release technology – no [copper, or, silver] stains, guaranteed!

[Manage, fight, combat, defend against, inhibit, suppress, restrain, resist, overpower, control] algae with controlled release technology [CRT]

[Nature², technology[†], {product name}] controls release to prevent staining

Innovative Technology

21st century mineral technology

[Advanced, Enhanced, Combined] mineral technology

Algae treatment with controlled release technology [CRT]

Alumina [mineral] matrix

[At, On] the cutting edge of pool [water] technology

[At, On] the leading edge of innovation [[and] technology]

Based on mineral technology {product name may be inserted at beginning}

Bromine compatible

[Complete] [Nature²] mineral pool care works in all pools

Contains minerals from nature

Contains [silver, copper] [alumina] [from nature] [!]

Copper [a component of] [Nature², technology[†], {product name}] effectively [inhibits, suppresses, controls, fights] algae [growth]

[Engineered, Patented] mineral[s] [silver] [copper] [alumina] [technology]

Features Nature² Technology

In combination with 0.5ppm chlorine, Nature technology [[product name]] is as effective [against common] swimming pool algae] as chlorine alone

It's Nature² Technology[†]

Let [Nature², {product name}] minerals handle the [bulk, majority] of your water sanitation needs

[Manage, fight, combat, defend against, inhibit, suppress, restrain, resist, overpower, control] algae effortlessly

Mastering the elements

Mineral technology for the 21st century

Natural mineral harmony

Nature² copper [-alumina, mineral] granule [technology[†]]

Nature² – it's elemental

Nature² [technology[†], {product name}] controls release of active ingredients

Nature² is the [only, first] mineral system containing silver and copper in one cartridge

Nature² meets the EPA requirements to lower previously approved safe chlorine levels by up to 50%* (*1.0ppm was EPA's previously approved safe level for a stabilized swimming pool).

with COMMENTS

70507

Fungicide, and Rodenticide Act as amended, for the pesticide. registered under EPA Reg. No.

EPA Letter Duted:

Under the Federal Insecticide, Fungicide, and Rodenticide Act as

amended, for the pesticide, registered under EPA Reg. No.

{Optional language/pictures/diagrams that may appear on any panel of the carton label in any combination}

[Nature²] [{product name}] [technology[†], mineral formula] provides silver to destroy bacteria and alumina to help keep the pH in a safe range [without monitoring]

[Providing] innovative technology for over {insert appropriate number} years

Silver destroys bacteria to reduce chlorine use up to 50%*

*compared to the minimum EPA approved level of 1.0 for a stabilized swimming pool

[Silver, Nature², {product name}] /minerals] plus 0.5ppm chlorine is as effective as 1.0ppm chlorine

Start changing the way you swim naturally

Swim naturally with mineral technology

Swim naturally with [Nature², mineral, {insert product name}] technology[†]

[Sustained, controlled] algaecide release technology

The copper in [Nature² technology[†], {product name}] effectively controls algae

The first [EPA registered] pool disinfectant [system] based on silver and copper mineral[s] [technology]

The Nature² System* is an exclusive patented mineral technology.[†]

[†] Nature² technology consists of the minerals silver and copper.

The original [mineral] [pool] sanitation [cartridge, technology]

The original mineral pool disinfectant [sanitizer, technology]

With standard chlorine products for swimming pools, EPA has NOT approved a chlorine level of 0.5ppm without using minerals.

[Zodiac -] [creators of, inventors of, pioneers in] pool mineral technology

[Zodiac –] leading the way in [innovation, innovative technology]

Product Benefits

Lasts one season (up to [four, six] months)

[Lower chlorine levels] help[s] keep [the] pool pH balanced

Lower chlorine levels help prevent damage to equipment and surfaces

[Meets, Equivalent to, As effective as] [1.0ppm] chlorine [alone] [in pool testing]

Nature² [technology[†]] in the presence of low levels of chlorine is proven to effectively control [typical, common] swimming pool algae.

[Nature² technology[†], {product name}] in the presence of 0.5ppm [low levels of] chlorine is [as] effective against common swimming pool algae [as traditional chlorination].

[Nature², technology[†]] reduces chlorine consumption

[Nature², technology[†], {product name}] requires no sequestrant

[Nature², {product name}] minerals [also] keeps your pH balanced by acting as a neutralizer

No sequestrant required

Reduces chlorine use to just 0.5ppm

Reduces chlorine use up to 50%* *Compared to the minimum EPA recommended chlorine levels of 1.0ppm for a stabilized swimming pool

Reduce[s] [your] chlorine use

[Reduces, Inhibits, Suppresses] [typical, common] swimming pool algae [in the presence of [0.5ppm chlorine, low chlorine levels]]

4

Note: Bracketed [] information is optional text/picture/diagram. Text separated by a comma (,) denotes and/or options {Bracket Text} is for administrative purposes. Punctuation, text size, text font, text color, capital letters, lower case letters, italics, bold and underline may vary on final printed labels. Spelling may vary when alternate spelling is acceptable; for example "algaecide" or "algicide" 030607


Saves you money

Water Attributes

Clariffy, ies] pool water

Compare the Difference! {photo dependent on model}



















For Crystal Clear Water in All Types of Pools

[For] Water that [looks] [and] [feels] luxurious

Guaranteed - no stains!

Improves water quality by

Destroying bacteria for improved clarity

Helping to maintain a neutral pH for softer water

Makes water brilliantly clear [and] [soft]

[Nature², {product name}] minerals condition the water for extra softness

[Nature², {product name}] minerals make a difference you can see and feel

[Nature² technology[†], {product name}] controls release to ensure algae control while preventing copper staining

[Nature² technology[†], {product name}] provides [continuous] algae control [from day [1, one]]

[Nature² technology[†], /product name] [manages, fights, combats, defends against, inhibits, suppresses, restrains, resists, overpowers, controls] [pool] copper levels [for stain-free algae control]

[Nature² technology[†], /product name] reduces coppers spikes from algaecide products to reduce staining

[Nature² technology[†], {product name}] [regulates, controls] [the copper in] your swimming pool [copper levels] [providing you with] a no stain guarantee

[Nature² technology[†], [/product name]] releases copper for [immediate], hassle free algae control

Nature² water is brilliantly clear and soft





Under the Federal Insecticids Fungicide, and Rodenticide Act Ca omended, for the pesticide, registered under EPA Reg. No.

11/37

The Nature² System* with CRT improves water quality.

Restore[s] water clarity

No stain guarantee

No stains, guaranteed

The perfect combination for clear pool water

Water feels softer with a crystal clear shine

ACCEPTED
with COMMENTS
in EPA Letter Dated:

070507

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

67712-1

Swimmer Comfort

Enhance[d, s] swimmer comfort.

Reduces potential for stinging eyes, skin irritation and unpleasant odors.

In combination with [0.5ppm chlorine, low[er] chlorine levels], [Nature² technology[†], {product name}] [reduces, lowers] the formation of chloramines, odors and red eyes

[Nature², {product name}] minerals reduce the irritations associated with chlorine like red stinging eyes, faded swimsuits and dry, itchy skin

[Nature², technology[†], {product name}] reduces [chlorine use] [and] [the formation of chloramines] [that cause[s]] odor and red eyes.

Reduces [faded swimsuits, odor, red eyes]

Reduces chlorine irritations and odors

Reduces dry itchy skin [irritations] associated with chlorine

Reduces irritations [and odors] associated with chlorine [including red stinging eyes, dry itchy skin, faded bathing suits, premature damage to pool equipment or surfaces and unpleasant odors]

Reduces premature damage to pool equipment or surfaces associated with chlorine

Reduces red [stinging] eye[s] irritations associated with chlorine

Reduces unpleasant odors associated with chlorine

Spend the day [in the pool] without worrying about dry, itchy skin, red burning eyes or faded swimsuits

[Nature², system, {product name}] gives you a reliable way to have fresh, clean, clear water in your [family's] pool.

General Claims

Assembled in USA from components made in USA, China and Australia

For inground [in-ground] and aboveground pools with cartridge filters up to 25,000 gallons

It's compatible. Compatible with most pool maintenance products.****

**** Do not use [this product, Nature²] with copper-based algaecides, [bromine or bromide chemicals,] or Biguanides (Baquacil®, SoftSwim®, Revacil®). Baquacil is a registered trademark of Arch Chemical Inc., SoftSwim is a registered trademark of Chemitura, Inc. Revacil is a registered trademark of Mareva, Inc.

Made in [the] USA {A picture of the US flag may also appear}

[Mineral cartridge] Lasts [six, four] months

Satisfaction guaranteed.

The Nature² logo is a registered trademark owned by Zodiac Pool Care, Inc.

This product is covered by one or more of the following U.S. Patents: 4,608,247 4,935,116 5,352,369 372,069

6

To keep your patented Nature² Sanitizer operating properly, it is necessary to change [this, the] cartridge every [six, four] months.

Will not damage your pool equipment

in EPA Letter Dated:

070507 Under the Federal Insecticide, Pungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

13/37

 VC40
 VC20

[Nature² G Cartridge For 35,000-45,000 Gallon Inground [In-ground] Pools]
[Nature² G Cartridge For 25,000-35,000 Gallon Inground [In-ground] Pools]
[Nature² G Cartridge For 10,000-25,000 Gallon Inground [In-ground] Pools]
[Nature² W Cartridge For 5,000-25,000 Gallon Inground [In-ground] Pools]
[Nature² V C Cartridge For inground [in-ground] pools from 5,000-20,000 gallons]
[Nature²] [G Cartridge] [M Cartridge] [and] [V C Cartridge] [CF] [Express] [Express Cartridge]

For [Aboveground] [and] [Inground] [In-ground] Pools [up to 25,000 Gallons]

{Part numbers may appear on the respective corresponding label. Part numbers may change without notification} [P/N] [W] [22325] [22330] [22335] [22340] [22345 [22350] [22355] [222360] [22380] [22385] [20055] [20065] [22375] [29550] [28125] [28126] [28135] [28136] [28145] [28146] [28155] [28175] [28185] [28195] [20171] [20080] [29500] [W20049] [W20050] [W20051]

{The following vessel /housing names may be used to help consumers determine the correct cartridge for their system}

Nature²

Fits all Nature² [Professional G], [Premium M], [R] [A] Vessels

[(Except Nature² Limited)]

[Nature2, Vision, Claritec, Clear Vision, EcoSpring, Aquatech, Visipure, White River, Fafco, California, Hawaiian]

{optional cartridge/corresponding vessel checkbox}

Cartridge	Corresponding Vessel	
G25 10,000 - 25,000 Gallons	Professional G Inground [In-ground] Vessel	
G35 25,000 - 35,000 Gallons	Professional G Inground [In-ground] Vessel	
G45 35,000 - 45,000 Gallons	Professional G Inground [In-ground] Vessel	
M25 5,000 - 25,000 Gallons	Premium M Inground [In-ground] Vessel	
A30 5,000 - 30,000 Gallons	A Aboveground Vessel	

ACCEPTED with COMMENTS in EPA Letter Dated:

Under the Federal Insecticide, Fungicide, and Rodenticide Act of amended, for the pesticide, registered under EPA Reg. No.

67712-1

{The term "cartridge" or "this product" on this master label may be replaced with the product name on the marketing label}

This carton contains

DuoClear Cartridge	Corresponding System
DuoClear 25 10,000 - 25,000 Gallons	DuoClear 25
DuoClear 35 25,000 - 35,000 Gallons	DuoClear 35
DuoClear 45 35,000 - 45,000 Gallons	DuoClear 45

Designed to fit DuoClear Systems for residential pools

Zodiac DuoClear Cartridge

For [10,000-25,000] [25,000-35,000] [35,000-45,000] Gallon Inground [In-ground] Pools

Fits DuoClear [25] [35] [45] System

Use only on Zodiac DuoClear systems for inground pools

Cartridge Model: DuoClear [25] [35] [45]

For [10,000 to 25,000] [25,000 to 35,000] [35,000 to 45,000] gallon pools

P/N [W20049] [20050] 20051] Serial No. {insert number}

Replacement Cartridge for Zodiac DuoClear

For Inground [In-ground] Pools Use only on Zodiac DuoClear Systems


CAUTION: Use only as directed – This cartridge must not be used in any other model or make of sanitizer. See installation and start-up instructions. Keep out of reach of children.


If assistance is required, please call: 1-888-537-6657


ACCEPTED with COMMENTS in EPA Letter Dated: 0 7 0 5 0 7

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. /











ACCEPTED
with COMMENTS
in EPA Letter Dozed:

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.





The Mineral Pool Sanitizer

The Low Chiorine Alternative









ACCEPTED
with COMMENTS
in EPA Letter Dates

070507

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

(077121

17]











with COMMENTS in EPA Letter Dated:

Under the Federal Insecticide, Fungicide, and Rodenticide Act & amended, for the pesticide, registered under FTA Reg. No.

12

18/37


{Graphics on this page added by amendment on 03/01/07}




ACCEPTED with COMMENTS in EPA Letter Dotes.

070507

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.









13

{Graphics on this page added by amendment on 03/01/07}




[Water clarification]



ACCEPTED with COMMENTS in EPA Letter Dotest


Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.




Note: Bracketed [] information is optional text/picture/diagram. Text separated by a comma (,) denotes and/or options {Bracket Text} is for administrative purposes. Punctuation, text size, text font, text color, capital letters, lower case letters, italics, bold and underline may vary on final printed labels. Spelling may vary when alternate spelling is acceptable; for example "algaecide" or "algicide" 030607

20/ 137


{Graphics on this page added by amendment on 03/01/07}
[Water clarification]






ACCEPTED
with COMMENTS
in EPA Letter Dates.


O 7 0 5 U 7
Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the posticide,
registered under EPA Reg. No.






Note: Bracketed [] information is optional text/picture/diagram. Text separated by a comma (,) denotes and/or options {Bracket Text} is for administrative purposes. Punctuation, text size, text font, text color, capital letters, lower case letters, italics, bold and underline may vary on final printed labels. Spelling may vary when alternate spelling is acceptable; for example "algaecide" or "algicide" 030607


Under the Federal Insecticide, Fungicide, and Rodenticide Actas amended, for the pesticide, registered under EPA Reg. No.




{Graphics on this page added by amendment on 03/01/07}




[water clarification]





with COMMENTE in EPA Letter Doted Under the Federal Insection Pungicide, and Rodenticides amended, for the pesticidia registered under EPA Regil






{Graphics on this page added by amendment on 03/01/07}









MCCEPTED


with COMMENTS
in EPA Letter Doted:

Under the Federul insecticide, Fungicide, and Rodenticide Actes amended, for the pesticide, registered under EPA Reg. No.



{Graphics on this page added by amendment on 03/01/07}







WITH COMMENTS IN EPA Letter Posted


Under the Federal Insecticide, Pungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

67712-1





19



Easy do-it-yourself in-line installation, in minutes [(fits 1 ½" and 2" rigid PVC pipe)] [includes adapter that fits most aboveground pools]

Just twist onto your existing Nature² Express Assembly


[REPLACEMENT CARTRIDGE FOR NATURE² EXPRESS] FOR [ABOVEGROUND] [AND] [INGROUND] [IN-GROUND] POOLS

Installation is simple. Simple, Do-It-Yourself Installation

In just minutes you can install Nature² Express, activate the cartridge, and start enjoying a crystal clear [Nature²] pool. Nature² Express fits most [aboveground [inground] pools up to 25,000 gallons] [with 1 ½" or 2" rigid PVC plumbing].

[Nature² Express, This Unit] contains no moving parts [and is unaffected by heavy use, hot weather and water temperature] [and only requires replacing the cartridge every [six, four] months]. [You only have to change the replaceable cartridge every [six, four] months!] Please refer to the operating manual for complete installation instructions.











Turn pool pump off. Secure clamp assembly on the return line. [For aboveground pools with corrugated pipe, use PVC [enclosed] adapter [provided].]

Cut hole in rigid PVC pipe using a power drill and the [enclosed] hole saw [that is provided].

Insert the flow diverter into hole and snap it into place.

Snap dispenser shell onto clamp.

Thread the cartridge into the clamp, turn on pool pump and activate the cartridge. [See] [Refer to your cartridge owner's] manual for start up instructions.

PRODUCT SPECIFICATIONS

Capacity

For 5,000 to 25,000 gallon pools

Cartridge Life

6 months

Run Time

6 hours a day minimum

Installation Process:

Please refer to the Nature² Express Operating Manual for installation instructions.

Refer to the Nature² Express Owner's manual for start-up instructions.

Installation of a Nature² Express replacement cartridge takes just minutes. First turn off the pool pump. Then simply remove the existing cartridge from your Nature² Express Sanitizer and replace it with your new cartridge.




with COMMENT in EPA Letter Dot


Under the Federal Insecticide Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

Note: Bracketed [] information is optional text/picture/diagram. Text separated by a comma (,) denotes and/or options (Bracket Text) is for administrative purposes. Punctuation, text size, text font, text color, capital letters, lower case letters, italics, bold and underline may vary on final printed labels. Spelling may vary when alternate spelling is acceptable; for example "algaecide" or "algicide" 030607

20



FOR INGROUND [IN-GROUND] AND ABOVEGROUND POOLS WITH CARTRIDGE FILTERS







ACCEPTED with COMMENTS in EPA Letter Dated:

U 7 0 5 0 7 Under the Federal Insecticide, Pungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.





Nature² [G45-VC40] [Cartridge] Owner's Manual

[For Nature² G Cartridges, Nature² M Cartridges, and Nature² VC Cartridges, and Rodenticide Act of EPA Reg. No. 67712-1 [For Inground and Aboveground Pools [with Cartridge Filters]] [Features Nature² Technology[†]

{insert product name} with Nature² Technology



07050

Under the Federal Insecticide amended, for the pesticide, registered under EPA Reg. No. EPA Est. No. 67712-FL-001

IMPORTANT

Pool Owner, save this manual! Builders, leave this manual with the pool owner!

We ask you to take the time to get familiar with this manual.

Thank you for purchasing {insert product name} [with] Nature² [technology[†]]. We believe the more you know, the more enjoyable your family's swimming experience will be - and the more you will reduce the time, effort and cost of maintaining your pool. Pool owners who switch from conventional chemical programs to the Nature² System* spend less time maintaining their pools. Every pool has its own characteristics of water type, amount of sunlight, etc. The recipe [included in this manual] will help insure good water quality for your pool. Remember, your authorized [Zodiac, Nature²] dealer can provide professional advice and service.

SAFETY INSTRUCTIONS - Important information. Please read prior to installation

{see attached page for optional information that may be placed here}



ATTENTION Failure to heed the following can result in permanent injury, [electrocution] or drowning

[ELECTRICAL HAZARD]

[Severe shock will likely occur as a result of a drill or drill cord coming in contact with water. Never allow electric drill or drill cord to come in contact with water. Only plug drill into a Class A (5 Milliampere Trip) protected Ground Fault Circuit Interrupter (GFCI) in accordance with the National Electrical Code Section 680. Please see your drill owner's manual for further safety precautions.]

EOUIPMENT UNDER PRESSURE

Always turn pump off prior to installing or changing Nature² cartridge. Your pump/filter system is operated under pressure and the pressure must be released before you begin work. Please see your pump/filter owner's manual for further instructions.

PREVENT CHILD DROWNING

Do not let anyone, especially small children, sit, step, lean or climb on any equipment installed as part of your pool's operational system. Locate the components of your operational system at least 3 feet from the pool so children cannot use the equipment to access the pool and be injured or drown.

LOW CHLORINE RECIPE

You must strictly follow the low chlorine recipe included in this manual to maintain proper water chemistry and avoid health hazards. Failure to follow these instructions can lead to sickness from bacteria and other noxious organisms.

CAUTION

Precautionary Statement

Hazards to Humans and Domestic Animals

CAUTION

In the unlikely event that a cartridge breaks, mineral media should not be ingested by humans or animals as it may cause gastric distress

IF INGESTED: Call poison control center or doctor immediately for treatment advice.

The Nature² [Pool] Sanitizer is designed only for residential swimming pools.

- * The Nature² System consists of the patented Nature^{2®} technology[†] used in conjunction with a chlorine delivery device or 0.5ppm of an EPA registered chlorine pool product.
- † Nature²TM technology † consists of the minerals silver and copper.

Note: Bracketed [] information is optional text/picture/diagram. Text separated by a comma (,) denotes and/or options (Bracket Text) is for administrative purposes. Punctuation, text size, text font, text color, capital letters, lower case letters, italics, bold and underline may vary on final printed labels. Spelling may vary when alternate spelling is acceptable; for example "algaecide" or "algicide" 030607

Nature² is a registered trademark of Zodiac Pool Care, Inc.

[Optional Table of Contents]		
Contents	Page	{the correct page numbers will be inserted for each manual}
Safety Instructions	1	
Start Up	2	
[Assembly]	3	
Balance the Water	3	,
Install the Cartridge	3	
Recipe	4	
Provide Filtration/Circulation	4	
Troubleshooting	5	
Nature ² Cartridge Replacement Intervals	6	
Winterizing Your Pool	6	
Disposal	6	
Limited Warranty	7	

Directions for Use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Nature² Compatibility

Nature² Systems* can be used with all types of pool chemical treatments available except [bromine and bromide based chemicals,] biguanide products (Baquacil¹, Softswim² or Revacil³) and copper based algaecides. (¹A Trademark of Arch Chemicals, Inc., ²A Trademark of Chemtura Corporation., ³A Trademark of Mareva, Inc.)

Important: When converting [either] a biguanide [or bromine] treated pool to the Nature² System*, the pool must be completely drained and refilled. Then follow the Nature² cartridge start-up procedure below.

[Important: Please make sure that the Nature² cartridge you have selected corresponds to your swimming pool size based on gallons of water. Using a Nature² cartridge for an undersized pool may cause staining of the pool.]

Start Up

Before starting up a new [Nature²] cartridge, clean debris and algae out of the pool and [pool] equipment.

Important: Do not install the new cartridge until the pool water is clean and chemically balanced.

Balance pool water before installing [Nature²] [sanitizer, cartridge].

pH 7.4-7.8 Calcium Hardness 200-400 ppm Total Alkalinity 80-150 ppm

Consult with your [Nature², Zodiac] dealer for specific water balance instructions.

ACCEPTED with COMMENTS in EPA Letter Dates:

Under the Federal Insecticide, Fungicide, and Rodenticide Act of amended, for the pesticide, registered under EPA Reg. No.



Balance the Water

To find out if your pool water is balanced:

· take a water sample to your dealer to be tested regularly, or

ask your dealer to recommend a pool test kit for water balance.

Element: pH	If it's too	The surface of your pool can become etched Metal parts in the pump and plumbing will corrode.	How to fix: Add pH increaser
Range: 7.4-7.8	low: If it's too	"Scale" forms on the surface of your pool.	How to fix: Add pH decreaser
	high:	The water can become cloudy. Equipment can become damaged.	
Element: Calcium Hardness Range: 200-400 ppm	If it's too low:	Water is less stable. In plaster pools, the calcium is taken out of the plaster, causing the surface to deteriorate.	How to fix: Add calcium hardness increaser.
	If it's too high:	Rough, discolored deposits ("scale") will form on the pool surface and inside pool equipment.	How to fix: Drain or dilute the pool water. Consult your dealer.
Element: Total Alkalinity Range: 80-150 ppm	If it's too low:	It provides no buffer so that you constantly get fluctuating pH readings, which can damage equipment and pool surfaces.	How to fix: Use an alkalinity increaser.
	If it's too high:	White deposits ("scale") form on the tile line. The plaster on pool surface becomes rough or discolored. The water becomes cloudy or milky white.	How to fix: Add acid to bring alkalinity down.

Install the [Cartridge, Sanitizer]

- 1 Install the cartridge [into your pool filter] after water is balanced. [See, Refer to] [the, your] Nature² {the model/product name may also be inserted here} [vessel] operating manual for additional instructions [regarding your particular model's installation]. {the product name may be used in place of or in addition to the term "cartridge"}
- 2 [Superoxidize, Superchlorinate] the pool water with chlorine according to manufacturer's instructions to burn off contaminants and activate cartridge.

Important: Initial superoxidation with chlorine is required to burn off contaminants and activate cartridge.

- 3 Run the circulating pump either:
- 24 hours a day for 4 days, maintaining 1-2 ppm [free] chlorine throughout, or
- 6 hours a day for 14 days, maintaining 1-2 ppm [free] chlorine throughout.
- **4 Let chlorine dissipate** to 0.5 ppm once start up period is completed. Do not enter the pool if the free available chlorine residual is over 3 ppm.

MCCEPTED with COMMENTS in EPA Letter Dated:

070507

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Req. No.



Recipe

There is one recipe for maintaining clean, clear, sanitized water with minimum time and effort.

This recipe provides the easiest and most economical way to care for your Nature² pool.

Low-Chlorine Recipe Once the 4-day or 14-day start-up period is done, allow the free [available] chlorine residual to drop to 0.5 ppm (by reducing the amount of chlorine you add) then:

Ingredients:

Nature² cartridge {product name may be inserted} Chlorine granules, tablets, liquid or generator pH and total alkalinity adjusting chemicals Calcium hardness increaser, if needed Water test kit

When: What to do:

Every day Once a week Run pump and filter at least 6 hours every day.

Balance pH and total alkalinity.

Twice a week

Check chlorine residual; add chlorine to maintain at least [a] 0.5ppm [free chlorine] [range using the chart

below].

As needed

If water is hazy, superoxidize with chlorine according to manufacturer's instructions. Additional shocking is recommended following rainstorms or heavy bather load. Do not re-enter the pool if the

free available chlorine residual is over 3 ppm.

Add the following amounts of chlorine per 10,000 gallons of water to increase free chlorine by 0.5 ppm

Type of Chlorine Containing Compound	% Active Ingredient	% Available Chlorine Content	Ounce Quantity Required	Gram Quantity Required
Sodium Hypochlorite Liquid	5.25	5.25	12.7	361
Sodium Hypochlorite Liquid	9.2	9.2	7.3	206
Sodium Hypochlorite Liquid	10	10	6.5	184
Sodium Hypochlorite Liquid	12	12	5.6	158
Calcium Hypochlorite	65	64	1.1	30
Dichloroisocyanurate	99	62	1.1	30
Lithium Hypochlorite	29	35	1.9	54
Trichloro-s-triazintrione	99	90	0.7	21
Chlorine Gas, from any source including chlorine generators	100	100	0.7	19

Provide Filtration/Circulation

To manage: You need to:

Circulation Follow the manufacturer's directions for keeping the circulating pump in good working order and operate it at

least six hours a day. Consult your [Nature², Zodiac] dealer for optimum run times.

Filtration Check the pool's filter periodically and clean it as recommended by the manufacturer.

> WITH COMMENTS in EPA Letter Detect:

Under the Federal Insecticide Fungicide, and Hodenticide Act an amended, for the posticide, registered under EPA Reg. No.

Troubleshooting	Guide Consult your Nature		assistance or call 1-888-53"-665".[
	Problem	What to look for	Treatment	
Cloudy water Frequently caused by improper start up. See section on Start Up [and Install the Cartridge.]	Poor filtration	Slow filter turnover rates	1 Backwash and clean filter. 2 Run filter for 24 hours. 3 Increase run time per day	
	Algae growth	Hazy pool water, may have slightly green appearance.	[Superchlorinate, Superoxidize] water with chlorine according to manufacturer's instructions and brush pool walls.	
	Unbalanced water	High hardness High TDS (total dissolved solids) High pH High total alkalinity	Balance the pool water.	
Algae may be caused by insufficient levels of oxidizer and/or inadequate water circulation.	Green algae	Pea green color; attaches to pool walls sometimes colors the entire body of water.	1 Check pH and adjust if necessary. 2 [Superchlorinate, Superoxidize] with chlorine according to manufacturer's instructions and brush pool walls. 3 Repeat steps 1 and 2 until algae is gone.	
	Black algae Mustard algae	Black spots on pool walls. Yellow or brown film on steps or walls.	 Brush affected areas. [Superchlorinate, Superoxidize] water with chlorine according to manufacturer's instructions. Add algaecide. Vacuum pool. Repeat steps 1 through 4 until algae is gone. 	
	Note: Regular algaecide treatments are recommended for outdoor pools that experience persistent algae problems. Do not use algae treatments containing either copper or sodium bromide.			
Stains	Blue/green	Copper or iron from pool equipment corrosion or water supply.	1 Adjust pH and total alkalinity t ideal ranges.2 Vigorously brush stained areas	
	Red/brown	Iron or manganese from equipment corrosion or water supply.	3 Add sequestrant. 4 Run filter. 5 Twelve hours later,	
	Black	Manganese in water supply.	[superchlorinate, superoxidize] pool. 6 Test and balance water. 7 Test pool water for dissolved metals.	
	Metal tarnishing	High native mineral content in water; unbalanced water.	Clean with soft cloth and mild detergent. Test water for minerals; use a sequestrant; maintain water balance.	
Scale	Crusty deposits on pool surfaces.	High pH and high total alkalinity	Adjust pH and total alkalinity to ideal ranges.	
MCCEPTED with COMMEN in EPA Letter ID	erto 🔻	High TDS (total dissolved solids) or high hardness levels.	 Replace a volume of pool wate with water low in hardness and dissolved solids. Use sequestrant to prevent scal buildup if high hardness levels are a continuing problem. 	

Under the Fotograf Insecticide.

conticide Actor

esticide.

PA Reg. No.

Note: Bracketed [] information is optional text/picture/diagram. Text separated by a comma (,) denotes and/or options {Bracket Text} is for administrative purposes. Punctuation, text size, text font, text color, capital letters, lower case letters, italics, bold and underline may vary on final printed labels. Spelling may vary when alternate spelling is acceptable; for example "algaecide" or "algicide" 030607

Nature² [Cartridge, Sanitizer] Replacement Intervals

[Use the month indicator ring on the top of the [cartridge, unit]] [Monitor the cartridge replacement light on the {insert product name} control panel] to identify the date on which the cartridge should be replaced.] Always turn pump off prior to installing or changing [a] [Nature², {the model name may be inserted here}][cartridge]. Your pump/filter is operated under pressure and the pressure must be released before you begin work. Please see your pump/filter owner's manual for further instruction.

A cartridge lasts [six, 6, four, 4] months or one season, whichever is shorter. The cartridge should not be used longer than [six, 6, four, 4] continuous months.

{The frost-belt and sun-belt information is optional language that may be used in some but not all owner's manuals} [In frost-belt regions (3-6 month pool season):

Discard your used system when you close your pool at the end of the season. Install a new system when you open your pool in the spring.]

[In sun-belt regions (7-12 month pool season):

Replace your Nature² cartridge every 6 months whether or not you plan to use the pool for swimming.

Winterizing Your Pool

Use these steps as a guide. Consult your dealer for specific information [in, on] your area.

Warm Climate

- Reduce the number of hours the pump runs since the cooler weather decreases the spread of algae and other pollutants.
- There is no need to [superoxidize, superchlorinate] the pool during cool weather unless the water becomes cloudy (as may occur after a winter storm). See Cloudy Water in Troubleshooting section.

Cold Climate

- Check total alkalinity and pH of pool to make sure that they are in proper balance.
- **Vacuum the pool bottom** to remove any debris or other potential contaminants.
- [Superoxidize, Superchlorinate] the pool with chlorine according to manufacturer's instructions to clear the water.
- Add a winter algaecide following manufacturer's instructions.

Important: Do *not* use a winter algaecide with copper in it. [This will void the Nature² no-stain warranty.]

- Backwash the filter.
- **Drain part of the pool water.** The amount to drain varies from one part of the country to another. Consult your dealer for advice.
- Remove the [Nature², sanitizer system] cartridge and discard with household trash.
- Winterize the pipes with pool antifreeze following manufacturer's instructions.
- **Drain the water** out of all equipment (pump, filter, etc.)
- 10 Store all baskets, hoses and cleaning equipment, indoors if possible.
- 11 Cover the pool with a winter cover.

Disposal

After [six, four] [months] of use, discard [Nature², {product name may be inserted}] cartridge in household trash. Do not save the [cartridge, it] for re-use. The [cartridge, {product name may be inserted}] is manufactured with the mineral media sealed inside. In the unlikely event [a cartridge, {product name may be inserted}] breaks, remove it and vacuum out any media introduced into the pool.

> NE COMMENTS in EPA Letter Dotest:

Fungicide, and Rodenticide Act as amended, for the pesticide. registered under EPA Reg. No.

Note: Bracketed [] information is optional text/picture/diagram. Text separated by a comma (,) denotes and/or options (Bracket Text) is for administrative purposes. Punctuation, text size, text font, text color, capital letters, lower case letters, italics, bold and underline may vary on final printed labels. Spelling may vary when alternate spelling is acceptable; for example 030607 "algaecide" or "algicide"

27



{This warranty statement is optional}

Limited Warranty

Nature²⁸ Limited Warranty

The limited warranties contained within this document are the only warranties given with your [Nature², [{insert model name}] [Sanitizer, Cartridge] and supercede any prior warranties. All other warranties, expressed or implied, including the implied warranty of merchantability or the implied warranty of fitness for a particular purpose are hereby disclaimed. Our sole obligation under this warranty, and the purchaser's sole remedy, is limited to repair or replacement of the [Nature², {insert product name}] [Sanitizer, cartridge], [or one of its parts]. The Nature² warranty applies to the original owner only.

[THE LIMITED WARRANTIES OF THE [NATURE², {insert product name}] [Cartridge[s]] [Inground] [SANITIZER[s]] [ARE]]: [The] [Nature², {insert product name}] [Sanitizer, cartridges] [are, is] warranted to be free of defects in materials and to perform satisfactorily for a period of [six, four] months from the date of purchase. Nature² {insert model name} [Sanitizer, cartridges] [are, is] warranted not to cause copper staining in your pool. This limited warranty requires that you exercise reasonable care of your pool and keep water in balance at all times and not use a copper-based algaecide. This [limited] warranty does not cover discoloration to chromium fittings. This warranty does not cover cartridges used with any biguanide products such as Baquacil® or Soft Swim® [or any products containing Bromine or Bromine-based chemicals]. If the cartridge is defective and does not perform satisfactorily for the entire [six, four] months, we will [make a prorata rebate based on your actual period of use. You are responsible to pay the below-indicated percentage on the then applicable retail cost: <1 month-0%; 1-2 months-25%; 3-4 months-50%; 5-<6 months-75%.][replace your [{insert product name}] [cartridge, sanitizer.]

EXCLUSIONS FROM WARRANTY

[The] [Nature², {insert product name} [Sanitizer, cartridge[s]] [are, is] designed for use on [inground] [and] [aboveground] pools [with cartridge filters] from [5,000 to 25,000] [5,000 to 45,000] [10,000 to 45,000] gallons [depending on cartridge model]. If it is used in any other application, the warranty is void, and the purchaser and/or pool owner releases the manufacturer from [any and] all claims related to the use of the Nature^{2®} [Sanitizer, Express, Cartridge].

This warranty does not cover problems arising in whole or in part from purchaser's negligence, misuse or abuse, improper maintenance or storage, accident, improper installation, improper application, failure to follow all appropriate safety precautions, Acts of God, abnormal weather conditions, damage from plants or animals, and improper use of chemicals.

This warranty specifically excludes all incidental or consequential damages, except where state law requires them to be paid. This warranty gives you specific rights. You may have other rights that vary from state to state.

TO SUBMIT A CLAIM

Report claims to Zodiac Pool Care, Inc. by calling 1-888-537-6657. Only the original purchaser may submit a claim under this limited warranty. [All] Claims must be accompanied by an original purchase receipt.



Zodan Halt Care ins 1926 NW 19th Average Furtian e Beauti FE 1990 a 1980 into Pulito

Nature² is a registered trademark [owned by, of] Zodiac Pool Care, Inc. Printed in the USA

© Copyright 2003 Zodiac Pool Care, Inc.

{optional manual part numbers} [W17545] [W17510] [W17570] [W17025]}

ACCEPTED with COMMENTS in EPA Letter Dated:

070507

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

le 77/2-1

28

Note: Bracketed [] information is optional text/picture/diagram. Text separated by a comma (,) denotes and/or options {Bracket Text} is for administrative purposes. Punctuation, text size, text font, text color, capital letters, lower case letters, italics, bold and underline may vary on final printed labels. Spelling may vary when alternate spelling is acceptable; for example "algaecide" or "algicide" 030607

34)

{Optional manual Language/pictures/diagrams}

CARTRIDGE CAPACITY

G Cartridge 10,000 - 25,000 gallons

25,000 - 35,000 gallons

35,000 - 45,000 gallons

M Cartridge VC Cartridge

5,000 - 25,000 gallons 5,000 - 20,000 gallons

20,000 - 40,000 gallons

CARTRIDGE CAPACITY

DuoClear Cartridge 10,000 - 25,000 gallons

25,000 - 35,000 gallons 35,000 - 45,000 gallons

{optional language for Safety Instructions}

[Nature²] [Nature² G Cartridge[s]] [Nature² M Cartridge[s]] [and] [Nature² VC Cartridge[s]] [{insert model name} [Cartridge[s]] [have] [has] been designed to sanitize swimming pools from [5,000 to 25,000] [5,000 - 45,000] [10,000 to 45,000] gallons [depending on cartridge model. Make sure that your Nature² [{insert model name}] [Sanitizer, Cartridge] corresponds with the proper vessel and is appropriate for your pool size by consulting the chart above.]

With COMMENTS in EPA Letter Doise.


070507 Under the Federal Insecticide. Pungicide, and Rodenticide Actas

Pungicide, and Househalde, amended, for the pesticide, registered under EPA Reg. No.

{ Optional manual Language/pictures/diagrams }


Assembly

The Nature² CF consists of 4 sanitizer elements, 2 end caps and 2 end spikes.



Depending upon the size of your swimming pool cartridge fifter, these parts can be assembled as a bundle of 4 sanitizer elements, or as 2 sticks of 2 elements each.

NOTE: You should first attempt to use the bundle assembly.



Decide which Nature² CF assembly is right for your pool filter.

- 1 Turn off the pump and disassemble the pool filter as you normally would to clean the cartridge.
- 2 Check to see if the endcap fits easily into the core of your cartridge filter:
 - if it does, go to Bundle Assembly
 - if it does not, go to Stick Assembly


301

{Optional manual Language/pictures/diagram }

Bundle Assembly

The hole in the center of the endcap accommodates a center rod should your filter have one.

1 Lay an end cap on a flat surface and snap the 4 sanitizer elements into it, so that the tabs are pointing up.




2 Snap the other end cap on top.

Important: Be sure that the notch on each end cap lines up together to accommodate an air bleed tube.

ACCEPTED
WITH COMMENTS
IN EPA Letter Donat:
0 7 0 5 0 7

Under the Federal Insecticide, Pungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

1e7712-1



{ Optional manual Language/pictures/diagrams }

Stick Assembly

Important: Use only after attempting the Bundle Assembly.

Snap two sanitizer elements together so that each tab and slot line up.



2 Snap the end spike to one end.

NOTE: Once assembled, do not attempt to separate the sanitizer elements as the tabs may break.



ACCEPTED with COMMENTS in EPA Letter Doted:

070507

Under the Federal Insecticide, Fingicide, and Rodenticide Act as amended, for the pessicide, segistered under EPA Reg. No.