1/3

Please read instructions on reverse before completing form. Form Approved. OMB No. 2070-0060. Approval expites 05-31-98	
United States	Registration OPP Identifier Number
Environmental Protectio Washington, DC 204	
wasnington, DC 2041	Other 200411
Application for Pesticide - Section I	
1. Company/Product Number	2. EPA Product Manager 3. Proposed Classification
67760-26	K. Whithy None Restricted
4. Company/Product (Name) Ford's 6% Malathion_Dust	PM# 14 Restricted
5. Name and Address of Applicant (Include ZIP Code)	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)
Cheminova Inc.	(b)(i), my product is similar or identical in composition and labeling
1700 Rt. 23 suite 210 Wayne, NJ 07470	to: EPA Reg. No
	and appear of the contract of
Check if this is a new address	Product Name
Section - II	
Amendment - Explain below.	Final printed labels in response to Agency letter dated
Resubmission in response to Agency letter dated	"Me Too" Application.
X Notification - Explain below.	Other - Explain below.
Explanation: Use additional page(s) if necessary. (For section I and Section II.)	
Notification of alternate to the second of t	
Notification of alternate brand name: Fyfanon 6% Dust No other changes have been made to this registration	
No other changes have been made to this registration.	
Section - III	
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container	
Child-Resistant Packaging Unit Packaging	Water Soluble Packaging 2. Type of Container Yes Metal
No No	No Plastic Glass
* Certification must	If "Yes" No. per Paper
be submitted Unit Packaging wgt. container	Package wgt container Other (Specify)
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions	
Label Container	On Label On Labeling accompanying product
6. Manner in Which Label is Affixed to Product Lithog	raph Other
6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled Other	
Section - IV	
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Title Telephone No. (Include Area Code)	
Name	Regulatory Specialist \$201:305-6600
H. Marīa Biss Certifica	Angulatory opecialize
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete:	
l acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment (Stamped) both under applicable law.	
	3. Title
Allaslet Fiss	Regulatory Specialist
	5. Date
	o. Data
H. marla Biss	Nov. 4, 1996

FYFANON 6% DUST

FOR GRAIN PROTECTION For Use on Stored Grains Wheat - Corn - Oats - Rye - Barley

ACTIVE INGREDIENT:

Malathion (0-0-dimethyl phosphorodithioate of diethyl

mercaptosuccinate). 6.0-%

INERT INGREDIENTS

KEEP OUT OF REACH OF CHILDREN CAUTION

IN CASE OF MEDICAL EMERGENCY, CALL TOLL FREE, DAY OR NIGHT: 800-228-5635 EXT. 153

FIRST AID

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES; Flush with plenty of water. Get medical attention.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water.

Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention. NOTE TO PHYSICIAN. Malathion, upon repeated, prolonged and careless exposure, may cause cholinesterase inhibition. Atropine is antidotal.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

May be harmful if swallowed. Do not take internally. Avoid contact with eyes, skin and clothing, Avoid breathing dust. Wash thoroughly after handling. Wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in areas near application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

EPA Reg. No. 67760-26

Cheminova Inc. 1700 Rt. 23 Suite 210 Wayne, NJ 07470

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. NOTE: Use only with adequate ventilation. After using this product indoors, ventilate thoroughly before occupying enclosed spaces.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store product in original labeled container, in cool, dry, locked place out of the reach of children. In case of spills, remove spillage with an industrial type vacuum cleaner and wash area with household bleach.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: This product may be used on selected food grain. Use of this product as directed will be within the tolerance of 8 parts per million for Malathion. Treated grain is not subject to down-grading and can be milled into flour or feed using appropriate industry methods.

CLEAN ALL EMPTY BINS: Empty bins should be treated with a suitable residual insecticide before they are filled with new grain. Refuse, trash and old grain should be swept up and the entire area cleaned and made ready for new storage.

GRAIN PROTECTION: For use on stored grains (Wheat, Corn, Oats, Rye and Barley) for protection against the following insects: Granary weevil, rice weevil, maize weevil,—(lat grain beetle, saw-toothed grain beetle, confused flour beetle, red flour beetle, rusty grain beetle, foreign grain beetle, khapra beetle, lesser grain borer, larger grain borer, Indian meal moth larvae, Mediterranean flour moth larvae; and suppresses cadelles, grain mites and Angoumous grain moth larvae.

WHEN AND HOW TO APPLY

TREATMENT AT THE ELEVATOR: Use suitable powder application equipment to meter the product onto the grain as it enters the final storage at a rate of 10 lbs. per 1,000 bushels. Mount the device near the auger outlet to treat the flow of grain going onto the final storage bin. Wear a dust mask.

FOR TREATMENT OF GRAIN IN SHIPS HOLDS OR OTHER TRANSPORTATION FACILITIES: For intercontinental shipments of grain by boat or barge, apply this product in the same manner as for treatment of grain going into an elevator bin at the rate of 10 lbs. per 1,000 bushels of grain. Use appropriate application equipment.

GRAIN SURFACE TREATMENT AGAINST INDIAN MEAL MOTH LARVAE AND OTHER INSECTS:

To protect stored grain from attack by Indian meal moth larvae and other stored grain insects in the top 8 to 10 inches of grain, apply this product to the surface as a preventative or curative treatment at the rate of 5 lbs. per 1,000 square feet of grain surface. Apply evenly over the surface of grain after is has been; loaded into final storage. Begin application at the far end of the bin. Apply at the recommended rate and rake into the grain surface as you backup towards the exit. Do not walk through treated grain, ', Check grain in 3 to 4 weeks to determine presence of insects. Repeat treatment as needed. Wear a dust mask during application.

BEST AVAILABLE COPY