

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 401 "M" St., S.W.

Washington, D.C. 20460

EPA Reg. Number: 67760-27

OCT 0 9 1996

NOTICE OF PESTICIDE:

 \underline{x} Registration ____ Reregistration Term of Issuance: Until Reregistration

Name of Pesticide Product:

Cheminova CHA 7110 4E-SG

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Cheminova, Inc. 1700 Route 23, Suite 210 Wayne, New Jersey 07470

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodentieide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such 'data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
 - Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 67760-27".
 - b. In the ingredients statement, revise the chemical name of chlorpyrifos to "0,0-Diethyl 0-(3,5,6-trichloro-2pyridinyl) phosphorothicate."
 - c. On the front panel (page 1 of the draft labeling), below "Keep Out of Reach of Children" and to the right of the signal word "WARNING," add the Spanish word "AVISO."

Signature of Approving Official:

Date:

Dennis H. Edwards, Jr. Product Manager (19) Insecticide-Rodenticide Branch Registration Division (7505C)

ÚCT 0 9 1996

EPA Form 8570-6

d. If the principal part of the labeling is in a booklet separable from the container, the labeling on the container itself must include a statement referring users to the booklet. Near the statement must be, in a box, a reference to the Agricultural Use Requirements. The text in the box must be:

Agricultural Use Requirements
Use this product only in accordance with its labeling and
with the Worker Protection Standard, 40 CFR part 170.
Refer to the label booklet under "Agricultural Use
Requirements" in the Directions for Use section for
information about this standard.

e. Revise the precautionary statements to:

May be fatal if swallowed. Causes substantial but temporary eye injury or skin irritation. Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing.

(You may omit "Avoid breathing vapor or spray mist.")

- f. In the Statement of Practical Treatment (First Aid) you may delete the directions for "If Inhaled."
- g. Suggested text for the Note to Physician is "Probable mucosal damage may contraindicate the use of gastric lavage" and "May pose an aspiration pneumonia hazard." The reviewer of the acute toxicity studies, however, has noted that the presence of both a cholinesterase inhibitor and petroleum distillates makes it difficult to specify medical treatment. You may use text in the Note to Physician that you have determined to be appropriate. A copy of the reviewer's report is enclosed.
- h. On page 2, immediately below the heading "Personal Protective Equipment (PPE)" add the sentences "Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category G on an EPA chemical resistance category selections chart."
- i. Revise the User Safety Recommendations to:

Users should:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Page 3 EPA Reg. No. 67760-27

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr. Product Manager (19) Insecticide-Rodenticide Branch Registration Division (7505C)

Enclosures

RESTRICTED USE PESTICIDE

DUE TO ACUTE TOXICITY TO AVIAN AND AQUATIC ORGANISM

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification,



CHA 7110 4E-SG

For distribution and use only in Arizona, California, Colorado, Idaho, Kansas, Montana, Nebraska, New Mexico, Nevada, Oklahoma, Oregon, South Dakota, Texas, Utah, Washington and Wyoming.



INSECTICIDE

For control of aphids, including Russian wheat aphid, grasshoppers, wheat midge, brown wheat mite, and cutworms infesting wheat.

ACTIVE INGREDIENT: Chlorpyrifos: Phosphorothioic acid, O,O-diethyl O-(3,5,6-trichloro-2-pyridinyl) ester INERT INGREDIENTS:

55.8% 100.0%

44.2%

This product contains 4 pounds of Chlorpyrifos per gallon. Contains aromatic petroleum distillates.

KEEP OUT OF REACH OF CHILDREN

WARNING

AL USUARIO: Si usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle (TO THE USER: If you do not understand the label, find someone to explain it to you in detail)

May be fatal if swallowed ● Harmful if absorbed through skin ● Causes substantial but temporary eye injury ● Causes skin irritation • Avoid breathing vapor or spray mist • Do not get in eyes, on skin, or on clothing

IN CASE OF MEDICAL EMERGENCY, CALL TOLL FREE, DAY OR NIGHT, AREA CODE 800-228-5635, Ext. 153

STATEMENT OF PRACTICAL TREATMENT (First Aid)

FIRST AID IF SWALLOWED In case of poisoning, call a physician or Poison Control Center immediately. Have person lie down and keep quiet.

Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger (be aware that product contains aromatic petroleum distillates). If person is unconscious, do not give anything by mouth and do not induce

IF ON SKIN

Wash with plenty of soap and water. Get medical attention.

IF IN EYES IF INHALED Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

Remove to fresh air if symptoms of cholinesterase inhibition appear. If not breathing, give artificial respiration, Get medical attention,

ACCEPTED NOTE TO PHYSICIAN This product is a cholinesterase inhibitor. Treat symptomatically, Atropine is an antidote.

with COMMENTS in EPA Letter Dated

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No.: 67760 -

Net Contents: _____

EPA Est. No.: 4787-DN-1

OCT 0 9 199R

Under the Federal Invecticide, Fungicide, and Rodenticide Act as amended, for the posticide registered under EPA Reg. No.



1700 Route 23, Suite 210 Wayne, NJ 07470

7110-01/DuF/KeLMVF/960412 Label

PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals Keep Out Of Reach Of Children

WARNING

Fatal if swallowed • Harmful if absorbed through skin • Causes substantial but temporary eye injury • Causes skin irritation

Avoid breathing vapor or spray mist . Do not get in eyes, on skin, or on clothing

PERSONAL PROTECTIVE EQUIPMENT (PPE)

- Coveralls over short-sleeved shirt and short pants
- Socks
- · Chemical-resistant footwear
- Chemical-resistant (such as nitrile, butyl, barrier laminate or Viton) gloves
- · Protective eyewear such as goggles and face shield.
- Overhead exposure: Wear Chemical-resistant headgear.
- Mixers/Loaders: Wear a chemical-resistant apron
- For Cleaning Equipment: Add a chemical-resistant apron.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

- Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco.
- · Before removing gloves wash them with soap and water.
- Avoid contact with skin, eyes or clothing.
- · Do not get in eyes or on clothing. Wear goggles and face shield.
- Remove contaminated clothing and wash clothing before reuse.

RECD EPA/OPP/DPUZ

FIRST AID

Organophosphorus pesticide

In case of poisoning, call a physician or Poison Control Center immediately. Have person lie down and keep quiet.

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger (be aware that product contains aromatic petroleum distillates). If person is unconscious, do not give anything by mouth and do not induce vomiting.

If on skin: Wash with plenty of soap and water. Get medical attention.

If in eyes: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

If inhaled: Remove to fresh air if symptoms of cholinesterase inhibition appear. If not breathing, give artificial respiration. Get medical attention.

Note to physician: Chlorpyrifos is a cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. Antidote: Administer atropine sulphate in large doses. TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is a pharmacological antidote and may be administered as an adjunct to, but not a substitute for atropine, which is a symptomatic and often lifesaving antidote. DO NOT GIVE MORPHINE OR TRANQUILLIZERS. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of Chlorpyrifos may occur and relapse may occur after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds and wildlife, and extremely toxic to fish and aquatic organisms. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Protective information may be obtained from your cooperative agricultural extension service.

PHYSICAL OR CHEMICAL HAZARDS

Refer to additional precautionary information elsewhere on this label including Personal Protective Equipment (PPE) and Directions for Use including Agricultural Use Requirements and Storage and Disposal.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

This product cannot be reformulated or repackaged into other end-use products.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170).

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

For early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, wear:

- Coveralls over short-sleeved shirt and short pants
- Socks
- · Chemical-resistant footwear
- Chemical-resistant (such as nitrile, butyl, barrier laminate or Viton) gloves
- Protective eyewear such as goggles and face shield.
- Overhead exposure: Wear Chemical-resistant headgear.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container in secured dry storage area. Protect against strong heat from sunshine or other source. Prevent cross-contamination with other pesticides and fertilizers. Do not store above 100°F for extended periods of time. Storage below 20°F may result in formation of crystals. If product crystallizes, store at 50 to 70°F and agitate to redissolve crystals. If container is damaged or if the pesticide is leaking or has been spilled, use product immediately or dispose of product and damaged container as indicated below.

Pesticide Disposal: Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

Container Disposal for Refillable Containers: Follow instructions provided with or on the container. Call Cheminova Customer Service at 1-800-548-6113 for additional information. If the container has been damaged and cannot be returned according to the recommended procedures contact Cheminova Customer Service to obtain proper handling instructions.

Container Disposal for Non-Refillable Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities, or:

Triple rinse (or equivalent). Then puncture and dispose in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

MVF/00.04.96/CYF-7110-4E-SG/USA-RUP-Wheat 7110-01/DuF/KeLMVF/960412

GENERAL INFORMATION

CHA 7110 4E-SG insecticide forms an emulsion when diluted with water and is suitable for use in all conventional spray equipment. Consult your state experiment station or state extension service for proper timing of applications.

MIXING DIRECTIONS

To prepare the spray, add a portion of the required amount of water to the spray tank and with agitation add the CHA 7110 4E-SG. Complete filling the tank with the balance of water needed. Maintain sufficient agitation during both mixing and application to ensure uniformity of the spray mixture.

CHA 7110 4E-SG may also be used in tank mixtures with certain herbicides and/or with non-pressure fertilizer solutions as recommended under specific crop use directions. Prepare tank mixtures in the same manner as recommended above for use of CHA 7110 4E-SG alone. When tank mixtures of CHA 7110 4E-SG and herbicides are involved, add wettable powders first, flowables second, and emulsifiable concentrates last. Where a fertilizer solution is involved, it is strongly recommended that a fertilizer pesticide compatibility agent such as Unite or Compex be used. Maintain constant agitation during both mixing and application to ensure uniformity of the spray mixture. Do not allow spray mixtures to stand overnight.

Note: Test compatibility of the intended tank mixture before adding CHA 7110 4E-SG to the spray or mix tank. Add proportionate amounts of each ingredient to a pint or quart jar, cap, shake, and let set 15 minutes. Formation of precipitates that do not readily redisperse indicates an incompatible mixture that should not be used.

SPRINKLER IRRIGATION Special Use Directions

The following use directions are to be followed when CHA 7110 4E-SG is applied through sprinkler irrigation systems. Thoroughly clean the injection system and tank of any fertilizer or chemical residues, and dispose of the residues according to state and federal laws. Flush the injector with soap and water. Determine the amount of insecticide needed to cover the desired acreage. Pump the required CHA 7110 4ESG into a steel tank, start mechanical or hydraulic agitation, and add in order the non-emulsifiable oil and/or water. Continually agitate the mixture containing CHA 7110 4E-SG. Set the sprinkler system to deliver the desired inches of water per acre. Start the water pump and sprinkler, and let the system achieve the desired pressure and speed before starting the injector. Start the injector and calibrate the injector system according to number 14 in "Special Use Precautions". The mixture containing CHA 7110 4E-SG must be injected continuously and uniformly into the irrigation water line as the sprinkler is moving. This procedure is necessary to deliver the desired rate per acre in a uniform manner. When the application is finished, allow the entire irrigation and injector system to be thoroughly flushed clean before stopping the system.

SPECIAL USE PRECAUTIONS

The following use precautions will result in a safe and successful application of mixtures containing CHA 7110 4E-SG.

- 1. Apply this product only through sprinkler irrigation systems including center pivot, lateral move, end tow, side (wheel) roll, traveler, big gun, solid set, micro sprinkler, or hand move. Do not apply this product through any other type of irrigation system.
- 2. Crop injury, lack of effectiveness, or illegal pesticide residues in the crop can result from nonuniform distribution of treated water.

- 3. If you have questions about calibration, you should contact state extension service specialists, equipment manufacturers or other experts.
- 4. Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system.
- 5. A person knowledgeable of the chemigation system and responsible for its operation, or under the supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise.
- 6. The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow. Refer to the American Society of Agricultural Engineer's Engineering Practice 409 for more information.
- 7. The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.
- 8. The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.
- 9. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.
- 10. The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.
- 11. Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock. The metering pump must provide a greater pressure than that of the irrigation system at the point of injection. The pump must meet Section 675 for "Electrically Driven or Controlled Irrigation Machines" NEC 70 and must contain Viton or Teflon seals.
- 12. To insure uniform mixing of the insecticide into the water line, inject the mixture through a nozzle placed in the fertilizer injection port or just ahead of an elbow or tee in the irrigation line so that the turbulence created at those points will assist in mixing. It is suggested that the injection point be higher than the insecticide tank to prevent siphoning.
- 13. The steel tank holding the insecticide mixture should be large enough to allow the system to complete a revolution with one filling. It should be free of rust, fertilizer, sediment, and foreign material, and equipped with an in-line strainer situated between the tank and the injector pump.
- 14. In order to calibrate the irrigation system and injector to apply the mixture containing CHA 7110 4E-SG, determine the following: 1) Calculate the number of acres irrigated by the system, 2) Set the irrigation rate and determine the number of minutes for the system to cover the intended treatment area, 3) Calculate the total gallons of insecticide mixture needed to cover the desired acreage. Divide the total gallons of insecticide mixture needed by the number of minutes to cover the treatment area. This value equals the gallons per minute output that the injector must deliver. Convert the gallons per minute to milliliters or ounces per minute. Calibrate the injector pump with the system in operation at the desired irrigation rate. It is suggested that the injector pump be calibrated at least twice before operation, and the system should be monitored during operation.

MVF/00.04.96/CYF-7110-4E-SG/USA-RUP-Wheat 7110-01/Dup/KeLMVF/960412
Label

- 15. Do not apply when wind speed favors drift beyond the area intended for treatment. End guns must be turned off during the application, if they irrigate nontarget areas.
- 16. Do not allow irrigation water to collect or runoff and pose a hazard to livestock, wells, or adjoining crops.
- 17. Allow foliage to dry before reentering the field.
- Do not apply through sprinkler systems which deliver a low coefficient of uniformity such as certain water drive units.

APPROVED CROPS

WHEAT

USE AND DOSAGE RECOMMENDATIONS

Apply CHA 7110 4E-SG at the rate of 1/2 to 1 pint per acre (0.25 to 0.5 lb ai/acre) to control aphids (including Russian wheat aphid) brown wheat mite or grasshoppers.

For control of wheat midge, use 1 pint of CHA 7110 4E-SG per acre. Treatment is recommended when 75% of the wheat heads have emerged from the boot and when midge adults are found in the crop (1 midge per 4-5 heads). Application timing is critical to ensure good control. If possible, apply in the late afternoon or early evening when temperatures exceed 50°F and wind speed is less than 7 mph.

For control of army cutworms and suppression of other cutworm species, use 1 pint of CHA 7110 4E-SG per acre. Control may be reduced under high temperature conditions (greater than 80°F), under dry soil conditions, or if larvae are more than 1/2 inch long. Treat when field counts or crop injury indicates that damaging pest populations are developing or present. A second application of 1 pint/acre may be made for additional control.

Mix the required dosage with water and apply in a minimum of 2 gallons per acre finished spray volume. Apply using aerial (fixed wing or helicopter) or power-operated ground spray equipment. CHA 7110 4E-SG may also be applied through sprinkler-irrigation systems.

Report any bird or fish kills which may be associated with the use of Chlorpyrifos by calling toll free 1-800-548-6113.

RESTRICTIONS

- Do not make more than two applications per crop.
- Do not apply within 28 days of harvest.
- Do not allow livestock to graze or otherwise feed treated forage to livestock within 14 days of application
- Do not feed straw from treated wheat within 28 days of application.
- Do not apply directly to bodies of water.
- Do not apply product where runoff is likely to occur to aquatic habitats (including lakes, public reservoirs, rivers, permanent streams, marshes, natural ponds, estuaries or other natural waters).
- Do not apply when weather conditions favor drift or runoff from treated areas.

MVF/00.04.96/CYF-7110-4E-SG/USA-RUP-Wheat 7110-01/DuF/KeLMVF/960412

GROUND APPLICATION

- For ground applications, the distance from treated areas to aquatic habitats (including lakes, public reservoirs, rivers, permanent streams, marshes, natural ponds, estuaries or other natural waters) must be 30 feet or more.
- Do not make ground applications if wind speed is greater than 15 mph.
- Do not apply at spray boom pressures greater than 45 psi.

AERIAL APPLICATION

- Do not apply by air within 300 feet of aquatic habitats (including lakes, public reservoirs, rivers, permanent streams, marshes, natural ponds, estuaries or other natural waters).
- Do not make aerial applications of CHA 7110 4E-SG when wind speeds exceed 10 mph or when an atmospheric temperature inversion exists.
- Boom length should not exceed 75% of the wing span and release height for aerial applications should be no
 greater than 10 feet above the crop canopy.

WARRANTY DISCLAIMER

Cheminova warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. CHEMINOVA MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with use of this product. Crop injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Cheminova or the seller. All such risks shall be assumed by Buyer.

LIMITATION OF REMEDIES

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Cheminova's election, one of the following:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

Cheminova shall not be liable for losses or damages resulting from handling or use of this product unless Cheminova is promptly notified of such loss or damage in writing. In no case shall Cheminova be liable for consequential or incidental damages or losses.

MVF/00.04.96/CYF-7110-4E-SG/USA-RUP-Wheat 7110-01/DuF/KeLMVF/960412 Label

The terms of the Warranty Disclaimer above and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Cheminova or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

LABEL CODE:

MVF/00.04.96/CYF7110-4E-SG/USA

EPA Approval Date:

Replaces:

None