

67760-43

02/24/2006

1/10

Please read instructions on reverse before completing form. Form Approved, OMB No. 2070-0060, Approval expires 05-31-98

EPA United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration	OPP Identifier Number
	<input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other - Notification	

Application for Pesticide - Section I

1. Company/Product Number 67760-43	2. EPA Product Manager Dan Kenny	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Cheminova Methyl 4EC	PM# IRB	
5. Name and Address of Applicant (Include ZIP Code) Cheminova, Inc. 1700 Route 23, Suite 300 Wayne, NJ 07470 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION FEB 24 2006
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below	

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Notification pursuant to PR Notice 98-10

Per Washington State Department of Agriculture request, Washington State has been added to the rapeseed/canola notes section as follows:

In OREGON AND WASHINGTON - apply product only in the evening (this includes a period from 3 hours before sunset until midnight of the same day).

This notification is consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Signature: *[Handwritten Signature]*

Date: February 8, 2006

Section - III

1. Material This Product Will Be Packaged In.				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No *Certification must be submitted	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Unit Packaging wgt.	No. per container	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Package wgt.	No. per container	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)

Name Kathryn Luba	Title Regulatory Specialist	Telephone No. (Include Area Code) 573-305-5600, X 229
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>[Handwritten Signature]</i>	3. Title Regulatory Specialist	
4. Typed Name Kathryn Luba	5. Date February 8, 2006	

FEB 24 2006

RESTRICTED USE PESTICIDE

Due to very high acute toxicity to Humans and Birds.

For retail sale to and use only by certified applicator or persons under their direct supervision and only for uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

SPECIAL INSTRUCTIONS FOR RESTRICTED USE PESTICIDE RETAILERS:

In addition to any other required records, restricted use pesticide retailers must record at the time of sale the unique container identification number on this label or container and the identity of the purchaser of the container.

CHEMINOVA METHYL 4 EC

Emulsifiable Concentrate - An Agricultural Insecticide
NOT FOR USE OR STORAGE IN OR AROUND HOME

ACTIVE INGREDIENTS

*O,O - Dimethyl O-p-nitrophenyl phosphorothioate	43.8%
Related Compounds	1.7%

INERT INGREDIENTS:

54.5%

TOTAL:

100.0%

*Methyl Parathion This product contains 4 pounds of methyl parathion per gallon.

**IN CASE OF A MEDICAL EMERGENCY INVOLVING THIS PRODUCT, CALL
TOLL FREE, DAY OR NIGHT, 1-866-303-6950**

KEEP OUT OF REACH OF CHILDREN**DANGER POISON**

(skull & crossbones)

PELIGRO VENENO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

This product contains an organophosphate and is a cholinesterase inhibitor.

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. After first aid is given and if a doctor can not come, take the victim to clinic or hospital.

**IF BREATHING
HAS STOPPED:**

Start artificial respiration immediately and maintain until doctor sees victim.

IF INHALED:

Move person to fresh air.

If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Immediately call a poison control center or doctor.
Do not induce vomiting unless told to do so by a poison control center or doctor.
Do not give **any** liquid to the person.
Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes.
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Call a poison control center or doctor for treatment advice.

**IF ON SKIN
OR CLOTHING:** Take off contaminated clothing.
Rinse skin immediately with plenty of water for 15-20 minutes.
Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-866-303-6950 for emergency medical treatment information.

NOTE TO PHYSICIAN

Antidote - administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Methyl Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.** Contains petroleum distillates - vomiting may cause aspiration pneumonia.

SEE BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND USE DIRECTIONS

EPA Reg. No. 67760-43
EPA Est. No. 39578-TX-1

Net Contents:

Manufactured for:
Cheminova, Inc.
1700 Route 23, Suite 300
Wayne, NJ 07470
www.cheminova.us.com

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER

CAN KILL YOU IF SWALLOWED - This product can kill you if swallowed even in small amounts; spray mist may be fatal if swallowed.

CAN KILL YOU BY SKIN CONTACT - This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

CAN KILL YOU IF BREATHED - This product can kill you if vapor or spray mist are breathed.

POISON SIGNS (Symptoms): Methyl Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are:

- | | |
|--|------------------------|
| Headache | Nausea |
| Vomiting | Cramps |
| Weakness | Blurred Vision |
| Pin-point Pupils | Tightness in Chest |
| Labored Breathing | Nervousness |
| Sweating | Watering of Eyes |
| Drooling or Frothing of Mouth and Nose | Muscle Spasms and Coma |

WORKER SAFETY RULES

The National Pesticide Information Center is available for recommendations regarding poisoning management, emergency treatment and other information regarding toxicity of methyl parathion. The toll free number for the National Pesticide Information Center is 1-800-858-7378.

If handled indoors, provide mechanical exhaust ventilation. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. See **FIRST AID** section.

Personal Protective Equipment (PPE):

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow instructions for category G on an EPA chemical resistance category selection chart. Applicators and other handlers must wear:

- Coveralls over long-sleeved shirt and long pants
- Chemical-resistant gloves, such as Barrier Laminate or Viton \geq 14 mils
- Chemical-resistant footwear plus socks
- Protective eyewear
- Chemical-resistant headgear for overhead exposure
- Chemical-resistant apron when cleaning equipment, mixing or loading
- For exposures in enclosed areas, a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA / NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA / NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an organic vapor cartridge or canister with any R, P, or HE prefilter.
- For exposures outdoors, a dust / mist filtering respirator (MSHA / NIOSH approval number prefix TC-21C or a NIOSH approved respirator with any R, P, or HE prefilter).

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturers instructions for cleaning / maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENTS:

When handlers use closed systems, enclosed cabs or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for Agricultural Pesticides [40 CFR 170.240 (d) (4 - 6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations:

Users should:

- § Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- § Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- § Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DURING AERIAL APPLICATION, HUMAN FLAGGERS ARE PROHIBITED.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to aquatic invertebrates and wildlife. Birds in treated areas may be killed. Shrimp and other aquatic organisms may be killed at recommended application rates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark, unless otherwise permitted in **DIRECTIONS FOR USE**. Runoff and drift from target areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

COMBUSTIBLE

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product may not be reformulated or used under a State Special Local Need Registration for any uses not specified on this label. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. **Application by Backpack Sprayer or other Hand-Held Sprayer is Prohibited.**

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow entry into treated areas during the restricted entry interval (REI). The REI for a specific crop is listed in the directions for use associated with that crop.

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

Under specified conditions, the WPS allows workers to enter pesticide treated areas during a REI to perform certain agricultural tasks. Under WPS, the following exceptions to the REI may apply to chemicals requiring worker notification:

- No contact early entry (40CFR 170.112(b))
- Short term tasks with no hand labor (40CFR 170.112(c))
- Tasks during an agricultural emergency (40CFR 170.112(d))

For complete information on requirements for these early entry exceptions, please refer to "The Worker Protection Standard for Agricultural Pesticides—How to Comply: What Employers Need to Know," dated July 1993 (EPA735-B-93-001), and to the EPA website at <http://www.epa.gov/pesticides/safety/workers/workers.htm>.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls worn over long-sleeved shirt and long pants,
- Chemical-resistant gloves made from any waterproof material,
- Chemical-resistant footwear plus socks,
- Chemical-resistant headgear if there is potential for overhead exposures.

When performing certain limited contact activities requiring early reentry, as described in the US EPA Interim Registration Eligibility Decision (IREDD) document for methyl parathion, at a minimum workers are required to wear the following PPE:

- Coveralls worn over personal clothing,
- Chemical-resistant gloves made from any waterproof material,
- Chemical-resistant footwear plus socks.

In addition, certified crop advisors and persons performing crop advising tasks under a qualified crop advisor's direct supervision are exempt from certain specified provisions of the WPS. For complete information on crop advisor exemptions under WPS, refer to 40CFR 170.104.

In case of accidental exposure: Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. For further information, see the **FIRST AID** portion of this pesticide label.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Do not store under conditions which might adversely affect the container or its ability to function properly.

STORAGE: Do not store below temperatures of 0 F. Store in original container only. Keep container tightly closed when not in use. Reduce stacking height where local conditions can affect package strength. Personnel should use clothing and equipment listed under **PRECAUTIONARY STATEMENTS** when handling open containers.

SPILLED MATERIAL: Block or dike to prevent spreading of spill. Cover with absorbent material such as lime, clay or sawdust. Scoop and sweep into a disposable container. Wash area with strong lye solution, absorb and place into a disposable container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Returnable/Refillable Sealed Container: Do not break seals or add any material to the container. Do not rinse container or empty any residue from container. This container must be returned intact after use to the point of purchase.

DIRECTIONS

Be sure to read the precautionary statements before using. This product is designed for application after dilution with water and for use by trained operators using airplane or power ground equipment. The hazards and precautions for handling the product in this container are equally applicable to it after dilution with water for spray application.

REMOVAL OF PRODUCT FROM CONTAINER

This container is fitted with the MICRO MATIC "DV" liquid transfer valve system. To remove product, use the MICRO MATIC coupler attachment, which is available from the seller of this container. The directions below must be followed.

To Connect Coupler:

- Attach pump hose to chemical pump.
- Attach pump hose to coupler.
- With coupler handle in disengaged position, insert coupler straight down into the drum valve, ensuring that the pins on the coupler align with the slots on the valve.
- Turn coupler handle clockwise a quarter turn, until it locks into place.
- Push down coupler handle to engage, ensuring that the lock bar clicks into place.

To Disconnect Coupler:

- Press down on coupler and disconnect the lock bar. Allow coupler handle to raise to its disengaged position.
- Turn coupler handle counter clockwise a quarter turn. Lift coupler straight up.

If you have any questions or need assistance, please call your distributor or 1-800-548-6113.

Add the concentrate to the spray tank while filling with water, and mix thoroughly either by means of a tank agitator or pump by-pass. For best results, thoroughly cover all surfaces to be treated with spray. Rates of application given below should not be exceeded. Never apply later than indicated to assure residue levels at harvest are below tolerance established by the Environmental Protection Agency.

Consult the State Agricultural Extension Service or Experiment Station for specific recommendations regarding application, dosage and timing of spray. For application by ground equipment, add the desired amount of concentrate to sufficient water to apply at least 3 gallons of water per acre. For application by aircraft, add the amount of concentrate desired per acre to 1 to 3 gallons of water consistent with crop growth and good coverage.

Do not use undiluted form

Do not apply this product through any type of irrigation system.

CEREALS			
Crop	Pests Controlled	Use Rate (PT / Acre)	Pre-Harvest Interval and Comments
Barley, oats, rye, wheat	Barley thrips	1/2 - 3/4	Do not apply within 15 days of harvest.
	Aphids, black grass bugs, stink bugs, winter grain mites	1/2 - 1 1/2	
	Climbing cutworms, grasshoppers	3/4 - 1	
	Armyworms, leafhoppers	1 1/2	
	Chinch bugs, false chinch bugs, sawfly plant bugs	1 1/2	
	Western wheat mites, brown wheat mites, grasshoppers	1	
Corn	Armyworms, climbing cutworms, corn leaf aphids, corn rootworm adults, fall armyworms, stink bugs	1/2	Do not apply within 12 days of harvest. Do not apply during the pollen shed period.
	Grasshoppers	1	
Rice	Rice stink bugs	1 - 1 1/2	Do not apply within 15 days of harvest or within 14 days before or after a propanil application. Shrimp, crabs, and crayfish may be killed. Do not apply where these are important resources.
	Grasshoppers	1	

FIELD AND FORAGE CROPS			
Crop	Pests Controlled	Use Rate (PT / Acre)	Pre-Harvest Interval and Comments
Alfalfa	Alfalfa weevil larvae, aphids (including spotted alfalfa aphids), climbing cutworms, grasshoppers	1/2 - 1	Do not treat within 15 days of harvest, cutting or grazing. In Nevada, do not use more than 3/4 pints per acre. Do not apply to alfalfa if the crop or weeds in the treatment area are in bloom.
	Alfalfa caterpillars, alfalfa adult weevils, armyworms, clover leaf weevils, webworms	1	
	Egyptian alfalfa weevils, leafhoppers, lygus bugs, spider mites	1 - 2	
Cotton	Thrips	1/4 - 1/2	Applications should be made at 4 to 5 day intervals until control is obtained. At listed dosages, application may be made up to the day before harvest, if harvest will be with mechanical pickers, 5 days for hand picking.
	Cotton leafworms, grasshoppers, fall armyworms, boll weevils, aphids, garden webworms	1/2 - 6	
	False chinch bugs	2	
	Cutworms	1 - 2	
	Bollworm, salt-marsh caterpillars, armyworms, cotton leaf perforators, stink bugs	2 1/2 - 6	
<p>Note: EPA SLN No. TX-970006 In Texas cotton only, may be applied ultra-low volume (ULV) diluted in 1 quart of refined vegetable oil (such as cottonseed). Apply aerially with aircraft outfitted with a delivery system designed to apply droplets with a VMD of 120 to 220 microns. When using conventional hydraulic nozzle systems, the nozzles should be oriented 90 degrees to the laminar airflow. Swath width should not exceed wing span plus 10%</p>			
Grass (Forage)	Range caterpillars	1	Do not apply within 15 days of harvest or grazing.
	Armyworms, crested wheat bugs, false chinch bugs, grasshoppers, leafhoppers	1 1/2	
Soybeans	Climbing cutworms, three cornered alfalfa hoppers, garden webworms, aphids, blister beetles, Mexican bean beetles, stink bugs, two-spotted mites, velvet bean caterpillars	3/4 - 2	Do not apply within 20 days of harvest or grazing.
	Bollworms, fall armyworms, green cloverworms	2	
Sugar beets	Armyworms, cutworms, fall armyworms, flea beetles, grasshoppers, leafhoppers, mites, sugar beet webworms	1/2 - 3/4	Do not apply within 20 days of harvest; 60 days if tops are to be fed to animals.
OIL SEED CROPS			
Crop	Pests Controlled	Use Rate (PT / Acre)	Pre-Harvest Interval and Comments
Sunflowers	Sunflower moths, sunflower maggots, sunflower seed weevils	2	Do not apply more than 3 times at 5 day intervals per season. Do not feed seeds to birds. Do not apply within 30 days of harvest.
<p>Rapeseed / Canola Do not apply within 28 days of harvest. Do not graze treated fields or feed treated forage or threshings to livestock. Apply by ground or air in sufficient water for coverage (minimum of 3 gallons per acre by air). Do not apply more than two applications per season. To protect pollinators apply only in the evening or early mornings (this includes a period from 3 hours before sunset until 3 hours after sunrise of the following day) NOTE - In OREGON AND WASHINGTON - apply product only in the evening (this includes a period from 3 hours before sunset until midnight of the same day)</p>			
Rapeseed/ Canola	Cabbage seedpod weevils	1	Make first application when two or more insects can be found per plant on young pods.

9/10

	Flea beetles, cabbage aphids	1	Treat in early season when significant evidence of shot holing by the adults becomes evident on the seedlings.
	Diamondback moth larvae	1	Treat about mid-growing season when populations reach damaging levels and there is evidence of appreciable feeding beginning on the flowers and / or pods.
VEGETABLES			
Crops	Pests Controlled	Use Rate (PT / Acre)	Pre-Harvest Interval and Comments
Beans (dry)	Aphids, armyworms, flea beetles, leafhoppers, lygus bugs, mites	1 - 3	Rates up to 1 pint should not be applied within 15 days of harvest. Rates above 1 pint should not be applied within 21 days of harvest. DO NOT apply if the crops or weeds in the treatment area are in bloom.
	Cowpea curculios, cutworms (surface feeding and climbing), stink bugs	2 - 3	
Cabbage	Aphids, armyworms, flea beetles, leafhoppers, mites	1 - 3	Do not apply within 10 days of harvest. Rates above 1 pint should not be applied within 21 days of harvest.
	Stink bugs	2 - 3	
Onions	Thrips	1	Do not apply within 15 days of harvest.
Peas (dry)	Aphids, armyworms, flea beetles, leafhoppers, lygus bugs, mites	1 - 2	Do not apply within 10 days of harvest. Rates above 1 pint should not be applied within 15 days of harvest. DO NOT apply if the crops or weeds in the treatment area are in bloom.
	Cowpea curculios, cutworms (surface feeding and climbing), stink bugs	2	
Potatoes	Aphids, armyworms, false chinch bugs, flea beetles, leafhoppers, mites, shield bugs	3	Do not apply within 6 days of harvest.

NOTICE: Because Cheminova has no control over storage, handling and conditions of use, which are of critical importance, Cheminova makes no representation or warranty, either expressed or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Cheminova assume responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

ATTENTION: Do not use in any manner other than recommended on this label. To avoid excessive residues of methyl parathion on food or forage crops, always observe the statements found under **DIRECTIONS FOR USE** limiting the time before harvest when methyl parathion may be applied.

O/L30/3



Cheminova, Inc.
Oak Hill Park
1700 Route 23, Suite 300
Wayne, New Jersey 07470

16/10
Phone: 973-305-6600
Fax: 973-305-1382
Customer service:
1-800-548-6113

February 8, 2006

Document Processing Desk [NOTIFY]
Office of Pesticide Programs
U.S. Environmental Protection Agency
1801 South Bell Street
Crystal City
Arlington, VA 22202

Attention: Dan Kenny (H7505C)
Insecticide-Rodenticide Branch

Subject: Cheminova Methyl 4EC (EPA Reg. No. 67760-43)
Label Revision Notification

Dear Mr. Kenny:

Please find enclosed a notification for a label revision for Cheminova Methyl 4EC. Per Washington State Department of Agriculture request, Washington State has been added to the rapeseed/canola notes section as follows:

In OREGON AND WASHINGTON - apply product only in the evening (this includes a period from 3 hours before sunset until midnight of the same day).

I have attached two copies of the label (one with the changes highlighted) and an Application for Registration Form (EPA Form 8570-1). If you have any questions or require any additional information, please contact me at 973-305-6600 ext. 229 or by email at klu.us@cheminova.com.

Sincerely,

Kathryn Luba
Regulatory Specialist

enclosures