4	,	7	7	10	n	-5	3
٠	•	•	•	w	$\boldsymbol{\mathcal{L}}$		_

### 4-12-2002

l		l
	•	

rieuse reuu instructions on rever	se before completing form. Form	ii Approveu, Olvib	NO. 2070-0060, Approvai	expires 03-31-96		
EDA	United States		Registra	tion	OPP Identifier Number	
EPA	Environmental Protection	n Agency	Amendn	nent		
	Washington, DC 20460	0	Other –	Notification		
	Apı	plication for Po	esticide - Section 1			
1. Company/Product Number	Γ	2. EPA P	roduct Manager		3. Proposed Classification	
67760-53			Walters			
4. Company/Product (Name)	EO/ Wood & Cross Villag	PM#	ida Duamah		None Restricted	
5. Name and Address of Applic	5% Weed & Grass Killer		ited Review In accordan	ice with FIFRA Secti	on 3(c)(3)(b)(I), my product is similar	
Cheminova, Inc			al in composition and labor		on s(c)(c)(c)(r), my product is similar	
Oak Hill Park			.eg. No.			
1700 Route 23, 9		Produc	Product Name			
Wayne, NJ 074						
Check if this is a new add	ress					
		Section	on – II			
Amendment - Explain b	elow.		<u> </u>	els in response to Age		
	se to Agency letter dated		Me Too" Applic		NOTAPICATION	
Notification - Explain b			Other - Explain t	elow	105 1 2 2 2	
	tional page(s) if necessary.			d 154	APR 1 2 8052	
No	tification pursuant to P	R Notice 2001	-6 of revisions to	the Disposal In	structions	
					tions at 40 CFR 156.10 and	
	her changes have been mad					
	lation of 18 U.S.C. Sec. 100.			-		
	ent with the guidance of PR l on of FIFRA and I may be su					
· /	n oj FIFKA,ana i may be su	ibject to enjorce	-		ons 12 una 14 oj FIFRA.	
Signature: Seth	ym (Suba			pril 10, 2002		
) March This Day to Will	LDs Doctored In	Section	on – III			
Material This Product Will Child-Resistant Packaging	Unit Packaging	<u>,</u>	Water Soluble Packa	nging	2. Type of Container	
Yes*	Yes		Yes		Metal	
No	l ☐ No		J ∏ No		Plastic	
*Certification must be	If "Yes"	No. per	If "Yes"	No. per	Glass	
submitted	Unit Packaging wgt	container	Package wgt.	container	Paper	
	}		ļ		Other (Specify)	
3. Location of Net Contents	information 4. Size	e(s) Retail Containe	r	5. Location of L	abel Directions	
Label	Container			On Label		
				On labeling	g accompanying product	
6. Manner in Which Label is  Lithograph	Paper glued Stenciled		Other			
		Sectio	n – IV			
1. Contact Point (Complete it	ems directly below for identificatio	on of individual to b	e contacted. if necessary,	to process this applic		
Name Vethrum Lube		Title	v Engalatiet		Telephone No. (Include Area Code)	
Kathryn Luba	Cartif	Regulatory	Specialist		973-305-6600, X 229  6. Date Application Received	
	Certification  I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.  6. Date Auplication Received that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.  (Stamped)					
2. Signature		3. Title			• ′	
Kathum Jul	»u	<u> </u>	y Specialist			
4. Typod Name V		5. Date				
Kathryn Luba		April 10, 2	JUU2			

NOTHICATION

APR 1 2 2062

# **Glyfos**® Concentrate 16.5% Weed & Grass Killer

[Optional proposed text appears in brackets – the final label may include some or all of the optional text]

[New/Now with measuring cap and pour spout]

[Measuring cap and pour spout included]

[Easy Measure. Easy Pour]

[Water-based] [formulation]

[No odor] [No weed] [No root] [No problem]

[Makes up to [10] [20] gallons of spray solution. [varies with container size]

[One gallon of spray covers 300 sq ft]

[Kills weeds and grasses right down to the root/roots and all/ kills the root]

[Multi-purpose grass & weed killer]

[A general purpose weed & grass killer]

[Kills unwanted vegetation right down to the root]

[Apply using] [For application with] [Standard Tank Sprayer; BIG SHOT® Multi-purpose sprayer or other tank sprayer; ORTHO® Dial 'n SPRAY®; ORTHO® SPRAY-ETTE®; or other ORTHO hose-end sprayers] [or other optional spray equipment]

[Use for site preparation for large plantings, such as flowerbeds, fruit trees, ornamentals, vegetables, garden sites and to renovate or replace lawns]

[Kills/spray weeds you don't want] [Get rid of weeds] [in flowerbeds, mulch beds, in and around fences, trees, shrubs, driveways, walkways, patios, paths, curbs, sidewalks and walkways] [Use to refill Glyfos Ready-to-Use [specific product number] Weed & Grass Killer [Mix xx tablespoons (depending on container size) per gallon]

#### **ACTIVE INGREDIENT:**

*Glyphosate, (N-(phosphonomethyl) glycine), in the form of its isopropylamine salt	.16.5%
OTHER INGREDIENTS	.83.5%
TOTAL	100.0%

<sup>\*</sup>Acid equivalent or Glyphosate content = 12.20%

## KEEP OUT OF REACH OF CHILDREN CAUTION

READ PRECAUTIONS AND DIRECTIONS ON [BACK] [SIDE] [INSIDE] LABEL.

or

SEE {[BACK] [SIDE] [INSIDE] PANEL} [BOOKLET] FOR ADDITIONAL PRECAUTIONARY STATEMENTS

or

PEEL OPEN FOR USE DIRECTIONS AND FURTHER INFORMATION.

NET CONTENTS: 32 fl oz.(1 quart)(946 niL)

67.6 fl oz (½ gallon 3.6 fl oz)(2.0 L)

EPA Reg. No. 67760-53

EPA Est. No

THIS IS AN END-USE PRODUCT. CHEMINOVA, INC. DOES NOT INTEND AND HAS NOT REGISTERED IT FOR REFORMULATION OR REPACKAGING.

Manufactured for: Cheminova, Inc. Oak Hill Park 1700 Route 23 Wayne, New Jersey 07470

[Product of Denmark] [Product of USA]

#### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

#### CAUTION

Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Keep children and pets away from treated areas until spray has dried. Avoid contamination of food. Do not contaminate water supplies.

#### **FIRST AID**

IF ON SKIN:

- Take off contaminated clothing. Rinse skin with plenty of water for 15–20 Minutes.
- Call a poison control center or doctor for treatment advice.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

You may also call 1-800-228-5635, ext. 153, [or other designated medical emergency toll free number] for emergency medical treatment information.

#### **ENVIRONMENTAL HAZARDS**

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

#### [CONSUMER INFORMATION

[Glyfos Concentrate 16.5% Weed and Grass Killer eliminates nearly all common weeds and grasses.] [Illustrations]

This product can be used in driveways, brick and gravel walkways, curbs, along fences and foundations, near trees and shrubs, in flower beds, mulch beds, vegetable gardens, gravel, and other similar areas of the yard to get rid of undesirable vegetation.] [Edging around lawns] [For lawn replacement/renovation] [For garden plot preparation] [Do not use on or around edible feed or food crops.]

[Important: This product is a non-selective herbicide that will kill all vegetation contacted. This herbicide kills unwanted plants by inhibiting the production of a substance found only in plants. It enters plants through the sprayed foliage and moves down to the roots. Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately. Any **Glyfos** not absorbed by the plant is broken down into natural materials. This product has no soil activity and thus will not affect nearby untreated plants.

Do not mow, cut or otherwise disturb treated vegetation for at least 7 days following application.

[[For product information and a complete list of weeds controlled] [For more information] [For questions or comments], call toll-free 1-800-xxx-yyyy or visit www.xxxxx.xxx.]

#### WEEDS AND GRASSES CONTROLLED

#### [Annual weeds and grasses:

Annual ryegrass, annual bluegrass, barnyardgrass, beggarweed, black medic, blue medic, blue toadflax, brassbuttons, blue mustard, bromegrass, bur clover, buttercup, cheeseweed, chickweed, clover, common groundsel, common lambsquarters, common plantain, common ragweed, crabgrass, creeping beggarweed, diffuse lovegrass, dog fennel, evening primrose, false dandelion, fall panicum, fennel, fiddleneck, field pennycress, field sandbur, filaree, Florida pusley, foxtail, garden spurge, goosegrass, green foxtail, hemp sesbania, henbit, horseweed/marestail, ironweed, knotweed, lambsquarters, little bitter cress, London rocket, maiden cane, mallow, mayweed, mouseear chickweed\*, oxalis\*, Pennsylvania smartweed, pennywort, pigweed, prickly lettuce, prostrate spurge, puncture vine, purslane, redroot pigweed, sandspur, shepherdspurse, smartweed, smooth cat's ear, smooth pigweed, sowthistle, spotted spurge, sprangletop, spurges, tansy mustard, tansy ragwort, teaweed, Texas panicum, tumble mustard, velvetleaf, wild geranium\*, witchgrass, wild mustard, yellow nutgrass, yellow oxalis [and many other annual grasses and weeds] [controls many unwanted plants] [kills most types of weeds and grasses].

#### [Perennial weeds, grasses and brush:

Alder, artichoke thistle, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, blackberries, bluegrass, broadleaf plantain, brownseed paspalum, buckhorn plantain, bull thistle, Canada thistle, cattail, ceanothus, centipedegrass, cherry, cocklebur, cogongrass, common mullein, common ragweed, coralbead, coyote brush, creeping bentgrass, creeping Charlie, creeping

lantana, curly dock, dallisgrass, dandelion, dewberry, dog fennel, elderberry, false dandelion, fescue species, field bindweed, guineagrass, hairy crabgrass, honeysuckle, horsenettle, horseradish, iceplant, Johnsongrass, Kentucky bluegrass, kikuyugrass, knapweed, knawel, kudzu, lantana, maiden cane, milkwed, mouseear chickweed\*, multflora rose, nimblewill, nutgrass (nutsedge), oak species, oldenlandia, orchardgrass, oxalis\*, pampasgrass, pennywort, perennial ryegrass, plantain, poison oak, poison ivy, poison hemlock, primrose, purple cudweed\*, purple nutsedge, quackgrass, quaking aspen, ragweed, raspberry, red clover, smooth bromegrass, sourdock, sowthistle, St. Augustinegrass, sumac, tall fescue, tansy ragwort, thistle, Timothy, torpedograss, trumpetcreeper, vaseygrass, Virginia creeper, white clover, whitetop, wild barley, wild blackberry, wild carrot, wild morning-glory, wild oats, wild sweet potato, willow, yarrow, yellow nutgrass, yellow starthistle, zoysia [and many other perennial grasses, weeds, brush and sedges] [controls many unwanted plants] [kills many types of weeds and grasses].

\*Annual or Perennial

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire panel before using this product. Use only according to label instructions.

**Note:** See the **CONSUMER INFORMATION** section of this label for important information on protecting plants you like.

#### [When to use] [For best results]:

Apply to actively growing weeds, preferably before the seed heads form. Best to apply on a warm sunny day when daytime temperatures are above 60° F and. Weed control is accelerated by warm sunny weather. Apply when the wind is calm. Reapply if it rains within 24 hours of application. Hard-to-control weeds may require a second application if not completely dead in 4 weeks.

#### [How to use] [How to apply] [Application instructions]:

This product is formulated for "spot" treatment of individual weeds and grasses or for treatment of large areas as instructed on this label (see specific site areas below). Apply with a plastic, aluminum or stainless steel tank-type sprayer. **Do not apply or store in galvanized or unlined steel sprayer, or through any irrigation system or sprinkling can.** Use a tank-type sprayer with a coarse spray nozzle for spot treatments. Use the ORTHO Dial 'n Spray or other hoseend sprayer to treat large areas such as for lawn renovation or to prepare sites for planting flower beds or vegetable gardens.

To apply this product use any of the following equipment:

- Plastic, aluminum or stainless steel tank sprayer
- ORTHO Dial' n Spray®
- ORTHO Spray-Ette®
- A hose-end sprayer recommended for weed killers
- Hand-trigger pump sprayer

One gallon treats over 300 sq. ft.

Treated weeds begin to wilt in about 3 days with complete kill of the weed including the root in 2 to 4 weeks. **Glyfos** does not move or build up in the soil to effect untreated plants growing nearby. Ornamental plantings can be made 3 days after treatment. Vegetable gardens can be

seeded or planted 3 days after treatment. Lawns may be replanted 1 week after spraying. Determine the correct amount of **Glyfos** and water to add to sprayer from the directions below.

[Directions if container has a measuring cap:]

Measuring Cap: To open, squeeze the sides at the points indicated while unscrewing. There are [four] or [n] levels marked inside the measuring cap. Use the following table and the measuring cap to determine the amount of **Glyfos** to mix. Close cap tightly after use. No need to rinse cap.

Level 1 = 1 teaspoon (tsp)

Level 2 = 1 tablespoon (Tbs) = 3 tsp

Level 3= 1 fl oz (2 tbs)

Level 4 = 2 fl oz (4 Tbs)

Level n = n fl oz

[Note to reviewer: The measuring cap may have more than 4 levels or at different intervals than noted above. If necessary, additional levels will be mentioned with appropriate conversions]

APPLICATOR	MIXING INST	AREA TO TREAT	
	General Weed Control Annuals	Tough Weed Control Perennials or Brush or Lawn Renovation	
Standard Tank Sprayer	Fill cap to Level 3 three times and Level two one time (7 Tbs) [or equivalent depending on cap size]. Add to 1 gallon of water.	Fill cap to Level 4 three times and Level 2 one time (13 Tbs) [or equivalent depending on cap size]. Add to 1 gallon of water.	300 sq ft (30 ft x 10 ft)
ORTHO Dial 'n Spray hose-end sprayer	Fill cap to Level 3 three times and Level 2 one time (7 Tbs) [or equivalent depending on cap size] and add to sprayer jar.  DO NOT ADD WATER. Set dial to 4 oz. and spray.	Fill cap to Level 4 three times and Level 2 one time (13 Tbs) [or equivalent depending on cap size] and add to sprayer jar. DO NOT ADD WATER. Set dial to 8 oz. and spray.	300 sq ft (30 ft x 10 ft)
ORTHO Spray-Ette	Fill cap to Level 4 seven times (14 oz) [or equivalent depending on cap size] and add to sprayer jar. Fill to the 4 gallon mark with water and spray.	Not recommended for ORTHO Spray-Ette.	1200 sq ft (30 ft x 40 ft)
Hand trigger sprayers 24 oz	Fill cap to Level 1 four times (4 tsp) [or equivalent depending on cap size]. Add to 24 oz of water.	Fill cap to Level 2 two times and Level 1 one time (7 tsp) [or equivalent depending on cap size]. Add to 24 oz of water.	Use for spot treatments or application to single weeds.

[Directions for use when measuring cap packaging is not used]

Use the following table to determine the amount of **Glyfos** to mix with water. Close cap tightly after use. No need to rinse cap.

- 1 teaspoon (tsp)
- 1 tablespoon (Tbs) = 3 tsp
- 1 fl oz (2 tbs)
- 2 fl oz (4 tbs)

APPLICATOR	MIXING INST	AREA TO TREAT	
	General Weed Control Annuals	Tough Weed Control Perennials or Brush or Lawn Renovation	
Tank Sprayer	Use 3 ½ oz (7 Tbs) <b>Glyfos</b> in 1 gallon of water	Use 6 ½ oz (13 Tbs) <b>Glyfos</b> in 1 gallon of water.	300 sq ft (30 ft x 10 ft)
ORTHO Dial 'n Spray Hose-End sprayer	Add 3 ½ oz (7 Tbs.) <b>Glyfos</b> to sprayer jar. <b>DO NOT ADD WATER</b> .  Set dial to 4 oz and spray.	Add 6 ½ oz (13 Tbs)  Glyfos to sprayer jar.  DO NOT ADD WATER.  Set dial to 5 1/3 oz and spray.	300 sq ft (30 ft x 10 ft)
ORTHO Spray- Ette	Add 14 oz <b>Glyfos</b> to sprayer jar. Fill to the 4 gallon mark and spray.	Not recommended for ORTHO Spray-Ette.	1200 sq ft (30 ft x 40 ft)
Hand trigger sprayers	Use 4 tsp in 24 oz of water.	Use 2 Tbs and 1 tsp in 24 oz of water.	Use for spot treatments or apply to single weeds

This product can also be used to refill **Glyfos Ready-To-Use** [specific product name] **Weed & Grass Killer**, following mixing directions on the label. Use the mixed solution within 2 weeks.

#### [Where To Use] [Use Sites] [Use Situations]

General weed control: Use near fences, in paths, patios, sidewalks, curbs and driveways, around ornamental trees, shrubs, flower beds and plantings, around buildings. Controls weeds in brick and gravel walks. Use for trimming and edging landscapes. NOT recommended for spot weed treatment in lawns, since Glyfos kills all green plants, including lawn grasses. If replacing a lawn or parts of a lawn, see Lawn Renovation [Replacement] recommendations on this label.

**Spot Treatments:** Spray directly on actively growing weeds in and around flower beds, ornamental trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. Do not spray fruit and nut trees or grapevines directly. Make sure **Glyfos** does not contact the leaves, green stems, or exposed roots of plants you don't want to kill. If necessary, use cardboard or plastic to shield plants. **Glyfos** will not move in or on the soil to untreated ploants. If **Glyfos** is used to control weeds around fruit or nut trees or grapevines, allow 21 days before eating the fruit or nuts.

8/10

**Landscapes:** For use in preparing areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings.

For lawn renovation/replacement: Use this product to kill existing vegetation (weeds and grasses and the old lawn) before re-seeding or putting down sod.

Apply in Spring or Fall, when daytime temperatures are at least 60° F for best results.

If the lawn is dry, water lawn every other day for 7 days before applying Glyfos and for 2 to 3 days after application.

Do not mow for 7 days before or after treatment.

Wait 7 days after application to prepare the soil by raking, leveling or rototilling.

Rake up and remove loosened thatch or debris.

Work in starter fertilizer and amendments, if needed.

Sow new seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow. Use a temporary mulch such as straw to conserve moisture.

Keep area moist to establish new lawn. Water as needed.

**To control brush:** Apply to green and actively growing brush. For plants taller than 5 feet, cut them back and spray the regrowth. Brush sprayed in the fall may not be fully controlled until the following season. A second application may be required on hard-to-control species such as blackberry, kudzu, or poison oak.

#### Cleaning application equipment after use:

Triple rinse sprayer and all sprayer parts with water. Spray rinse water on bare soil or gravel. After thorough cleaning, sprayer can be used for other products.

#### **RE-SEEDING AND REPLANTING IN SPRAYED AREAS**

**Ornamentals and flowers:** Wait 1 day before re-seeding or replanting.

**Vegetables:** Wait 3 days after spraying, before seeding or transplanting the plants listed below. For tomato transplants or vegetables not listed below, wait 30 days after spraying before planting into treated soil.

Beans	Crenshaw melon	Mango melon	radish
beet greens	cucumber	melons	rhubarb
broccoli	eggplant	muskmelon	rutabaga
Brussels sprouts	endive	mustard greens	spinach
cabbage	garlic	okra	summer squash
cantaloupe	honeydew melon	onion	sweet potato
carrot	honey ball melon	rape greens	tomatillo
cauliflower	horseradish	parsley	tomato*
casaba melon	Jerusalem artichoke	parsnips	turnip '
celery	Kale	peas	watercress
chard (Swiss)	kohlrabi	pepper	watermelon
chicory	leeks	Persian melon	winter squash
collards	lentils	potato	yams
corn	lettuce	pumpkin	

\*Note: Do not spray vegetables directly. Wait 3 days before planting tomatoes from seed only. Wait 30 days for rooted tomato transplants.

**Small fruits and berries:** The following listed crops may be planted (by seed, rooted cutting, or transplant) **7 days** after spraying **Glyfos**: blackberry, black raspberry, blueberry, boysenberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, olallieberry, red raspberry and strawberry.

For unlisted small fruit and berries, wait 30 days after spraying.

Do not spray small fruits and berries directly.

**Fruit and Nut Trees or Grapevines:** If **Glyfos** is used to control weeds around fruit or nut tree or grapevine, allow 21 days before eating the fruits or nuts.

Do not spray fruit and nut trees or grapevines directly.

#### STORAGE AND DISPOSAL

**Storage:** Use and store this product only in its original container. Store product in a secure storage area away from sources of heat or open flame. Protect product from freezing. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Spill or leak: In case of spill or leak, soak up with paper towels and discard in trash.

#### DISCLAIMER

The label instructions for the use of this product reflect the opinion of experts based on field uses and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Desirable plant injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of Cheminova. All such risks shall be assumed by the user.

Cheminova warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the Directions for Use set forth in the label, subject to the risks referred to above.

Any damage arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values or any other special or indirect damages.

Cheminova makes no other express or implied warranty including any other express or implied warranty of FITNESS or MERCHANTABILITY.

®Glyfos is a registered trademark of Cheminova ®ORTHO, Dial 'n Spray and Spary-Ette are registered trademarks of Monsanto Company



Cheminova, Inc.
Oak Hill Park
1700 Route 23, Suite 300
Wayne, New Jersey 07470

Phone: 973-305-6600 Fax: 973-305-1382 Customer service: 1-800-548-6113

April 10, 2002

Document Processing Desk (NOTIF)
Office of Pesticide Programs
U.S. Environmental Protection Agency
Room 266A, Crystal Mall #2
1921 Jefferson Davis Highway
Arlington, VA 22202

Attention:

Vickie Walters

Herbicide Branch

Subject:

Label Notification

Glyfos Concentrate 16.5% Weed & Grass Killer (EPA Reg. No. 67760-53)

Dear Ms. Walters:

We are submitting this notification to make changes to the Disposal Statements on the label for the above referenced product. These changes are being made in accordance with PR Notice 2001-6. I have attached one copy of the label (with changes clearly marked) along with a completed Application for Registration form (EPA Form 8570-1).

We have made the following changes on this label:

We have replaced the existing Disposal instructions with the following:

"If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never placed unused product down any indoor or outdoor drain.

If you have any questions or require any additional information, please contact me at 973-305-6600 ext. 229 or by e-mail at klu.us@cheminova.com

Sincerely,

Kathryn Luba

Regulatory Specialist