6	7	76	0	-6	/
---	---	----	---	----	---

11-8-2002

Please read instructions on	reverse before completiv	og form. Form Approved. O	MB No. 2070-0060, Approv	al expires 05-31-98	10	
		nited States	Registr		OPP Identifier Number	
EPA		al Protection Agency	☐ Amend			
		ngton, DC 20460				
	w asini		-	- Notification		
			or Pesticide - Section	1		
1. Company/Product N	lumber		PA Product Manager		3. Proposed Classification	
67760-61 4. Company/Product (Na	me)	VIII PM#	ckie Walters			
	se 2% Weed & Gr		erbicide Branch		None Restricted	
5. Name and Address of		Code) 6. E	xpedited Review. In accord		on 3(c)(3)(b)(I), my product is	
Cheminova			lar or identical in composition	n and labeling to:		
Oak Hill Park			EPA Reg. No. Product Name			
Wayne, NJ	e 23, Suite 300	110	1 Todder Name			
Check if this is a ne	w udaress					
			ection – II		NOTIFICATION	
Amendment - Exp				ibels in response to Age	ncy letter dated	
	response to Agency letter	dated	"Me Too" Appi		NOV 0 8 2002	
Notification - Exp			Other - Explain	n below		
		if necessary. (For Section				
		<u>10 of Minor Label Ch</u>		. J	- C J- 1-211 - 3	
Yellow and pu	irpie nutseage na	ve been deleted and r	replaced with "nutse	eage" on the list	or weeds killed.	
This was Caretain is	n aamaiatant mith tha	ining of DD Modica	00 10 and EDA	tions at 40 CEP 15	7.46 and no other shares	
					2.46, and no other changes t it is a violation of 18 U.S.C.	
					t consistent with the terms of	
		this product may be in vi				
	ections 12 and 14 of		,	,	•	
	, 0					
Signature: Tat	tryn C. Ju	<u> </u>		November 5, 2002		
	•	Se	ection – III			
	ict Will Be Packaged In:		***			
Child-Resistant Packag	ging Un	it Packaging	Water Soluble Pag	kaging	2. Type of Container	
∐ Yes*		Yes	Yes		Metal	
∐ No	16"	No Yes" No per	No If "Yes"	No. per	Plastic	
*Certification mu submitted		'Yes" No. per it Packaging wgt. contain		container	Glass	
SHUMMEU					Paper	
3. Location of Net Co.	ntents Information	4. Size(s) Retail Cor	ntainer	5. Location of L	Other (Specify)	
Label	Container	4. Size(s) Retail Col	itanici	On Label	abei Directions	
	Container				accompanying product	
6. Manner in Which L	abel is Affixed to Produc	t	Other	On recorning	uccompanying product	
Lithograph	Paper glued	Stenciled		7		
		Se	ection – IV			
1. Contact Point (Com	plete items directly below	y for identification of individua	l to be contacted, if necessar	y, to process this applic	ation)	
Name		Title			Telephone No. (Include Area Code)	
Kathryn C. Lub	8		atory Specialist		973-305-6600, X 229	
The state of the s	and Tham a transfer	Certification	4		6. Date Application Received	
		form and all attachments there at may be punishable by fine or			(Stamped)	
2. Signature		3. Title	prisonal or ooth white		1 1	
Kathrum C	Luber		atory Specialist			

5. Date

November 5, 2002

4. Typed Name

Kathryn C. Luba

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete

White-EPA File Copy (original) Yellow- Applicant Copy

(FRONT PANEL)

GLYFOS READY-TO-USE 2% Weed & Grass Killer

- Ready-to-Use No Mixing
- · For Nonselective Postemergent Weed Control
- · Contains Glyphosate
- · Covers Approximately 650 sq. ft. (24 fl. oz.)
- Systemic Weed and Grass Killer for Spot Treatment of Unwanted Weeds and Grasses
- · Kills Weeds and Grasses Listed on This Label
- · Kills to the Root
- No Soil Residual Activity
- · Kills Roots and All in 1 2 Weeks
- · Kills Even the Toughest Weeds
- For Use Around Flower Beds, Trees, Shrubs, Fences, Walks, Mulch Beds, Gravel and Driveways
- · Ideal for Vegetable Garden Weed Control
- · Rainproof in Hours
- · Results in Less than 24 Hours
- Starts to Kill Overnight
- · Starts Working in Hours
- Contains SmartTrack™, a non-staining marker that indicates where you've sprayed.
- Dead Weeds Guaranteed
- · Even Kills Tough Brushy Weeds
- Beautify the Landscape Remove Unwanted Weeds
- . Container treats more than 180 weeds (24 fl. oz.)
- Fast Acting Formula Starts to Work in Hours
- Results Guaranteed
- · Kills Weeds Roots and All
- Even Kills Tough Weeds like Poison Ivy and Poison Oak

ACTIVE INGREDIENTS:

Glyphosate, isopropylamine salt	. 2.0	%
OTHER INGREDIENTS:	98.0	%

Net Contents: 24 fl. oz. (709 mL) or 1 Gal. (3.78 L)

CAUTION

See Back Panel Booklet for Additional Precautionary Statements

[optional language]

NOTIFICATION
NOV 0 8 2007

(BACK PANEL)

Glyfos Ready-to-Use 2% Weed & Grass Killer quickly kills unwanted weeds, grass, vines and brush - roots and all. It can be used on & around walkways, driveways & patios, in flower beds, vegetable & herb gardens and around fences, buildings, trees & shrubs. This convenient product even controls difficult-to-kill weeds like poison ivy, poison oak & blackberry. Eliminating unsightly weeds, grass, vines and brush from your home's landscape has never been easier.

READ THE LABEL FIRST!

QUICK FACTS Kills Even the Toughest Weeds, Roots and All Starts Working in Hours Won't Affect Nearby Untreated Plants Non-staining Marker Indicates Where You've Sprayed **KILLS** Weeds, Grasses, Vines, Brush and Stumps WHERE On & around patios, walkways, driveways, TO USE gravel & mulch beds In & around flower beds, vegetable and herb gardens Around shrubs & trees · Along fences & foundations Other areas in your yard WHEN TO When weeds are actively growing **USE** For questions or comments, call toll-free 1-800-548-6113 or visit us on-line at www.cheminova.us.com

FOR OUTDOOR RESIDENTIAL USE ONLY

EPA Reg. No. 67760-61

EPA Est. No. XXXX-AA-XX

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BEFORE YOU USE Read and follow directions when using.

- GLYFOS READY-TO-USE WEED & GRASS KILLER will kill or injure all green vegetation contacted.
 - Do not spray desirable plants or grasses
 they will die too.
 - If a desirable plant is accidentally sprayed, immediately rinse it off with plenty of water.
 - Apply when wind is calm.
 - To avoid tracking product onto desirable plants, keep people and pets off treated areas until spray has dried.
 - This product is not recommended for spot weed control in lawns since it also kills lawn grasses. To control these weeds without harming the lawn, use a selective herbicide such as [product to be inserted by distibutor].
- All ornamental flowers, trees & shrubs as well as the following berries, fruits, vegetables and herbs may be planted 1 day after application: artichoke (Jerusalem), beans (all), beet greens, blackberry, blueberry, boysenberry, broccoli, Brussels sprout, cabbage (all), carrot, cauliflower, celery, chard (Swiss), chicory, collards, currant, dewberry, elderberry, endive, gooseberry, horseradish, huckleberry, kale, kohlrabi, leek, lentil, lettuce, loganberry, mustard greens, okra, olallieberry, onion, parsley, parsnip, potato, radish, rape greens, raspberry (black & red), rhubarb, rutabaga, spinach, sweet potato, tumip, & yams.
- These fruits, vegetables and herbs may be planted 3 days after application: com, cucumber, eggplant, garlic, gourds, melons (all), pea (all), pepper (all) pumpkin, squash (summer & winter), tomatillo, tomato (by seed), & watercress.
- Tomatoes from transplants and all berries, fruits, vegetables and herbs not listed in the previous 2 bullet points may be planted 30 days after application.
- If used to control weeds around berries, wait 14 days after the last application before harvesting.

Continued on next page

DIRECTIONS FOR USE (Continued)		
HOW TO APPLY Shake well before use.	 Adjust nozzle to a coarse spray. Spray the weeds or grasses you want to kill until thoroughly wet but not dripping. TIPS:	
	 Use a sheet of cardboard or plastic to protect desirable plants from contact with the product. 	
	To Kill Vines,	
	 For vines growing up non-living objects, such as poles & fences, or tree trunks with mature bark, cut the vines to a height of 3 – 4 feet and spray thoroughly. 	
	 For vines growing up shrubs or trees with green bark, cut the vines at their base and spray thoroughly. 	
	To Kill Brush,	
	 For brush taller than 5 feet, cut to the ground and spray regrowth. 	
1	To Kill Stumps,	
	 Cut living stump close to the ground. 	
	 Immediately spray all remaining surfaces thoroughly. 	
FOR BEST RESULTS	 Apply on sunny days with daytime temperatures above 60 °F. 	
	 Rain or watering 2 hours after application will not wash away effectiveness. 	
HOW GLYFOS READY-TO- USE WEED & GRASS KILLER WORKS	This nonselective systemic herbicide enters plants through the leaves and moves down into the roots, killing weeds by stopping the production of a substance found only in plants. Any product not absorbed by plants breaks down into natural materials without moving into or on the soil to untreated plants. Weeds yellow and wilt within hours with complete kill in 1 to 2 weeks.	

	Alder	Dogfennel
KILLS	Artichoke,	Elderberry
1	Jerusalem	Elm
	Bahiagrass	Evening Primrose
	Barberry	Fall Panicum
	Barnyardgrass	False Dandelion
	Beggarweed	Fennel
	Bentgrass	Fescue Grass
	Bermudagrass	Fiddleneck
	Bittercress	Field Bindweed
	Blackberry	Field Pennycress
	Black Medic	Field Sandbur
	Bluegrass	Filaree
	Broadleaf Plaintain	Florida Pusiey
	Bromegrass	Foxtail
	Buckhorn Plantain	Garden Spurge
Į.	Buffalograss	Goosegrass
	Bull Thistle	Green Foxtail
[Burclover	Guineagrass
	Buttercup	Hemp Sesbania
	Canada Thistle	Henbit
	Canarygrass	Hickory
	Carpetgrass	Honeysuckle
	Ceanothus spp.	Horsenettle
	Cherry	Horseradish
]	Chickweed	Horseweed or
	Clover	Marestaíl
1	Cocklebur	Iceplant
	Cogongrass	Ironweed
1	Common Groundsel	Johnsongrass
	Common Mullien	Kikuyugrass
1	Common Ragweed	Knapweed
	Coral-bead	Knawel
1	Coyotebrush	Knotweed
	Crabgrass	Kudzu
}	Creeping	Lambsquarters
	Beggarweed	Lantana
1	Creeping Charlie	London Rocket
	Curly Dock	Lovegrass
1	Dallisgrass	Mallow
	Dandelion	Manzanita
1	Dewberry	
0	<u></u>	
Continued in nex	π page	

KILLS LIST conti	nued		
KILLS	Maple Mayweed Milkweed Mock Orange Mouseear Chickweed Multiflora Rose Nimblewill Nutsedge Oak Oleander Orchardgrass Oxalis Pampasgrass Paspalum spp. Pennsylvania Smartweed Pennywort Pigweed Pine Plantain Poison Hemlock Poison lvy Poison Oak Prickly Lettuce Primrose Prostrate Spurge Puncturevine Purple Cudweed Purslane Quack Grass Quaking Aspen Ragweed Raspberry Red Clover Redroot Pigweed Red Sorrel Ryegrass Shepherdspurse Smartweed Smooth Catsear Smooth Pigweed	Sowthistle Spotted Spurge Sprangletop Spurge Sumac Sunflower St. Augustinegrass Tansy Mustard Tansy Ragwort Texas Panicum Thistle Timothy Toadflax Torpedograss Trailing Lantana Trumple Mustard Vaseygrass Velvetleaf Virginia-creeper Western Red Cedar White Clover White Clover White Destroy Wild Barley Wild Barley Wild Barley Wild Geranium Wild Morninglory Wild Gats Wild Sweet Potato Wild Sweet Wild Sweet Wild Sweet Varrow Vellow Oxalis Yellow Oxalis Yellow Oxalis Yellow Starthistle Zoysiagrass or Japanese Lawngrass and many other weeds	



Children and pets may re-enter the treated area after it has dried.

IMPORTANT: Directions for Storage and Disposal

Storage Conditions:

Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.

Disposal:



- Do not reuse empty container.
- · Place empty container in trash.

Important: It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please call your local solid waste agency [or you may call toll-free (phone # inserted by distributor)] for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- · Causes moderate eye irritation.
- · Harmful if absorbed through skin or swallowed.
- · Avoid contact with skin, eyes or clothing.
- Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco products will reduce exposure.

FIRST AID •	
IN CASE OF ACCIDENTAL	IMMEDIATELY
Contact with eyes	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
i	 Call a poison control center or doctor for treatment advice.
Contact with skin	Take off contaminated clothing.
or clothing	 Rinse skin immediately with plenty of water for 15 – 20 minutes.
	 Call a poison control center or doctor for treatment advice.
Swallowing	Call a poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow,
	Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.

NOTE: When calling a poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 1-800-228-5635, ext. 153 for medical emergency information. Active Ingredient: 2.0% Glyphosate, isopropylamine salt (CAS # 38641-94-0)

ENVIRONMENTAL HAZARDS

- . Do not apply directly to water.
- Do not contaminate water when disposing of equipment washwaters or rinsate.

PHYSICAL OR CHEMICAL HAZARDS

. Combustible. Do not use or store near heat or open flame.

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of Glyfos Ready-to-Use 2% Weed & Grass Killer under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

B-9721a 061002

Cheminova, Inc. 1700 Route 23, Suite 300 Wayne, New Jersey 07470