



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Carrie M. Tackema Cheminova, Inc. P.O. Box 110566 One Park Drive, Suite 150 Research Triangle Park, NC 27709

Subject:

Supplemental Label (Safflower in ND, SD, NE, MT, and WY)

Harass Herbicide

EPA Reg. No. 67760-77

Application Dated January 13, 2011 Resubmission Dated February 8, 2011

Dear Ms. Tackema:

The supplemental labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) as amended, is acceptable.

At your next label printing, or within eighteen (18) months of the date of this letter, whichever comes first, you must incorporate this supplemental labeling into the main product labeling.

A stamped copy of your label is enclosed for your records. You must submit one (1) copy of the final printed label before you release the product for shipment. Products shipped after eighteen (18) months from the date of this letter or the next printing of the label, whichever occurs first, must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions.

If you have any questions, please contact Mindy Ondish at 703-605-0723 or at ondish.mindy@epa.gov.

Sincerely,

Kable Bo Davis Product Manager 25 Herbicide Branch

Registration Division (7505P)



FEB 8 2011

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 67760-77

SUPPLEMENTAL LABELING

HARASS®

Herbicide

EPA REG. No.: 67760-77

FOR USE ON SAFFLOWER IN THE STATES OF NORTH DAKOTA, SOUTH DAKOTA, NEBRASKA, MONTANA (East of Route 87 or East of I-15), AND WYOMING

(East of I-25 or North of I-90)

PRODUCT INFORMATION

HARASS herbicide is recommended for selective postemergence control of certain broadleaf weeds in safflower. The degree and duration of control may depend on the weed spectrum and infestation intensity, the weed size at application and/or the environmental conditions at and following treatment.

HARASS is a water dispersible granule to be mixed in water or other recommended carrier and applied as uniform broadcast spray.

HARASS is noncorrosive to equipment, nonflammable, and nonvolatile.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HARASS may be used on safflower for control of broadleaf weeds in North Dakota, South Dakota, Nebraska, Montana (east of Route 87 and east of I-15), and Wyoming (east of I-25 or north of I-90).

USE RATES

For best results, apply 0.3 to 0.4 oz. of HARASS per acre no later than 81 days prior to harvesting. Sequential treatment of HARASS may be made provided the total amount of HARASS applied to safflower does not exceed 0.4 oz. per acre per crop season and the last application is made no later than 81 days prior to harvest.

SPRAY ADJUVANTS

Include a spray adjuvant with applications of HARASS. An ammonium nitrogen fertilizer may also be used. Do not use low rates of liquid nitrogen fertilizer solution as a substitute for surfactant. Antifoaming agents may be used if needed.

Nonionic Surfactants (NIS)

Apply at a rate (concentration) of 0.25-0.50% v/v (2 pints to 4 pints per 100 gallons of spray solution). Use the higher rate in hot and dry conditions to enhance weed control. Surfactant product must contain at least 60% nonionic surfactant with a hydrophilic/lipophilic balance (HLB) greater than 12.

Crop Oil Concentrate

Under dry conditions or during cool weather, a petroleum based crop oil concentrate, or vegetable-seed oil-based product may be used in place of a nonionic surfactant at 1-2 gallon/100 gallons of spray solution (1-2% v/v) to enhance weed control. Use an oil adjuvant that contains at least 80% of a high qulaity, petroleum (mineral) or modified vegetable seed oil with at least 15% surfactant emulsifiers.

Ammonium Nitrogen Fertilizer

An ammonium nitrogen fertilizer can be added to a surfactant or a crop oil concentrate to enhance control. Alternately, a high-quality, sprayable grade of ammonium sulfate may be used. Use 2 qt/acre of a high-quality urea ammonium nitrate (UAN), such as 28%N or 32%N, or 2 lbs/acre of a spray-grade ammonium sulfate (AMS). Use 4 qt/acre UAN or 4 lbs/acre AMS under arid conditions.

IMPORTANT

BEFORE USING HARASS HERBICIDE READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABELS.

This bulletin contains new or supplemental instructions for use of this product, which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Read the Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies on the Section 3 Federal product label before buying or using this product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies on the Section 3 Federal product label.

HARASS® is a registered trademark of Cheminova. 1-10-11

THIS SUPPLEMENTAL LABEL EXPIRES ON APRIL 1, 2014 AND MUST NOT BE USED OR DISTRIBUTED AFTER THIS DATE.