



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

November 27, 2024

Sharon M. Johnston
Regulatory Consultant
Bugg Products LLC
14505 21st Ave. N., Ste. 214
Plymouth, MN 55447

Subject: PRIA Label and CSF Amendment – Alternate formulation process for Bag-On-Valve packaging, revised label for new packaging and CSFs
Product Name: BuggSlayer Insecticide RTU
EPA Registration Number: 67867-7
Application Date: 8/31/2022
Case Number: 478607, 637312

Dear Sharon Johnston:

The amended label and Confidential Statements of Formula (CSFs) referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, are acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the Registration Review of the above referenced product in connection with the deltamethrin Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Please note that the record for this product currently contains the following CSFs:


- Basic CSF dated 08/29/2022
- Alternate CSF 1 dated 08/29/2022
- Alternate CSF 2 dated 08/29/2022

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Hester Dingle at 202-566-2596 or at dingle.hester@epa.gov.

Sincerely,

A handwritten signature in dark ink, appearing to read "J. Herrick". The signature is fluid and cursive, with the first letter of the last name being a large, stylized "H".

Jacquelyn Herrick, Product Manager 03
Invertebrate & Vertebrate Branch 1
Registration Division (7505T)
Office of Pesticide Programs

Enclosure


FRONT LABEL

BuggSlayer Insecticide RTU

For Both Indoor and Outdoor Uses [OR For Indoor Use Only {product labeled with indoor uses only} OR For Outdoor Use only {for product label with outdoor uses only}]

[• Indoor/Outdoor

- Ready-To-Use
- Easy-To-Use
- Keeps Killing Carpenter Ants For Up To 1 Month [4 Weeks] When Applied To Non-Porous Surfaces
- Keeps Killing Pharaoh Ants, Crazy Ants and Fire Ants For Up To 1 Week
- Keeps Killing German Cockroaches For Up To 12 Months [1 Year, 52 Weeks, 365 Days]
- Kills Fleas
- Kills Mosquitoes
- Keeps Killing Flies For Up To 5 Months [20 Weeks]
- Odorless
- Non-Staining
- No Oily [Greasy] Residue
- For Use In and Around Horse Stables
- Keeps Killing Stable Flies For Up To 18 Weeks [4.5 Months, 135 Days]
- For Use On House Plants
- For Use On Ornamental Plants
- Kills Fleas & Ticks
- Kills Home Invading Pests
- Kills Spiders, Centipedes and Scorpions
- Kills Roaches, Ants and Fleas
- Kills Pantry Pests
- Kills Plant Pests
- Kills Aphids, Mealy Bugs, Lace Bugs, Thrips, Leafminers and Mites
- Kills Spider Mites
- Kills Japanese Beetles
- [Also] Kills Termites, Carpenter Ants & Carpenter Bees
- Controls Ticks That May Transmit Lyme Disease
- No Drips - No Runs
- Stays Where You Put It
- Does Not Stain Surfaces
- Does Not Stain Fabrics
- No Shaking Required
- No Shake Formula
- No Drip Formula]



ACTIVE INGREDIENT:

Deltamethrin 0.03%

OTHER INGREDIENTS: 99.97%
100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back [side] panel [booklet] for Precautions

NET CONTENTS: {Liquid} 3.0 fl. oz. to 1 gallon [(____ ml)]
 {Bag-On-Valve} 1.0 oz. to 17.0 oz. [(____ grams)]

BACK LABEL

PRECAUTIONARY STATEMENTS

[PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicado ampliamente. **(TO THE USER:** If you cannot read English, do not use this product until the label has been fully explained to you.)]

CAUTION

Contact with product may result in transient tingling and reddening of the skin. Avoid contact with skin or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are foraging the treatment area.

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

Physical or Chemical Hazards

{Liquid Spray} Do not apply this water-based product in or on electrical equipment due to possibility of shock hazard.

{Bag-On-Valve Packaging} Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

In case of Medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-800-858-7378.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL PRIOR TO USING THIS PRODUCT.

Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos.



General Information: Hold container upright. Do not spray up into air. Apply to surfaces only as a spot and crack and crevice treatment. [Turn sprayer nozzle to “on” position.] Hold approximately 12 inches from surface to be sprayed. Squeeze trigger to spray until surface is slightly moist but not to the point of runoff. Over application may cause damage. Product is non-staining on water safe surfaces. Test in an inconspicuous area before applying.

Do not allow children or pets to contact treated surfaces until spray has dried.

BuggSlayer’s long-lasting action keeps on killing **German Cockroaches** for up to 12 months [1 year] and **Flies** for up to 150 days [20 weeks; 5 months] after you spray. More frequent applications may be necessary on concrete surfaces. Check these areas in 4 weeks and retreat if insect activity continues. Contact kill gives you immediate results when spraying insects directly, while residual activity kills insects when they return to treated areas.

BuggSlayer is intended to be used in and around residences and their immediate surroundings: apartments, atriums, attics, automobiles, awnings, basements, bathrooms, bedrooms, boats, boat covers, boat interiors, boat lift canopies, boat lift covers, cabins, campers, canopies, carports, car covers, cat sleeping quarters, clothes storage, condominiums, crawl spaces, decks, dens, docks, dock lines, dormitories, driveways, eaves, foundations, garages, gazebos, homes, hotels, kennels, kitchens, lanais, living rooms, mooring lines, motels, parlors, patios, pet sleeping areas, play rooms, pole barns, porches, recreational vehicles, rooms, rope, siding, solariums, storage areas, storage barns, storage sheds, sun rooms, utility rooms, utility sheds, verandas, watercraft and yachts.

Do not use in commercial food handling establishments, restaurants or other places where food is commercially prepared or processed.

INDOORS:

Cockroaches (Including Adult and Immature Stages of Both Non-Resistant and Organophosphate and Carbamate Resistant Strains), Ants, Asian Lady Beetles, Box Elder Bugs, Centipedes, Crickets, Dermestids, Earwigs, Firebrats, Fleas, Palmetto Bugs, Silverfish, Sowbugs, Springtails, Stink Bugs, Ticks and Waterbugs: Apply as a spot and crack and crevice treatment to areas where these pests crawl and hide, especially in hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Cover or remove exposed food. Repeat as necessary but not more than once per week. [**Roaches:** Spray in cracks and crevices, around baseboards and other hiding places.]

Ants: Spray ant trails and around doors and windows and other places where ants enter the house. Repeat as necessary but not more than once per week.

Carpenter Ants: For effective control, locate and treat nests and surrounding areas. Apply around doors and windows where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

Ticks [(Including Deer Ticks Which May Transmit Lyme Disease)] and Fleas on Surfaces: Do not spray animals directly. For best results, pets should be treated with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to the treated area. Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters. **Adult Fleas** and **Larvae** contacted by spray will be killed. Put fresh bedding down once spray has dried. Spray rugs and carpets where infestations are bad. Delicate fabrics should be tested for staining in an inconspicuous area prior to use.

Spiders: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, garages, crawl spaces and areas over which these pests may crawl.

Centipedes, Earwigs, Ground Beetles, Pillbugs, Sowbugs, Scorpions and Ticks: Apply around doors and windows where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

[**Silverfish, Crickets, Spiders:** Apply to areas infested by these pests.]

FLYING INSECTS: Houseflies, Gnats, Mosquitoes and Small Flying Moths: Spray localized resting areas: under eaves, porches, inside surfaces of window and door frames, surfaces around light fixtures and cords, railings and where these insects may rest. Insects coming to rest on treated surfaces will be killed.

HORSE STABLES: To Control **Stable Flies, Horn Flies, Houseflies, Face Flies, Horse Flies, Deer Flies, Mosquitoes and Gnats.** Do not spray animals or humans, or apply to animal feed or watering equipment. Apply thoroughly to surfaces until wet. Insects coming to rest on treated surfaces will be killed or repelled. Repeat treatment as necessary but not more than once per week.

PANTRY PESTS - Grain Beetles (Rusty, Merchant and Saw-Toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths: Treat exposed stages. Remove all food-stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use.

Carpet Beetles (Black, Furniture and Varied): Spray on and under edges of floor coverings, under rugs and furniture and in closets where these insects are found.

Webbing Clothes Moths: Do not apply to clothing. Use this product as a crack and crevice treatment in closets and storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes.

Bed Bugs and Lice: Remove linens and bedding, wash and dry on high heat before reuse. Spray mattresses and box springs, especially tufts, folds and edges. Apply to the interior of the frame. Allow to dry before remaking bed. Also apply to and behind headboard, bed frame legs, carpeting near baseboards, furniture, upholstery, window coverings, draperies, and luggage. Allow all treated areas to thoroughly dry before use.

OUTDOORS:

Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops.

Do not apply or irrigate to the point of runoff. Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours). Rainfall within 24 hours after application may cause unintended runoff of pesticide application. All outdoor spray applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses: (1) Application to pervious surfaces such as soil, lawn, turf, and other vegetation; (2) Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch, or lawn); (3) Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc., up to 2 feet above ground level; Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot and crack-and-crevice applications, only. Treat surfaces to ensure thorough coverage but avoid runoff. To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

Spot treatments must not exceed two square feet in size (for example, 2 ft. x 1 ft. or 4 ft. x 0.5 ft). For soil or foliar applications, do not apply by ground within 25 ft. of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds. Do not spray the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application. Do not apply when the wind speed is greater than 15 mph.

For outdoor use only as an aid in controlling listed insects. Point sprayer away from face. Hold sprayer on a slight downward angle, approximately 12 inches from surface to be sprayed. Spray with wind if breeze is blowing. Do not contaminate fish ponds or apply directly to water.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: *Ants, Asian Lady Beetles, Box Elder Bugs, Clover Mites, Cluster Flies, Crickets Sowbugs (Pillbugs) and Stink Bugs.* Spray foundation of building where insects are active and may find entrance up to a height of 2 feet. Apply to outside surfaces of buildings where insects tend to congregate. Spray areas include screens, siding (including vinyl siding), window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary but not more than once per week.

CRAWLING INSECTS: *Ants, Cockroaches (including Asian Cockroaches), Centipedes, Crickets, Mole Crickets, Waterbugs and Silverfish.* Hold sprayer 12 to 18 inches from surface to be treated and spray in infested surface of patio or picnic areas, hitting as many insects as possible. Spray to slightly moisten the surface. Spray infested surface of patio or picnic area. Also spray legs of tables and chairs.

Ants: Spray around ant trails and hills. Spray around nests hidden under steps, brickwork, and concrete. Break apart accessible nests and spray on and around debris. Repeat as necessary but not more than once per week. [If nest can be located, spray surface of nest until wet.]

Spiders: Apply as a spot spray to outside surfaces of buildings, porches, screens, patios, window frames, eaves, garbage dumps, garages and cracks and crevices along walkways where insects may congregate or crawl. For application to boats, boat covers, boat interiors: Apply on shore at least 30 feet from the water line and allow to dry thoroughly before moving these items to their intended usage area. Do not apply to boat hulls, outside of gunwales or dock/lift areas that may contact surface waters.

Ticks [(Including Deer Ticks Which May Transmit Lyme Disease)], Lone Star Ticks, Dog Ticks, Crickets and Fleas: Apply thoroughly to infestation in bushes, grass or weeds.

Wasps, Hornets, Yellow Jackets and Bees: Spray nests and surfaces where bees may rest. Aim spray at nest openings. Applications should be made late in the evening when insects are at rest as product is not a "knockdown" killer.

FLYING INSECTS: Houseflies, Gnats, Mosquitoes and Small Flying Moths: Spray outside surfaces of window and door frames where these pests may enter the home. Also spray localized resting areas under eaves, porches, surfaces around light fixtures and cords and railings where these insects may rest. Insects coming to rest on treated surfaces will be killed.

Termites, Carpenter Ants and Carpenter Bees: (for localized control only) Apply BuggSlayer to voids or channels in damaged wood of a structure, or to cracks, crevices and spaces in and between wooden portions of a structure or between wood and the foundation, in locations vulnerable to attack such as crawl spaces.

For **Termites**, do not use this product as the sole source of control for active, structural infestations by subterranean termites; the purpose of this application is to kill workers or winged reproductive forms of termites which are present at the time of treatment. It is not intended to provide structural pest control. It is not a substitute for mechanical alteration, soil and foundations treatment, but merely a supplement. For active, structural infestations by subterranean termites, this product can only be used to supplement a federally-registered conventional product that is registered as a sole source for termite control. This product will not eliminate termite infestations or provide protection against future infestations. For severe termite infestation, contact a professional pest control operator in your area.

HOUSE PLANTS: To control *Aphids*, *Japanese Beetles*, *Lace Bugs*, *Leafminers*, *Mealy Bugs*, *Mites* and *Spider Mites* on house plants. Prior to spraying, remove plants from living and eating areas. Put in an area that will not come in contact with pets, children or food. Plants can be returned to original location when leaves dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces. Avoid spraying surrounding areas.

Apply spray to upper and lower surfaces of foliage. Do not wet blossoms. Repeat applications as necessary but not more than once per week.

FOR CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill *Japanese Beetles* hit by spray, as well as *Whiteflies*, *Aphids*, *Armyworms*, *Lace Bugs*, *Mealy Bugs*, *Exposed Thrips*, *Pavement Ants*, *Spiders*, *Spider and Red Mites*, *Clover Mites* and *Leafminers*.

Not for use on plants grown for sale or other commercial use.

May be used on plants, as well as a multi-purpose spray in small ornamental gardens and for spot treatments to prevent insects from spreading into large garden areas.

May also be used on other plants: African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, crassula, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Over application may cause damage. **DO NOT apply to vegetable plants or other plants used for food.** Spray insects directly whenever possible. Repeat treatment as necessary but not more than once per week.

{Liquid Spray}

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from [inaccessible to] children and pets and away from heat, sparks and open flame. [Protect from freezing.] [Store above 32°F.] [Do not transport or store below 32°F. (0°C)] If freezing occurs, allow product to thaw and shake well before using [use]. [Some product separation may occur on freezing which is reversible on shaking]. Freezing does not adversely affect [this product] [performance].

Container Disposal: Non-refillable container. Do not reuse or refill this container. *If empty:* Place in trash or offer for recycling if available. *If partly filled:* Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

{Bag-On-Valve}

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from [inaccessible to] children and pets and away from heat, sparks and open flame. [Protect from freezing.] [Store above 32°F.] [Do not transport or store below 32°F. (0°C)] If freezing occurs, allow product to thaw and shake well before using [use]. [Some product separation may occur on freezing which is reversible on shaking]. Freezing does not adversely affect [this product] [performance].

Container Disposal: Do not Puncture or Incinerate! *If empty:* Place in trash or offer for recycling if available. *If partly filled:* Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bugg Products LLC. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT APPLICABLE BY LAW, THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bugg Products LLC is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent permitted by law, Bugg Products LLC disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BUGG PRODUCTS LLC'S ELECTION, THE REPLACEMENT OF PRODUCT.

© 2010 Bugg Products LLC

BuggSlayer is a registered trademark of Bugg Products LLC

Bugg Products LLC

P.O. Box 129

Long Lake, MN 55356

Questions (866) 720-2844

[] Indicates alternate text in addition to any subset of the directions for use.

{ } Indicates notes to reviewer

EPA Reg. No. 67867-7

EPA Est. No. _____

Made in USA

Additional Alternate Marketing Bullets:

- *[Multi-Purpose Insect Killer*
- *[Do-It-Yourself] [Home Pest Control]*
- *Household Pest [Insect] Control*
- *For Control of Ants and Spiders*
- *Kills Mosquitoes and [Deer] Ticks with treated surfaces*
- *Kills and Controls Box Elder Bugs*
- *Box Elder Bug Killer*
- *Asian Lady Beetle Killer*
- *Stink Bug Killer*
- *Cluster Fly Killer*
- *Ladybug Killer*
- *Kills and Controls Asian Lady Beetles*
- *Kills and Controls Lady Bugs*
- *Kills Japanese Beetles*
- *Kills Asian lady beetles, ants, armyworms, bees, birch catkin feeders, box elder bugs, centipedes, cluster flies, cockroaches, crickets, earwigs, fire ants, fleas, flies, gnats, grasshoppers, hackberry psyllids, hornets, leaf-footed bugs, mosquitoes, palmetto bugs, scorpions, silverfish, spiders, springtails, stink bugs, ticks, wasps, waterbugs, western conifer seed bugs, yellow jackets plus many more (listed insects)*
- *Kills and Controls Spiders*
- *Kills Fall Invaders [Invading Pests]*
- *Kills Listed Crawling & Flying Insects*
- *Bug Killer*
- *Kills Ticks That May Transmit Lyme Disease*
- *For Use on Home Siding and Window Frames*
- *Does not stain vinyl siding*
- *Kills listed bugs dead*
- *Convenient*
- *No Mixing Required*
- *Controls up to 1 Year [12 Months, 52 Weeks, 365 Days]^α*
- *One Year Home Pest Control^α*
- *Keeps Killing up to 1 Year [12 Months, 52 Weeks, 365 Days]^α*
- *Controls up to 5 Months^β*
- *Keeps Killing up to 5 Months^β*
- *Controls up to 4 Months [16 Weeks]^γ*
- *Keeps Killing up to 4 Months [16 Weeks]^γ*
- *Kills Targeted Bugs*
- *Ready-to-Use Pump 'n Spray*
- *Ready-to-Use*
- *Pump & Spray*

(^α German Cockroaches & Cat Fleas)

(^α German Cockroaches & Cat Fleas)

(^α German Cockroaches & Cat Fleas)

(^β Flies)

(^β Flies)

(^γ Ants when applied to non-porous surfaces)

(^γ Ants when applied to non-porous surfaces)

- **Ready to Spray**
- **Travel Size**
- **Guaranteed* Killing Action**
- **Premixed**
- **Specific Insect Control**
- **Specific Insect Action**
- **Specific Insect Defense**
- **Specific Insect Killing Power**
- **Specific Insect Protection**
- **Guaranteed***
- **[100%] Satisfaction Guaranteed***
- **(* If for any reason, you are not [100%] satisfied, we will refund the purchase price paid or replace this product.)**
- **A residual contact insecticide**
- **Residual killing power**
- **House Plant Bug Treatment**
- **Bed bug killer**
- **Kills bed bugs**
- **For use on mattresses and bed frames**
- **Will Not Stain**
- **Won't stain Mattresses, Carpet, and Upholstery**
- **Use on Mattresses, Carpet, and Upholstery**
- **Kills in 24 hours**
- **Kills listed bugs inside**
- **Indoor [Use]**
- **Kills [Ants] [Spiders] [[Cock] Roaches]**
- **BUGGSLAYER Insecticide RTU [Ready to Use] [Bed Bug Killer] is a long-lasting, multipurpose insect killer for indoor use.**
- **This odorless, non-staining formula is effective against [bed bugs and] a variety of listed insects, including common pests such as ants, spiders and roaches.**
- **When bugs are a bother, BUGG Products LLC has you covered.**
- **Our insecticides - available for indoor or outdoor use - help you win the battle against insect invaders in your home.**
- **When your activities call for some outdoor time, our personal insect repellents offer reliable protection from biting, swarming and generally pesky bugs.**
- **Find BUGG Products in stores or online.**
- **So long, swatters.**
- **Kills [bugs] [by] [on] contact [with treated surfaces]**
- **Twist-Lock Cap**
- **Sprays Upside Down**
- **From the makers of BUGG Products**
- **From the makers of Buggsayer Insecticide**
- **From the makers of Buggsayer Insect Repellent**
- **From the makers of Buggsayer Insect Repellent for Biting Flies**
- **From the makers of Buggsayer Insect Repellent**
- **From the makers of Buggsayer Insect Repellent IV**
- **From the makers of Buggsayer Insect Repellent V**
- **[Established 1994]**
- **[Est. 1994]**
- **[Founded 1994]**
- **[Since 1994]**
- **[[Made] Since 2010]]**

[Alternate Brand Names:

BuggSlayer 100
BuggSlayer Ant Defense
BuggSlayer Bed Bug Killer
BuggSlayer BigGun
BuggSlayer Control
BuggSlayer Defense
BuggSlayer Delta Action
BuggSlayer Delta Defense
BuggSlayer Delta Force

BuggSlayer DOA
BuggSlayer Duration
BuggSlayer EasyControl
BuggSlayer EasyDefense
BuggSlayer EasyGuard
BuggSlayer Endure
BuggSlayer Enforce
BuggSlayer EXTEND
BuggSlayer Exterminate

BuggSlayer EZ
BuggSlayer EZ Control
BuggSlayer EZ Defense
BuggSlayer EZ Guard
BuggSlayer Force
BuggSlayer Guardian
BuggSlayer House Plant Defense
BuggSlayer House Plant Treatment
BuggSlayer Indoor
BuggSlayer Indoor Ant Control
BuggSlayer InstantOn
BuggSlayer Marathon

BuggSlayer ONE
BuggSlayer One Step
BuggSlayer Ornamental Plant Treatment
BuggSlayer PowerPump
BuggSlayer Protect
BuggSlayer Pump'N Spray
BuggSlayer PumpGun
BuggSlayer QuickControl
BuggSlayer QuickFire
BuggSlayer QuickShot
BuggSlayer QuickSpray
BuggSlayer QuickTrigger
BuggSlayer ReadyControl
BuggSlayer ReadyDefense
BuggSlayer ReadyGuard
BuggSlayer ReadyPump
BuggSlayer ReadyShot
BuggSlayer ReadySpray
BuggSlayer RoomGuard
BuggSlayer Rose Treatment
BuggSlayer Sustain
BuggSlayer TargetControl
BuggSlayer TargetDefense
BuggSlayer TargetGuard
BuggSlayer TargetMaster
BuggSlayer TargetShot
BuggSlayer Terminate
BuggSlayer Terminator]

{Optional Marketing Bullets For Bag-On-Valve packaging}

[Sprays upside down]
[360-degree coverage]
[New look, same formula]
[[360°] Continuous spray]
[Whisper-quiet spray]