OCT 14 2009

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



# United States Environmental Protection Office of Pesticide Programs Agency

Verichem, Inc. 3499 Grand Avenue Pittsburgh, PA 15225

Attention: Colleen M. Snyder, Manager

Regulatory Affairs

Subject: N2001 Antimicrobial

EPA Registration No. 67869-43

Notification Dated September 15, 2009

This will acknowledge receipt of your notification in response to the Agency's deficiency letter dated July 15, 2009 to correct the proper container disposal statement for Non-Refillable containers as per PR Notice 2007-4, submitted under the provisions of FIFRA Section 3(c)(9). Based on a review of the submitted material, the following comments apply.

The Notification is in compliance with PR Notice 98-10 and is acceptable. This information has been added to your file.

If you have any questions concerning this letter, please contact Demson Fuller at (703) 308-8062.

Sincerely

Marshall Swindell

Product Manager (33)

Regulatory Management Branch 1 Antimicrobials Division (7510P)



3499 Grand Avenue • Pittsburgh, PA 15225 Tel. (412) 331-7299 • Fax (412) 331-7884

September 15, 2009

Mr. Marshall Swindell
Product Manager #33
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
US Environmental protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington VA 22202-4501

RE: Deficiency Response to Your Letter Dated July 15, 2009. Notification PR Notice 98-10 (II)(G) Labeling Notification; Storage and Disposal Statements for an Antimicrobial Product. N2001 Antimicrobial (EPA Reg. # 67869-43)

### Dear Marshall:

Enclosed you will find documentation to respond to your deficiency letter dated July 15, 2009 to correct the proper container disposal statement for Non-Refillable containers as per PR Notice 2007-4 and PR Notice 98-10 (II)(G) for an Antimicrobial Product, N2001 Antimicrobial (EPA Reg. #67869-43). There have been no additional changes made to this label. Specifically enclosed for you consideration is:

One (1) copy of EPA letter dated July 15, 2009 One (1) copy of the proposed product label

ollen M Snyder

My best,

Colleen M Snyder

Manager of Regulatory Affairs

enclosures

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Keep out of reach of children, Flammable liquid and vapor. Corrosive. Causes eye and skin damage. Harmful if swallowed. Do not get into eyes, on skin or on clothing, May be latal if inhaled. Do not breathe vapor or spray mist. Wear a mask or pesbicide respirator joint approved by the Mine Safety and Health Administration and the National Institute of Occupational Safety and Health. Wear protective eyewear (oggles, face shield, or safety glasses), protective clothing and rubber gloves. Wash thoroughly after handling with soap and water, and before eating, drinking or using tobacco. Remove contaminated clothing and wash oldning before reuse.

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently "water for 15-20 minutes. Remove contact lenses, if present, after st 5 minutes, then continue rinsing eye. Call a poison control at or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce womiting unless told to do so by the poison control center or doctor.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambutance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Note to Physician: Probable mucosal damage may contratndicate the use of gastric lavage. Measure against circulatory shock respiratory depression, and convulsion may be needed. Have the product container or label with you when calling a poison control center or doctor.

HOTLINE: FOR EMERGENCY INFORMATION ON N-2001 ANTIMICROBIAL, CALL 1-800-778-5482, MONDAY THROUGH FRIDAY, 9 AM TO 5 PM. AFTER 5 PM CALL YOUR POISON CONTROL CENTER. FOR TRANSPORTATION EMERGENCIES CALL CHEMTREC AT 1-800-424-9300.

ENTIRONMENTAL HAZARDS: This pesticide is toxic to fish and wildfile. Do not discharge effluent contraining this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA. Do not vinate water by cleaning of equipment or disposal of waste.

his pesticide only as specified on this label.

STORAGE AND DISPOSAL: PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Do not use or store near heat or open flame.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according the label instructions, contact your Slate Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA regional Office for quidance.

Nonrefillable Container. Do not refill or reuse container. Triple rinse as follows: Empty remaining contents into application equipment or mix tank. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn container over ortho its other end and tip it back and forth several times. Empty the rinsate into the application equipment or mix tank or stope insate into the or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill.

# N-2001 ANTIMICROBIAL

FOR THE CONTROL OF ALGAE, BACTERIA, FUNGI, AND MOLLUSKS IN A WIDE RANGE OF COMMERCIAL AND INDUSTRIAL PROCESSES AND MATERIAL PRESERVATIONS

Active Ingredient:	
Dodecylguanidine hydrochloride	35.0%
Inert Ingredients	65.0%
TOTAL	100.0%

### **DANGER**

KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 67869-43 EPA Est. No. 67869-PA-01 EPA Est. No. 68387-MEX-01

LOT NO	 
NET WEIGHT_	LBS / GALS.

SOLD BY:

LOT NO



**VERICHEM INC.** 

3499 Grand Avenue Pittsburgh, PA 15225 412-331-7299

Final Approved 89-9/09

**DIRECTIONS FOR USE** 

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### INDUSTRIAL PROCESSES AND WATER SYSTEMS

AIR WASHING SYSTEMS: For use only in Industrial Air Washer Systems that maintain effective mist eliminating components. Badly fouled systems must be cleaned before treatment is begun.

SLUG OR INTERMITTENT METHOD: Initial dose: When system is noticeably fouled apply 6.6 to 13.2 oz./1000 gal (50 to 100 ppm). Repeat until control is achieved. Subsequent dose: When control is evident, apply 3.3 to 6.6 oz/1000 gal. (25-50 ppm) every three days or as needed.

CONTINUOUS METHOD: Initial dose: When system is noticeably fouled, apply 6.6 oz/1000 gal (25-60) per day. Subsequent dose: Maintain initial rate by continuously feeding 3.3 to 6.6 oz/1000 gal. (25-50 ppm) per day.

AUXILIARY AND STANDBY COMMERCIAL AND INDUSTRIAL SYSTEMS: For use only in Auditary and Standby Commercial and Industrial Systems that maintain effective mist eliminating components. Badly fouled systems must be cleaned before treatment is begun.

SLUG OR INTERMITTENT METHOD: Initial dose: When system is noticeably fouled apply 6.6 to 13.2 oz/1000 gal (50 to 100 ppm). Repeat until control is achieved. Subsequent dose: When control is evident, apply 3.3 to 6.6 oz/1000 gal. (25-50 ppm) every three days or as needed.

CONTINUOUS METHOD: Initial dose: When system is noticeably fouted, apply 6.6 oz/1000 gal (25-50) per day. Subsequent dose: Maintain initial rate by continuously feeding 3.3 to 6.6 oz/1000 gal. (25-50 ppm) per day.

BREWERY PASTEURIZER WATER: For use only in Brewery Pasteurizer Water that maintain effective mist eliminating components. Badly fouled systems must be cleaned before treatment is begun.

SLUG OR INTERMITTENT METHOD: Initial dose: When system is noticeably fouled apply 6.6 to 13.2 oz/1000 gal (50 to 100 ppm). Repeat until control is achieved. Subsequent dose: When control is evident, apply 3.3 to 6.6 oz/1000 gal. (25-50 ppm) every three days or as needed.

CONTINUOUS METHOD: Initial dose: When system is noticeably fouled, apply 6.6 oz/1000 gal (25-50) per day. Subsequent dose: Maintain initial rate by continuously feeding 3.3 to 6.6 oz/1000 gal. (25-50 ppm) per day.

INDUSTRIAL RECIRCULATING WATER COOLING TOWERS: For use only in Industrial Recirculating Water Cooling Towers that maintain effective mist eliminating components. Badly fouled systems must be cleaned before treatment is begun.

SLUG OR INTERMITTENT METHOD: Initial dose: When system is noticeably fouled apply 6.6 to 13.2 oz/1000 gal (50 to 100 ppm). Repeat until control is achieved. Subsequent dose: When control is evident, apply 3.3 to 6.6 oz/1000 gal. (25-50 ppm) every three days or as needed.

CONTINUOUS METHOD: Initial dose: When system is noticeably fouled, apply 6.6 oz/1000 gal (25-50) per day. Subsequent dose: Maintain initial rate by continuously feeding 3.3 to 6.6 oz/1000 gal. (25-50 ppm) per day.

PULP AND PAPER MILL SYSTEMS: N2001 Antimicrobial should be added to a paper making system at a point of uniform mixing such as the beaters, broke chest pump, save-all tank, or white tank. Initial Dose: When the system is noticeably contaminated, add 0.007-0.57 lbs of N2001 Antimicrobial per ton of pulp or paper (dry basis) (1.2 – 100 ppm active) as a stup dose. Repeat until control is achieved. Heavily forded systems should be boiled out prior to initial

treatment. Subsequent Dose: When microbial coordinal sevident, add 0.007 - 0.57 bis of N2001 Antimicrobial person of pulp or paper (dry basis) (1.2 - 100 ppm active) as:a Jug dose as necessary to maintain control.

#### MATERIAL PRESERVATION

PULP AND PAPER MILL PROCESSING CHEMICALS, ADHESIVES, AND COATINGS: Add N2001 Antimicrobialdirectly to the material to be preserved prior to manufacturing into the finished product, (i.e., pulp, broke, polyniers, defoamers, alum, emulsions, adhesives, papermill coatings, pigment slurries, and paper products. The dosage rate will depend upon the material to be preserved and the storage time. The usual addition should be 1.3 to 4.0 oz/1000 gal. (10-30 ppm). Under extreme conditions of spoilage, the dosage rate should be increased to 1.7 to 10.6 oz/1000 gal (12.5 to 80 ppm). The dosage rates are based on a maximum storage time of 2 weeks. For storage time greater than 2 weeks the maximum concentration should be increased to 6.6 to 13.2 oz/1000 gal (50 to 100 ppm). Do not use for adhesives or coatings that involve direct or indirect food, or human drinking water contact application.

#### Dosage Rate Per 1000 Gallons of Material:

Adnesives:	1.3 to 4.0 oz. (10-30 ppm
Alum:	1.3 to 4.0 oz. (10-30 ppm
Broke:	1.3 to 4.0 oz. (10-30 ppm
Defoamers:	1.3 to 4.0 oz. (10-30 ppm
	1.3 to 4.0 oz. (10-30 ppm
	1.3 to 4.0 oz. (10-30 ppm
	1.3 to 4.0 oz. (10-30 ppm)
	1.3 to 4.0 oz. (10-30 ppm
	1.3 to 4.0 oz. (10-30 ppm
	1.3 to 4.0 nz (10-30 npm

ADHESIVE SYSTEMS (NON-PAPER): N2001 Antimicrobial is used in the preservation of non paper related aqueous systems. Laboratory testing shows N2001 Antimicrobial to be effective in the range of 0.025 to 0.1% (250 to 1000 ppm). The exact amount for the preservative of any given formulation will depend on the components, storage time, temperature, etc., and can be determined by the actual testing based on formula weight.

#### Dosage Rate Per 1000 Gallons of Material:

#### Dosage Rate Per 1000 Gallons of Material:

Wallpaper:		2.1 – {	3.3 lbs (	(250-1000	ppm)
Wood glue:		2.1 - 8	3.3 lbs (	250-1000	ppm)
Nonfood pa	ckaging adhesive	s: 2.1 - 8	3.3 lbs	250-1000	ppm)

PAINTS, COATINGS, AND STAINS: N2001 Antimicrobial is used in the preservation of non paper related aqueous systems. Laboratory testing shows N2001 Antimicrobial to be effective in the range of 0.025 to 0.1% (250 to 1000 ppm). The exact amount for the preservative of any given formulation will depend on the components, storage time, temperature, etc., and can be determined by the actual testing based on formula weight.

#### Dosage Rate Per 1000 Gallons of Material:

Paints and coatings (between m	anufacture and formation): .
	2.1 - 8.3 lbs (250-1000 ppm)
Coatings systems (paints and co	patings as finished products):
	0 1 0 2 lbn (200 t000)

Hanlum dioxide and natcijim carbonates (precursors to naint and coating produnts): [. 2.1 - 8.3 lbs (250-1000 ppm)

"Prigmen's, DYES, AND FILLEH "SUSPENSION: N2001 Antimicrobial is used in the preservation of non paper related aqueous systems. Laboratory testing shows N2001 Antimicrobial to be effective in the range of 0.025 to 0.1% (250 to 1.00 ppm). Thuexact amount for the preservative of any g-an fortunation will depend on the components, storage fine, temperature, etc., and can be determined by the actual testing passed on romanda weight.

Disage Rate Per 1000 Gallons of Material:

Pigments slurries (paint dyes for non-clothing such as industrial fibers) . . . . . . . . 2.1 – 8.3 lbs (250-1000 ppm)

POLYMER DISPERSION AND EMULSIONS: N2001 Antimicrobial is used in the preservation of non paper related aqueous systems. Laboratory testing shows N2001 Antimicrobial to be effective in the range of 0.025 to 0.1% (250 to 100 0pm). The exact amount for the preservative orangiven formulation will depend on the components, storage time, temperature, etc., and can be determined by the actual testing based on formula weight.

Dosage Rate Per 1000 Gallons of Material:

Contact polymer systems: ... 2.1 – 8.3 lbs (250-1000 ppm) Latex emulsions systems: ... 2.1 – 8.3 lbs (250-1000 ppm)

FOOD PACKAGING: For paper and paperboard intended for use in contact with rood, the rate of application of this product must be adjusted so that the amount of active ingredient (dodecy/guanidine hydrochloride) retained does not exceed 0.4 percent by weight of the paper or paperboard. This product is effective in controlling microorganisms, such as bacteria, fungi, and yeasts, which cause deterioration of paper and paperboard products or articles molded from paper pulp. It may be added to the pulp stock in the beater or applied to the formed sheet by size press or roll coater, or as a uniform spray. If the product is used as a beater additive, the degree of retenting of the active ingredient will depend upon the nature of the other additives in the system. Technical service is available from the manufacturer of this product to assist customers in making the proper and most efficient use of the product

NOTICE: Seller warrants that the product conforms to its chemical description as contained on this label and is reasonably fit for the purposes stated on this label when used in accordance with directions under normal conditions of use. THE WARRANTIES MADE IN THIS PARAGRAPH ARE SELLER'S SOLE WARRANTIES WITH RESPECT TO THE PRODUCT AND ARE MADE EXPRESSLY IN LEU OF AND EXCLUDE ANY IMPLEO WARRANTIES OF MERCHANTABILITY OR FOR FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER EXPRESS OR IMPLIED REPRESENTATIVES AND WARRANTIES.

NOTICE TO BUYER: Buyer assumes all risks of use and handling which are at variance in any way with the directions hereon. There are no quantities, which extend beyond the description on this label.

### 8, UN 2924, III FLAMMABLE LIQUID, CORROSIVE N.O.S.

(CONTAINS: ISOPROPANOL AND DODECYLGUANIDINE HYDROCHLORIDE)

