

P1110

68129-1

141



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (H7505C)  
401 "M" St., S.W.  
Washington, D.C. 20460

EPA Reg. Number:  
68129-1

Date of Issuance:  
18 JUL 1994

Term of Issuance: Conditional

NOTICE OF PESTICIDE:  
  x   Registration  
      Reregistration

Name of Pesticide Product:  
Tick Away

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

William J. Powers, PhD.  
2044 Hillsbury Rd.  
Westlake Village, CA 91361

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(C) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following label changes:
  - a. Revise the EPA Registration Number to read, "EPA Reg. No. 68129-1".
  - b. The signal word for this product is "Caution". Place Caution in the required type size on the front panel.
  - c. Add the phrase immediately under the Directions For Use "It is a violation of Federal law to use this product in a manner inconsistent with its labeling."

Signature of Approving Official:

Marion J. Johnson, Jr.

Date:

7/18/94

3. Submit two copies of the revised final printed label for the record.

4. Submit an acceptable efficacy study by July 14, 1995. This conditional registration will expire automatically on July 15, 1995 if it has been determined that an acceptable efficacy study has not been submitted.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



Marion J. Johnson, Jr.  
Acting Product Manager 10  
Insecticide & Rodenticide Branch  
Registration Division (7505C)

81

.....Front Panel.....

TICK AWAY

**ACTIVE INGREDIENT : Carbon dioxide.....99.9%**  
**INERT INGREDIENTS: .....00.1%**

**TOTAL: 100.0%**

**THIS PRODUCT CONTAINS 0.90 g. of Carbon dioxide**

**KEEP OUT OF REACH OF CHILDREN**

**MANUFACTURED BY:**  
**Shield Packaging Of California, Inc.**  
**Chino, CA For Distribution by**  
**Environmental Specialists**  
**Thousand Oaks, CA**


**EPA REGISTRATION NUMBER:**

**ESTABLISHMENT NUMBER: EPA Est. Reg. No. 5693-CA-1**

**NET CONTENTS: .90 g.**

ACCEPTED  
with COMMENTS  
In EPA Letter Dated  
**18 JUL 1994**

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg No.  
64-1



**BEST AVAILABLE COPY**

.....Back Panel.....

**PRECAUTIONARY STATEMENT**

**Do not use directly in pets eyes and/or ears.**

**DIRECTIONS FOR USE**

**Tick Away removes ticks from dogs and cats.**

**Remove cap from the plastic receptacle. Place open end of plastic receptacle over the tick. Press the device firmly against the dog or cats fur forming a tight seal. When the tick becomes asphyxiated it will release it's hold. Then tilt the device and scoop the tick into the plastic receptacle. Then place the device in an upright position . Place plastic cap over open end of plastic receptacle. Turn device upside down.**

**Carefully separate the metal ccontainer from the plastic receptacle. Place the second cap over the remaining opening on the plastic receptacle. You can either dispose of the plastic receptacle in the trash or take one cap off the plastic receptacle and empty the tick into a reclosable plastic bag and then place the plastic bag in the trash. Now you can reuse the device by following the instruction from the beginning.**

**STORAGE AND DISPOSAL**

**Contents under pressure. Do not store above 120F. Replace Cap and discard container in trash. Do not incinerate or puncture.**

**BEST AVAILABLE COPY**

