

68173-2

04/28/2009

1/20



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Washington, D.C. 20460

April 28, 2009

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Bill Washburn, Regulatory Manager
Agent for Kaken Pharmaceutical Co. Ltd.
Arysta LifeScience North America LLC
15401 Weston Parkway, Suite 150
Cary, NC 27513

RE: Product Name: Endorse Wettable Powder Fungicide
EPA Reg. No: 68173-2
Your Label Notification dated March 11, 2009, to Update Container Disposal
Statement per PR Notice 2007-4

Dear Mr. Washburn:


The Biopesticides and Pollution Prevention Division is in receipt of your application for Notification under Pesticides Registration Notice (PRN) 98-10 dated above. A preliminary screen of this request has been conducted for its applicability under PRN 98-10 and it has been determined that the action(s) requested falls within the scope of PRN 98-10. Our records have been duly noted, and the letter submitted with this application has been stamped "Notification, received and reviewed" and will be placed accordingly in our records.

Questions concerning this action should be directed to Ms. Diana Hudson at (703) 308-8713 or email at HUDSON.DIANA@EPA.GOV.

Sincerely,

Linda Hollis

Linda Hollis, Chief
Biochemical Pesticides Branch
Biopesticides and Pollution Prevention
Division (7511P)

 EPA United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other:	OPP Identifier Number
---	--	-----------------------

Application for Pesticide - Section I

1. Company/Product Number 68173-2	2. EPA Product Manager Linda Hollis	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) ENDORSE Wettable Powder Fungicide	PM# 91 BPPD	
5. Name and Address of Applicant (Include ZIP Code) Kaken Pharmaceutical Co. Ltd. c/o Arysta LifeScience North America, LLC 15401 Weston Parkway, Suite 150 Cary, NC 27513 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application <input type="checkbox"/> Other - Explain below
--	---

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 USC Sec 1001 to willfully make any false statement to EPA. I further understand that if the amendment is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Unit Packaging wgt. No. per container 1 lb 11	Water Soluble Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Package wgt. No. per Container 1 lb, 1.6 oz. 10	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input checked="" type="checkbox"/> Other (Specify) Water-Soluble Packs
*Certification must be submitted			
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container <p style="text-align: center;">11 lb.</p>	5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name <p style="text-align: center;">Bill Washburn</p>	Title <p style="text-align: center;">Regulatory Manager</p>	Telephone No. (Include Area Code) <p style="text-align: center;">901-432-5118</p>
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received <p style="text-align: center;">(Stamped)</p>
2. Signature <p style="text-align: center;"><i>Bill Washburn</i></p>	3. Title <p style="text-align: center;">Regulatory Manager</p>	
4. Typed Name <p style="text-align: center;">Bill Washburn</p>	5. Date <p style="text-align: center;">03/11/09</p>	



March 11, 2009

Ms. Linda Hollis, BPPD
Document Processing Desk (NOTIF)
Office of Pesticide Programs – 7504P
U.S. Environmental Protection Agency
One Potomac Yard, Room S-4900
2777 South Crystal Drive
Arlington, VA 22202

**Subject: ENDORSE Wettable Powder Fungicide
EPA Reg. No. 68173-2**

Notification of Label Change per PR Notice 2007-4

Dear Ms. Hollis:

Please find the following enclosed:


- Application for Pesticide Registration (Other) dated 3/11/09.
- One highlighted copy of subject label, showing all changes.
- One clean copy of the subject label.

Notification of label change per PR Notice 2007-4. This notification is consistent with guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 USC Sec 1001 to willfully make any false statement to EPA. I further understand that if the amendment is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Please acknowledge acceptance of this notification. Should you have any questions or comments, please do not hesitate to contact me at 901-432-5118 or by e-mail at bill.washburn@arystalifescience.com

Sincerely,

Bill Washburn
Regulatory Manager



4
20

MASTER LABEL

Note: This master label will be the basis of two different package labels:

- Endorse Wettable Powder Fungicide in Water Soluble Bags
- Endorse Wettable Powder Fungicide

ENDORSE® Wettable Powder Fungicide

For use on Turf, Ornamentals and Non-Food Ginseng

Prohibited for Any Food or Feed Use

GROUP	19	FUNGICIDE
--------------	-----------	------------------

ACTIVE INGREDIENT:

Polyoxin D zinc salt (1:1) ¹ ,	
Zinc 5-[[2-amino-5-O-(aminocarbonyl)-2-deoxy-L-xylonoyl]amino]-1-(5-carboxy-3,4-dihydro-2,4-dioxo-1(2H)-pyrimidinyl)-1,5-dideoxy-β-D-allofuranuronate.....	2.5 %
OTHER INGREDIENTS:	97.5 %
TOTAL	100.0%

¹Equivalent to 2.2% polyoxorim and 0.3% metallic zinc

NOTIFICATION

KEEP OUT OF REACH OF CHILDREN Date Reviewed: 4-28-09
Reviewed By: D. Hudson

CAUTION


SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 68173-2
EPA Est. No. _____

Produced by:
Kaken Pharmaceutical Co. Ltd.
Agro Chemicals and Animal Health Products Department
28-8, Honkomagonme 2-chome
Bunkyo-ku, Tokyo 113-8650, Japan

For Product Use Information Call: 1-866-761-9397

Net Weight: 1 pound, 1.6 ounces
11 lbs



5
20

WATER SOLUBLE PACK PACKAGING, SUB-LABEL

ENDORSE® Wettable Powder Fungicide

IN WATER SOLUBLE PACKS

For Use on Turf, Ornamental and Non-Food Ginseng

Prohibited for Any Food or Feed Use

GROUP	19	FUNGICIDE
--------------	-----------	------------------

ACTIVE INGREDIENT:

Polyoxin D zinc salt (1:1) ¹ ,	
Zinc 5-[[2-amino-5-O-(aminocarbonyl)-2-deoxy-L-xylonoyl]amino]-1-(5-carboxy-3,4-dihydro-2,4-dioxo-1(2H)-pyrimidinyl)-1,5-dideoxy-β-D-allofuranuronate.....	2.5 %
OTHER INGREDIENTS:	97.5 %
TOTAL	100.0%

¹Equivalent to 2.2% polyoxorim and 0.3% metallic zinc

KEEP OUT OF REACH OF CHILDREN

CAUTION


SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 68173-2
EPA EST. No. _____

Produced by:
Kaken Pharmaceutical Co. Ltd.
Agro Chemicals and Animal Health Products Department
28-8, Honkomagonme 2-chome
Bunkyo-ku, Tokyo 113-8650, Japan

For Product Use Information Call: 1-866-761-9397

Net weight: 1 pound, 1.6 ounces
Each water soluble pack contains 1 lb, 1.6 ounces of product. There is one pack per bag and 10 bags per case.



FIRST AID	
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
HOTLINE NUMBERS	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE:	
Call PROSAR at 1-866-303-6952 or 1-651-632-8946 if calling from outside of the U.S.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if absorbed through skin, swallowed or inhaled. Causes moderate eye irritation. Avoid breathing dust or spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse. Wear the appropriate Personal Protective Equipment (PPE).


PERSONAL PROTECTIVE EQUIPMENT (PPE)

All mixers, loaders, applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Socks
- Shoes
- Chemical-Resistant gloves

User Safety Requirements

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables are available, use detergent and hot water. Keep and wash PPE separately from other laundry.



USER SAFETY RECOMMENDATIONS

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is moderately toxic to aquatic invertebrates and fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not allow runoff into lakes, streams, ponds or public waterways. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Carefully read and understand the Directions for Use and restrictions before applying this product.

Do not apply this product in any way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribe responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.


Do not enter or allow entry into treated areas during the restricted entry interval (REI) of 4 hours unless wearing appropriate PPE.

PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, socks, shoes, chemical resistant gloves.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses.

Keep children and pets out of treated area until sprays have dried.



GENERAL INFORMATION

ENDORSE® Wettable Powder Fungicide is not for use on turf being grown for commercial seed production.

ENDORSE Wettable Powder Fungicide is a systemic foliar applied fungicide for use in controlling or suppressing certain diseases on golf courses, residential lawns, parks and commercial and institutional grounds composed of cool and warm season grasses such as bluegrass, bentgrass, fescue, ryegrass, zoysiagrass, or their mixtures. ENDORSE Wettable Powder Fungicide is also for use on ornamentals and ginseng. (Refer to the TURF GRASSES, GINSENG and ORNAMENTALS tables below for specific diseases.)

Apply ENDORSE Wettable Powder Fungicide as a preventive or curative treatment in conjunction with good turf and ornamental management practices.

RESISTANCE MANAGEMENT DIRECTIONS

ENDORSE Wettable Powder Fungicide contains a Group 19 fungicide. Fungal isolates with acquired resistance to Group 19 may eventually dominate the fungal population if Group 19 fungicides are used repeatedly in the same field or in successive years as the primary method of control for targeted species. This may result in partial or total loss of control of those species by ENDORSE Wettable Powder Fungicide or other Group 19 Fungicides.

To delay fungicide resistance, consider:


- Avoiding the consecutive use of ENDORSE Wettable Powder Fungicide or other target site of action Group 19 fungicides that have a similar target site of action, on the same pathogens.
- Using tank-mixtures or premixes with fungicides from different target site of action Groups as long as the involved products are all registered for the same use and are both effective at the tank mix or prepack rate on the pathogen(s) of concern.
- Basing fungicide use on a comprehensive IPM program.
- Monitoring treated fungal populations for loss of field efficacy.
- Contacting your local extension specialist, certified crop advisors, and/or manufacturer for fungicide resistance management and/or IPM recommendations for specific crops and resistant pathogens.

MIXING AND APPLICATION

When tank mixing ENDORSE Wettable Powder Fungicide with other products, observe all precautions and limitations on each separate product label. It is always advisable to conduct a spray compatibility test when you plan to mix this product with other products. To determine the physical compatibility of this product with other products, use a jar test. Using a quart jar, add the proportionate amounts of the products to approximately one quart of water with agitation. Add dry formulations first, then flowables, then emulsifiable concentrates last. After thorough mixing, allow this mixture to stand for 5 minutes. If the combination remains mixed or can be readily remixed, it is physically compatible. Once compatibility has been proven, use the same procedure for adding required ingredients to the spray tank. Use combinations on a small number of plants to check for phytotoxicity and disease control before treating large areas. Do not use the combination if adverse affects are observed.

Do not apply this product through any type of irrigation system.

Mixing instructions for ENDORSE Wettable Powder Fungicide in water soluble pack.




- Fill spray tank ¾ full
- Start spray tank agitation
- Drop water soluble pack(s) in tank
- Direct the balance of water at the floating pack(s)
- Pack(s) must be dissolved before recycling through spray tank

Mix only the amount of spray solution needed to treat the desired area.

For optimum control of labeled diseases, apply ENDORSE Wettable Powder Fungicide with sufficient water to provide a thorough coverage.

With the exception for treatment of Fairy Ring, irrigation or rainfall soon after treatment with ENDORSE Wettable Powder Fungicide will decrease disease control. For best control, do not irrigate for 12 hours after treatment.


TURF GRASSES		
Disease	Rate	Application Notes
Control: Brown Patch Large Patch	1 pack/4,400 square feet in a minimum of 44 gallons of water (0.275 lb ai/acre)	Repeat treatment on a 7-14 day schedule where environmental conditions are conducive to development of diseases. ¹
Aids in Control: (Except California) Cool Weather Brown Patch (Yellow Patch) <i>(Rhizoctonia cerealis)</i> Foliar and Basal Anthracnose <i>(Collectotrichum graminicola)</i> Gray Snow Mold <i>(Typhula ishikariensis and Typhula incarnate)</i> Leaf Spot/Melting Out <i>(Dreschlera poae)</i> Pink Snow Mold <i>(Microdochium solani)</i> Red Thread <i>(Laetisaria fuciformis)</i> Rhizoctonia Damping Off <i>(Rhizoctonia solani)</i> Zoysia Patch <i>(Rhizoctonia solani)</i> on cool and warm season turf grasses		When symptoms are present, best control will be achieved by using a shorter interval. For best results apply after mowing.



TURF GRASSES		
Disease	Rate	Application Notes
Aids in Suppression: (Except California) Gray Leaf Spot (<i>Pyricularia grisea</i>)		
Suppression and Short Term Control: Fairy Ring (including <i>Marasmius</i> spp., <i>Lepiöta</i> , spp. and <i>Agarius</i> spp.)	1 pack/4,400 square feet in a minimum of 88 gallons of water (0.275 lb ai/acre)	Make two-three applications on a 7-day interval schedule. Use a penetrating wetting agent. Immediately following application, water in the treatment with sufficient irrigation (0.5-1") to wet the active root zone.
Notes: <ul style="list-style-type: none"> • Use in alternation with fungicides that have different modes of action. • ¹ Consult your local extension agent or local recommendations for information relating to proper timing for control of these diseases. 		

GINSENG (Except California)		
Foliar Disease Control	Rate	Application Notes
Alternaria blight (<i>Alternaria panax</i>) Botrytis blight (<i>Botrytis cinerea</i>)	1 pack/0.5 – 1 acre in 100 gallons of water (0.03 - 0.06 lb ai/100 gal/acre)	Apply as a foliar spray every 7 – 10 days. Apply prior to disease development and when conditions are conducive for disease. ¹
Root and Crown Disease Control	Rate	Application Notes
Cylindrocarpon root rot (<i>Cylindrocarpon destructans</i>)	1 pack/0.5 acre in 100 gallons of water (0.06 lb ai/100 gal/acre)	Apply as a drench every 14 days.
Rhizoctonia root and crown rot (<i>Rhizoctonia solani</i>)	1 pack/0.5 – 1 acre in 100 gallons of water (0.03 – 0.06 lb ai/100 gal/acre)	Apply as a drench every 14 – 28 days.
Notes: <ul style="list-style-type: none"> • Do not use for food or feed purposes within 1 year of treatment. • Apply within 2 weeks following plant emergence and continue throughout the season. • Use in alternation with fungicides that have different modes of action. • ¹ Consult your local extension agent or local recommendations for information relating to proper timing for control of these diseases. 		

ORNAMENTALS		
Foliar Disease Control	Rate	Application Notes
Anthracnose <i>(Colletotrichum)</i> Botrytis blight <i>(Botrytis cinerea)</i> Curvularia Downy Mildew Pernospora sp. Plasmopara sp. Powdery Mildew Oidium sp. Erysiphe sp. Sphaerotheca sp. Rhizoctonia aerial blight <i>(Rhizoctonia solani)</i>	1-2 pack/100 gallons	Apply as a full coverage foliar spray every 7 – 14 days in sufficient water for plant type and maturity (50-300 gallons/acre). Apply prior to disease development and when conditions are conducive for disease. ¹
Alternaria blight <i>(Alternaria panax)</i> Apple scab <i>(Venturia inaequalis)</i>	2 packs/100 gallons	
Root and Crown Disease Control	Rate	Application Notes
Rhizoctonia root and crown rot <i>(Rhizoctonia solani)</i>	1-2 pack/100 gallons	Apply as a drench every 14 – 28 days.
Notes: <ul style="list-style-type: none"> • Use in alternation with fungicides that have different modes of action. • ¹ Consult your local extension agent or local recommendations for information relating to proper timing for control of these diseases. 		



NON WATER SOLUBLE PACK PACKAGING, SUB-LABEL

ENDORSE® Wettable Powder Fungicide

For use on Turf, Ornamentals and Non-Food Ginseng

Prohibited for any Food or Feed Use

GROUP 19 FUNGICIDE

ACTIVE INGREDIENT:

Polyoxin D zinc salt (1:1) ¹ ,	
Zinc 5-[[2-amino-5-O-(aminocarbonyl)-2-deoxy-L-xylonoyl]amino]-1-(5-carboxy-3,4-dihydro-2,4-dioxo-1(2H)-pyrimidinyl)-1,5-dideoxy-β-D-allofuranuronate.....	2.5 %
OTHER INGREDIENTS:.....	97.5 %
TOTAL.....	100.0%

¹Equivalent to 2.2% polyoxorim and 0.3% metallic zinc

KEEP OUT OF REACH OF CHILDREN

CAUTION


SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 68173-2
EPA EST. No. _____

Produced by:
Kaken Pharmaceutical Co. Ltd.
Agro Chemicals and Animal Health Products Department
28-8, Honkomagonme 2-chome
Bunkyo-ku, Tokyo 113-8650, Japan

For Product Use Information Call: 1-866-761-9397

Net contents: 11 lbs



FIRST AID	
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
HOTLINE NUMBERS	
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</p> <p style="text-align: center;">FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE: Call PROSAR at 1-866-303-6952 or 1-651-632-8946 if calling from outside of the U.S.</p>	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if absorbed through skin, swallowed or inhaled. Causes moderate eye irritation. Avoid breathing dust or spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse. Wear the appropriate Personal Protective Equipment (PPE).


PERSONAL PROTECTIVE EQUIPMENT (PPE)

All mixers, loaders, applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Socks
- Shoes
- Chemical-Resistant gloves

User Safety Requirements

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables are available, use detergent and hot water. Keep and wash PPE separately from other laundry.



15
20

USER SAFETY RECOMMENDATIONS

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is moderately toxic to aquatic invertebrates and fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not allow runoff into lakes, streams, ponds or public waterways. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Carefully read and understand the Directions for Use and restrictions before applying this product.

Do not apply this product in any way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribe responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow entry into treated areas during the restricted entry interval (REI) of 4 hours unless wearing appropriate PPE.

PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, socks, shoes, chemical resistant gloves.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep children and pets out of treated area until sprays have dried.

GENERAL INFORMATION

ENDORSE® Wettable Powder Fungicide is not for use on turf grown for commercial seed production.

ENDORSE Wettable Powder Fungicide is a systemic foliar applied fungicide for use in controlling or suppressing certain diseases on golf courses, residential lawns, parks and commercial and institutional grounds composed of cool and warm season grasses such as bluegrass, bentgrass, fescue, ryegrass, zoysiagrass, or their mixtures. ENDORSE Wettable Powder Fungicide is also for use on ornamentals and ginseng. (Refer to the TURF GRASSES, GINSENG and ORNAMENTALS tables below for specific diseases.)

Apply ENDORSE Wettable Powder Fungicide as a preventive or curative treatment in conjunction with good turf and ornamental management practices.

RESISTANCE MANAGEMENT DIRECTIONS

ENDORSE Wettable Powder Fungicide contains a Group 19 fungicide. Fungal isolates with acquired resistance to Group 19 may eventually dominate the fungal population if Group 19 fungicides are used repeatedly in the same field or in successive years as the primary method of control for targeted species. This may result in partial or total loss of control of those species by ENDORSE Wettable Powder Fungicide or other Group 19 Fungicides.

To delay fungicide resistance, consider:


- Avoiding the consecutive use of ENDORSE Wettable Powder Fungicide or other target site of action Group 19 fungicides that have a similar target site of action, on the same pathogens.
- Using tank-mixtures or premixes with fungicides from different target site of action Groups as long as the involved products are all registered for the same use and are both effective at the tank mix or prepack rate on the pathogen(s) of concern.
- Basing fungicide use on a comprehensive IPM program.
- Monitoring treated fungal populations for loss of field efficacy.
- Contacting your local extension specialist, certified crop advisors, and/or manufacturer for fungicide resistance management and/or IPM recommendations for specific crops and resistant pathogens.

MIXING AND APPLICATION

When tank mixing ENDORSE Wettable Powder Fungicide with other products, observe all precautions and limitations on each separate product label. It is always advisable to conduct a spray compatibility test when you plan to mix this product with other products. To determine the physical compatibility of this product with other products, use a jar test. Using a quart jar, add the proportionate amounts of the products to approximately one quart of water with agitation. Add dry formulations first, then flowables, then emulsifiable concentrates last. After thorough mixing, allow this mixture to stand for 5 minutes. If the combination remains mixed or can be readily remixed, it is physically compatible. Once compatibility has been proven, use the same procedure for adding required ingredients to the spray tank. Use combinations on a small number of plants to check for phytotoxicity and disease control before treating large areas. Do not use the combination if adverse affects are observed.

Do not apply this product through any type of irrigation system.

Mixing instructions for ENDORSE Wettable Powder Fungicide:




- Fill spray tank to ¾ of the intended final volume.
- Start spray tank agitation.
- Add the appropriate amount of product to the tank (refer to Rate and Schedule section of label). Follow the directions above for mixing other products in the spray tank.
- Agitate to ensure thorough mixing while adding the remaining required water.
- DO NOT allow the spray mixture to stand without agitation.

Mix only the amount of spray solution needed to treat the desired area.

For optimum control of labeled diseases, apply ENDORSE Wettable Powder Fungicide with sufficient water to provide a thorough coverage.

With the exception for treatment of Fairy Ring, irrigation or rainfall soon after treatment with ENDORSE Wettable Powder Fungicide will decrease disease control. For best control, do not irrigate for 12 hours after treatment.

TURF GRASSES		
Disease	Rate	Application Notes
Control: Brown Patch Large Patch	11 lbs/acre (0.275 lb ai/acre in a minimum of 44 gallons of water)	Repeat treatment on a 7-14 day schedule where environmental conditions are conducive to development of diseases. ¹ When symptoms are present, best control will be achieved by using a shorter interval. For best results apply after mowing.
Aids in Control: (Except California) Cool Weather Brown Patch (Yellow Patch) <i>(Rhizoctonia cerealis)</i> Foliar and Basal Anthracnose <i>(Collectotrichum graminicola)</i> Gray Snow Mold <i>(Typhula ishikariensis and Typhula incarnate)</i> Leaf Spot/Melting Out (<i>Dreschlera poae</i>) Pink Snow Mold <i>(Microdochium solani)</i> Red Thread <i>(Laetisaria fuciformis)</i> Rhizoctonia Damping Off <i>(Rhizoctonia solani)</i> Zoysia Patch <i>(Rhizoctonia solani)</i> on cool and warm season turf grasses		



TURF GRASSES		
Disease	Rate	Application Notes
<p>Aids in Suppression: (Except California)</p> <p>Gray Leaf Spot (<i>Pyricularia grisea</i>)</p>		
<p><u>Suppression and Short Term Control:</u></p> <p>Fairy Ring (including <i>Marasmius</i> spp., <i>Lepiota</i>, spp. and <i>Agarius</i> spp.)</p>	<p>4 ozs/1000 square feet in minimum of 2 gallons of water (0.275 lb ai/acre in a minimum of 88 gallons of water)</p>	<p>Make two-three applications on a 7-day interval schedule.</p> <p>Use a penetrating wetting agent.</p> <p>Immediately following application, water in the treatment with sufficient irrigation (0.5-1") to wet the active root zone.</p>
<p>Notes:</p> <ul style="list-style-type: none"> • Use in alteration with fungicides that have different modes of action. • ¹ Consult your local extension agent or local recommendations for information relating to proper timing for control of these diseases. 		

GINSENG (Except California)		
Foliar Disease Control	Rate	Application Notes
<p>Alternaria blight (<i>Alternaria panax</i>)</p> <p>Botrytis blight (<i>Botrytis cinerea</i>)</p>	<p>1.1 – 2.2 lb/100 gal/acre (0.03 - 0.06 lb ai /100 gal/acre)</p>	<p>Apply as a foliar spray every 7 – 10 days.</p> <p>Apply prior to disease development and when conditions are conducive for disease.¹</p>
Root and Crown Disease Control	Rate	Application Notes
<p>Cylindrocarpon root rot (<i>Cylindrocarpon destructans</i>)</p>	<p>2.2 lb/100 gal/acre (0.06 lb ai/100 gal/acre)</p>	<p>Apply as a drench every 14 days.</p>
<p>Rhizoctonia root and crown rot (<i>Rhizoctonia solani</i>)</p>	<p>1.1 - 2.2 lb/100 gal/acre (0.03 – 0.06 lb ai/100 gal/acre)</p>	<p>Apply as a drench every 14 – 28 days.</p>
<p>Notes:</p> <ul style="list-style-type: none"> • Do not use for food or feed purposes within 1 year of treatment. • Apply within 2 weeks following plant emergence and continue throughout the season. • Use in alternation with fungicides that have different modes of action. • ¹ Consult your local extension agent or local recommendations for information relating to proper timing for control of these diseases. 		

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
PESTICIDE STORAGE: Store in dry place away from food or feed.
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Offer for recycling, if available, or dispose of empty bag in a sanitary landfill or by incineration, or, if allowed, by State and local authorities, by burning. If burned, stay out of smoke. Offer for recycling, if available.

Warranty and Disclaimer Statement

1. Kaken Pharmaceutical Co. Ltd. ("Kaken") warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with the Directions for Use under normal conditions of use.
2. This warranty does not extend to the use of this product contrary to label instructions and is subject to the inherent risks described below. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, KAKEN DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, KAKEN, THE MANUFACTURER, AND THE SELLER DISCLAIM AND SHALL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE, HANDLING, APPLICATION, STORAGE, OR DISPOSAL OF THIS PRODUCT OR FOR DAMAGES IN THE NATURE OF PENALTIES, AND THE BUYER AND THE USER WAIVE ANY RIGHT THAT THEY MAY HAVE TO SUCH DAMAGES. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, KAKEN AND THE SELLER'S LIABILITY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE. KAKEN DOES NOT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTY, GUARANTEE OR REPRESENTATION CONCERNING THIS PRODUCT.**
3. The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Kaken. All such risks shall be assumed by the user or buyer.

ENDORSE is a registered trademark of Arysta LifeScience North America, LLC

