

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

August 19, 2009

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Bill Washburn Regulatory Manager Arysta LifeScience North America, LLC 15401 Weston Parkway, Suite 150 Cary, NC 27513

RE:

Product Name: Endorse® Water Dispersible Granules

EPA Reg. No: 68173-3

Application for Label Notification Dated June 19, 2009 to update name of the company, emergency telephone numbers; to add pest to ornamentals

and to change storage and disposal language.

Dear Mr. Washburn:

The Biopesticides and Pollution Prevention Division is in receipt of your application for Notification under Pesticide Registration (PR) Notice 98-10 dated above. A preliminary screen of this request has been conducted for its applicability under PR Notice 98-10 and it has been determined that the action(s) requested falls within the scope of PR Notice 98-10. Our records have been duly noted, and the label submitted with this application has been stamped "Notification, received and reviewed" and will be placed accordingly in our records.

If you have any questions concerning this action, please feel free to contact Ms. Menyon Adams at (703) 347-8496 or email at adams.menyon@epa.gov.

Sincerely,

Linda Hollis

Linda Hollis, Chief Biochemical Pesticides Branch Biopesticides and Pollution Prevention Division (7511P)

lease read instructions on revers	e before corrigs,	g IOIII.		1 Oilli Vb	proved, OND No. 2070	0-0000, Approval expires 03-31-90	
	Ur	ited States		☐ Reg	istration	OPP Identifier Number	
EPA	Environment	al Protection	n Agency	Ame	endment	·	
		gton, DC 2046		⊠ Oth			
	· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·	<u> </u>	
		<b>Applicatio</b>	n for Pe	sticide - Se	ction I		
1. Company/Product Number 68173-3				Product Manager HOLLIS	•	Proposed Classification	
4. Company/Product (Name)			PM#	**************************************		None Restricted	
ENDORSE® WATER DIS			BPPD				
5. Name and Address of Applic	ant (Include ZIP C	ode)				with FIFRA Section 3(c)(3) in composition and labeling	
Arysta LifeScience Nort	h America, LL0	C	to:	to:			
15401 Weston Parkway,	Suite 150		EPA Re	eg. No	N	OTIFICATION,	
Cary, NC 27513							
Check if this is a n	new address		Produc	t Name		eviewed 08/19/07	
			Section	on - II	Heview	ved By: My	
Amendment – Explain be	low.			Final print	ed labels in response	to Agency letter dated	
Resubmission in respons		dated		_	Application	<u> </u>	
Notification - Explain belo				=	plain below		
Explanation: Use addit		necessary. (	For Section		<del>`</del>		
Notification of label ch		- ,			·	Notice 2007-4 and the	
requirements of EPA's regulat	ions at 40 CFR §§	156.10, 156.140	. 156.144, 1	56.146, and 156	.156. No other change	s have been made to the labeling or	
						ully make any false statement to	
this product may be in violation						140. 156.144, 156.146, and 156.156, 2 and 14 of FIFRA.	
Notification of label ch							
regulations at 40 CFR 152.46,	and no other chan	ges have been n	nade to the l	labeling or the co	onfidential statement of	f formula of this product. I	
understand that it is a violation							
penalties under sections 12 ar		40 CFR 152.46	, this may be	e in violation of F	IFRA and I may be su	bject to enforcement action and	
			Sectio	n - III			
Material This Product Will I							
Child-Resistant Packaging	Unit Pac			Water Solubl	2. Type of Container		
∐ Yes*	∐ Ye			∐ Yes		Metal Metal	
⊠ No	⊠ No			No No		Plastic	
	If "Yes"		No. per container	lf "Yes" Package wgt	No. per container	Glass	
*Certification must	01	gg vig	oornamor	r dollago ngt		Paper ·	
be submitted				- <u></u>		Other (Specify)	
Location of Net Contents Ir	n	4. Size(s) Re	etail Contain	ier		of Label Directions	
∑ Label	Container		2 lb.		On Lab		
						eling accompanying product	
б. Manner in Which Label is A	6. Manner in Which Label is Affixed to Product						
		Stencile	Sectio	n - IV			
1. Contact Point (Complete ite	ems directly below t	for identification (			if necessary, to proce	ss this application)	
Name		Title				ั เหล!ephone No (!nclude Area	
Bill Washburn		R	Regulator	y Manager		୍ର Code 901 <sub>-</sub> 43 <u></u> 2-5118	
			<u> </u>			6. Date Application	
		Certificatio	, i i				
I certify that the statements I h			chments the			ı ∤∘ Received	
acknowledge that any knowing		form and all attac	chments the			ိင္ပါႏွင့္ <b>ိ(Stai</b> nped)	
acknowledge that any knowing under applicable law.		form and all attac ing statement m	chments the ay be punisl			်င္ပါႏွင့္ ိ(Stamped)	
acknowledge that any knowing under applicable law.  2. Signature	gly false or mislead	form and all attac ing statement m	chments the ay be punish.	hable by fine or i		ະວ່າ ເຂົ້າ   ເຂົ້າ   ເຂົ້າ	
acknowledge that any knowing under applicable law.  2. Signature		form and all attac ing statement m	chments the ay be punish.			Stamped)	
acknowledge that any knowing under applicable law.  2. Signature	gly false or mislead	form and all attac ing statement m 3.	chments the ay be punish.	hable by fine or i		Stamped)	
acknowledge that any knowing under applicable law.  2. Signature  Bies Co	gly false or mislead	form and all attading statement m	chments the lay be punish Title Regulatory	hable by fine or i		(Stamped)	



June 19, 2009

0 0

000000

00000

Ms. Linda Hollis
Product Management Team
BPPD
Fungicide-Herbicide Branch (H7505C)
Registration Division
Office of Pesticide Programs
Document Processing Desk (NOTIF)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Subject:

ENDORSE® WATER DISPERSIBLE GRANULES
EPA Reg. No. 6817/3-3

Notification of Label Change per PR Notice 2007-4 and PR Notice 98-10

Dear Ms. Hollis:

Please find the following enclosed:

- Application for Pesticide Registration (Other) dated 06/19/09.
- One highlighted copy of subject label, showing all changes.
- One clean copy of the subject label.

Notification of label change per PR Notice 2007-4. This notification is consistent with guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140. 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 USC Sec 1001 to willfully make any false statement to EPA. I further understand that if the amendment is not consistent with the requirements of 40 CFR §§ 156.10, 156.140. 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Also in this submission, we are using PR Notice 98-10 to update the name of the company, emergency telephone numbers and warranty. Arysta LifeScience North America Corporation was changed to Arysta LifeScience North America, LLC.

Should you have any questions or comments, please do not hesitate to contact me at 901-432-5118 or by e-mail at <a href="mailto:bill.washburn@arystalifescience.com">bill.washburn@arystalifescience.com</a>

Sincerely,

Bies Washlum

Bill Washburn Regulatory Manager

406

## Alternate Brand Name for ENDORSE Water Dispersible Granules:

VERANDA™ Water Dispersible Granules

# ENDORSE® Water Dispersible Granules For use on Turf, Ornamentals, and Various Crops

GROUP 19 FUNGICIDE

NOTIFICATION

#### KEEP OUT OF REACH OF CHILDREN

### **CAUTION**

SEE SIDE OR BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 68173-3
EPA Est. No.

Date Reviewed: 08/19/6

Produced for: Kaken Pharmaceutical Co. Ltd. Agro Chemicals and Animal Health Products Department 28-8, Honkomagome 2-chome

For Product Information Call 1-866-761-9397

Bunkyo-ku, Tokyo 113-8650, Japan

Net Content: 1 lb

2 lbs 6.4 oz (2.4 lb)

FIRST AID			
If on skin or clothing	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>		
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>		
If swallowed	<ul> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>		
If inhaled	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>		

#### **HOTLINE NUMBERS**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

#### FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE

Call PROSAR at 1-866-303-6952 or 1-651-632-8946 if calling from outside of the U.S.

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if absorbed through the skin, swallowed or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing dust or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

All mixers, loaders, applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Socks
- Shoes
- Chemical-Resistant gloves

#### **User Safety Requirements**

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables are available, use detergent and hot water. Keep and wash PPE separately from other laundry.

Page 3 of 12

#### **USER SAFETY RECOMMENDATIONS**

- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is moderately toxic to aquatic invertebrates and fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Do not allow runoff into lakes, streams, ponds or public waterways. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

Granules exposed on soil surface may be hazardous to fish and aquatic invertebrates. Collect granules spilled during loading.

Observe the most restrictive of the labeling limitations and precautions of all products used in mixtures.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. contains specific instructions on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow entry into treated areas during the restricted entry interval (REI) of 4 hours unless wearing appropriate PPE.

PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, socks, shoes, chemical resistant gloves.

#### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in the box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses. Keep children and pets out of treated area until sprays have dried.

#### **GENERAL INFORMATION**

ENDORSE Water Dispersible Granules is not for use on turf being grown for commercial seed production.

ENDORSE Water Dispersible Granules is not for homeowner use to treat food crops.

ENDORSE Water Dispersible Granules is for use in controlling or suppressing certain diseases on almonds, cucurbit vegetables, fruiting vegetables, ginseng, grapes, pistachios, pome fruits, potatoes, strawberries, ornamentals, golf courses, residential lawns, parks, and commercial and institutional grounds composed of cool and warm season grasses such as Bluegrass, Bentgrass, Fescue, Ryegrass, Zoysiagrass, or their mixtures.

Apply ENDORSE Water Dispersible Granules as a preventative or curative treatment in conjunction with good management practices.

#### RESISTANCE MANAGEMENT RECOMMENDATIONS

ENDORSE Water Dispersible Granules contains a Group 19 fungicide. Fungal isolates with acquired resistance to Group 19 may eventually dominate the fungal population if Group 19 fungicides are used repeatedly in the same field or in successive years as the primary method of control for targeted species. This may result in partial or total loss of control of those species by ENDORSE Water Dispersible Granules or other Group 19 Fungicides.

To delay fungicide resistance, consider:

- Avoiding the consecutive use of ENDORSE Water Dispersible Granules or other target site of action Group 19 fungicides that have a similar target site of action, on the same pathogens.
- Using tank-mixtures or premixes with fungicides from different target site of action Groups
  as long as the involved products are all registered for the same use and are both effective
  at the tank mix or prepack rate on the pathogen(s) of concern.
- Basing fungicide use on a comprehensive IPM program.
- Monitoring treated fungal populations for loss of field efficacy.
- Contacting your local extension specialist, certified crop advisors, and/or manufacturer for fungicide resistance management and/or IPM recommendations for specific crops and resistant pathogens.

#### **MIXING AND APPLICATION**

When diseases not specified on this label are present or expected, it is appropriate to mix ENDORSE Water Dispersible Granules with appropriately labeled fungicides. When tank mixing ENDORSE Water Dispersible Granules with other products, observe all precautions and limitations on each separate product label. It is always advisable to conduct a tank mix compatibility test when you plan to mix this product with other products. To determine the physical compatibility of this product with other products, use a jar test. Using a quart jar, add the proportionate amounts of the products to approximately one quart of water with agitation. Add dry formulations first, then flowables, then emulsifiable concentrates last. After thorough mixing, allow this mixture to stand for 5 minutes. If the combination remains mixed or can be readily remixed, it is physically compatible. Once compatibility has been proven, use the same procedure for adding required ingredients to the spray tank. To assess the potential for phytotoxicity, test tank mixtures on a small number of plants prior to more widespread application.

Do not apply this product through any type of irrigation system.

Mixing instructions for ENDORSE Water Dispersible Granules:

Fill spray tank with water to ½ of the intended final volume.

Endorse W Master Label Kaken Food Use AD111208 Amenc d ornamentals & PR 2007-4 (clean)
Page 5 of 12

- Start spray tank agitation.
- Add the appropriate amount of product to the tank according to the rates in the following tables. Follow the directions above for mixing other products in the spray tank.
- Agitate to ensure thorough mixing while adding the remaining required water.
- DO NOT allow the spray mixture to stand without agitation.

Mix only the amount of spray solution needed to treat the desired area.

For optimum control of labeled diseases, apply ENDORSE Water Dispersible Granules with sufficient water to provide a thorough coverage.

ALMONDS				
Disease Control	Rate	Application Notes		
Alternaria (Alternaria alternata)	6.2 oz/acre (0.7 oz ai/acre)	<ul> <li>Mix in appropriate spray volume appropriate for sufficient coverage (Spray every row to ensure coverage [avoid every other row applications]).</li> <li>Begin sprays preventatively and repeat</li> </ul>		
		on a 10–14 day interval.		
		0 day Preharvest Interval.		
		May be applied by air or ground.		
	,	Use of an adjuvant may enhance coverage.		

#### Notes:

- Use in alternation with fungicides that have different modes of action.
- Do not apply more than 3 applications of ENDORSE Water Dispersible Granules (2.1 oz ai/acre) per season.

#### **CUCURBIT VEGETABLES**

[Chayote (fruit), Chinese waxgourd (Chinese preserving melon), Citron melon, Cucumber, Gherkin, Gourd, edible (includes hyotan, cucuzza, hechima, Chinese okra), Momordica spp. (includes balsam apple, balsam pear, bitter melon, Chinese cucumber), Muskmelon (includes true cantaloupe, cantaloupe, casaba, crenshaw melon, golden pershaw melon, honeydew melon, honey balls, mango melon, Persian melon, pineapple melon, Santa Claus melon, and snake melon), Pumpkin, Squash, summer (includes crookneck squash, scallop squash, straightneck squash, vegetable marrow, zucchini), Squash, winter (includes butternut squash, calabaza, hubbard squash, acorn squash, spaghetti squash), Watermelon]

opagnotti oquaonii, watoriilorii				
Disease Control	Rate	Application Notes		
Powdery Mildew (Spthaerotheca sp.)	6.2 oz/acre (0.7 oz ai/acre)	Mix in appropriate spray volume appropriate for sufficient coverage.		
Gummy Stem Blight (Didymella bryoniae)		For all diseases, spray product preventatively and continue as needed		
Gray Mold ( <i>Botrytis</i> sp.)		on a 10-14 day interval.  • 0 day Preharvest Interval.		
Corynespora leaf spot (Corynespora cassicola)				

#### **CUCURBIT VEGETABLES**

[Chayote (fruit), Chinese waxgourd (Chinese preserving melon), Citron melon, Cucumber, Gherkin, Gourd, edible (includes hyotan, cucuzza, hechima, Chinese okra), Momordica spp. (includes balsam apple, balsam pear, bitter melon, Chinese cucumber), Muskmelon (includes true cantaloupe, cantaloupe, casaba, crenshaw melon, golden pershaw melon, honeydew melon, honey balls, mango melon, Persian melon, pineapple melon, Santa Claus melon, and snake melon), Pumpkin, Squash, summer (includes crookneck squash, scallop squash, straightneck squash, vegetable marrow, zucchini), Squash, winter (includes butternut squash, calabaza, hubbard squash, acorn squash, spaghetti squash), Watermelon]

Disease Control	Rate	Application Notes
Scab (Cladosporium sp.)		
Early Blight (Alternaria sp.)		

#### Notes:

- Use in alternation with fungicides that have different modes of action.
- Do not apply more than 5 applications of ENDORSE Water Dispersible Granules (3.5 oz ai/acre) per season.

[Eggplant, Groundcherry, Pepino, Pepper (includes bell pepper, chili pepper, cooking pepper, pimento, sweet pepper), Tomatillo, Tomato]						
Disease Control	Rate	Application Notes				
Powdery Mildew (Leveillula taurica, Oidiopsus	6.2 oz/acre (0.7 oz ai/acre)	Mix in appropriate spray volume appropriate for sufficient coverage.				
sipula) Botrytis Rot (Botrytis sp.)		<ul> <li>For all diseases, spray product preventatively and continue as needed on a 10-14 day interval.</li> </ul>				
Early Blight (Alternaria solani)		0 day Preharvest Interval.				
Disease Suppression						
Anthracnose (Colletotricum coccodes)						

- Use in alternation with fungicides that have different modes of action.
- Do not apply more than 5 applications of ENDORSE Water Dispersible Granules (3.5 oz ai/acre) per season.

GINSENG (Except California)					
Foliar Disease Control	Rate	Application Notes			
Alternaria blight (Alternaria panax) Botrytis blight (Botrytis cinerea)	6.2 oz/acre (0.7 oz ai/acre)	<ul> <li>Apply as a foliar spray every 7–10 days.</li> <li>Apply prior to disease development and when conditions are conducive for disease.<sup>1</sup></li> </ul>			



GINSENG (Except California)				
Root and Crown Disease Control	Rate	Application Notes		
Cylindrocarpon root rot (Cylindrocarpon destructans)	6.2 oz/acre (0.7 oz ai/acre)	Apply as a drench every 14 days.		
Rhizoctonia root and crown rot (Rhizoctonia solani)		Apply as a drench every 14–28 days.		

#### Notes:

- Apply within 2 weeks following plant emergence and continue throughout the season.
- ¹Consult your local extension agent or local recommendations for information relating to proper timing for control of these diseases.
- Use in alternation with fungicides that have different modes of action.
- Do not apply more than 3 applications of ENDORSE Water Dispersible Granules (2.1 oz ai/acre) per season.

GRAPES				
Disease Control	Rate	Application Notes		
Botrytis Bunch Rot (Botrytis cinerea)	6.2 oz/acre (0.7 oz ai/acre)	Mix in appropriate spray volume appropriate for sufficient coverage.		
Powdery Mildew (Uncinula necator)		For Botrytis Bunch Rot control, spray product at veraision and 7 days prior to harvest.		
		For Powdery Mildew control, begin sprays preventatively and continue as needed on a 14 day interval.		
		0 day Preharvest Interval.		
		Do not apply by air.		

- Use in alternation with fungicides that have different modes of action.
- Do not apply more than 3 applications of ENDORSE Water Dispersible Granules (2.1 oz ai/acre) per season.

PISTACHIOS				
Disease Control	Rate	Application Notes		
Alternaria (Alternaria sp.)	6.2 oz/acre (0.7 oz ai/acre)	Mix in appropriate spray volume appropriate for sufficient coverage (Spray every row to ensure coverage)		
Disease Suppression		(avoid every other row applications))		
Botryosphaeria blight (Botryosphaeria sp.)		For both diseases, begin sprays preventatively and continue as needed on a 10–14 day interval.		
		0 day Preharvest Interval.		
		Do not apply by air.		

Endorse W\_\_\_Master Label Kaken Food Use AD111208 Amenda ornamentals & PR 2007-4 (clean)
Page 8 of 12

PISTACHIOS			
Disease Control Rate Application Note			
		Use of an adjuvant may enhance	
		coverage.	

#### Notes:

- Use in alternation with fungicides that have different modes of action.
- Do not apply more than 3 applications of ENDORSE Water Dispersible Granules (2.1 oz ai/acre) per season.

POME FRUITS [Apple, Crabapple, Loquat, Mayhaw, Pear, Oriental Pear, Quince]					
Disease Control	Rate	Application Notes			
Powdery Mildew (Apple: Podosphaera leucotricha	6.2 oz/acre (0.7 oz ai/acre)	Mix in appropriate spray volume appropriate for sufficient coverage.			
Pear: Phyllactinia mali) Alternaria Leaf Spot (Alternaria mali)		Start sprays for scab control at green tip and continue as needed on a 7-10 day interval.			
Blotch ( <i>Diplocarpon mali</i> )		For Powdery Mildew control, begin preventatively and repeat as necessary			
Disease Suppression		on a 10-14 day interval. Use of an alternation program with a sterol			
Scab (Venturia sp.)		inhibiting fungicide is recommended.  • 0 day Preharvest Interval.			

#### Notes:

- Use in alternation with fungicides that have different modes of action.
- Do not apply more than 6 applications of ENDORSE Water Dispersible Granules (4.2 oz ai/acre) per season.

POTATOES		
Disease Control	Rate	Application Notes
Early Blight (Alternaria solani)	6.2 oz/acre (0.7 oz ai/acre)	Mix in appropriate spray volume appropriate for sufficient coverage.
		For all diseases, spray product preventatively and continue as needed on a 10-14 day interval.
		0 day Preharvest Interval.

- Use in alternation with fungicides that have different modes of action.
- Do not apply more than 5 applications of ENDORSE Water Dispersible Granules (3.5 oz ai/acre) per season.

STRAWBERRIES		
Disease Control	Rate	Application Notes
Anthracnose Leaf and Fruit Rot (Colletotricum sp.)	6.2 oz/acre (0.7 oz ai/acre)	Mix in appropriate spray volume appropriate for sufficient coverage.
Botrytis Fruit Rot (Botrytis cinerea)		Begin applications preventatively and continue as needed on a 7–10 day
Powdery Mildew		interval.
(Sphraerotheca macularis)		0 day Preharvest Interval.
		Do not apply by air.
•		Use of adjuvant may enhance coverage

- Use in alternation with fungicides that have different modes of action.
- Do not apply more than 3 applications of ENDORSE Water Dispersible Granules (2.1 oz ai/acre) per season.

	ORNAMENTALS		
Foliar Diseases	Rate	Application Notes	
Anthracnose (Colletotrichum)	0.25 – 0.5 lb/100 gal/acre	<ul> <li>Apply as a foliar spray every 7</li> <li>– 10 days.</li> </ul>	
*Botrytis blight (Botrytis cinerea)	0.03 – 0.06 lb ai/100 gal/acre  • Apply prior to disease development and when	development and when	
Curvularia		conditions are conducive to disease development. 1	
Downy Mildew			
Pernospora sp.			
Plasmopara sp.			
Powdery Mildew			
Oidium sp.			
Erysiphe sp.			
Sphaerotheca sp.			
Rhizoctonia aerial blight (Rhizoctonia solani)			
*Alternaria blight (Alternaria panax)	0.5 lb/100 gal 0.06 lb ai/100 gal/acre		

Page 10 of 12

Master Label Kaken Food Use AD111208 Ameno \_\_d ornamentals & PR 2007-4 (clean)

Apple scab ( <i>Venturia inequalis</i> )		
Root and Crown Diseases	Rate	Application Notes
*Rhizoctonia root and crown rot ( <i>Rhizoctonia solani</i> )	0.25 – 0.5 lb/100 gal/acre 0.03 – 0.06 lb ai/100 gal/acre	Apply as a soil drench every 14 – 28 days.

- \* Control
- <sup>1</sup>Consult your local extension agent or local recommendations for information relating to proper timing for control of these diseases.
- Use in alternation with fungicides that have different modes of action.

Page 11 of 12

	TURF GRASSES	
Disease	Rate	Application Notes
Control Brown Patch Large Patch Aids in Control	2.4 lbs /acre (0.27 lb ai/acre in a minimum of 88 gallons of water)	Repeat treatment on a 7-14 day schedule where environmental conditions are conducive to development of diseases.  When a proportions are a record.
(except California)  Cool Weather Brown Patch (Yellow Patch) (Rhizoctonia cerealis)  Foliar and Basal Anthracnose (Collectotrichum graminicola)		<ul> <li>When symptoms are present, best control will be achieved by using a shorter interval.</li> <li>For best results apply after mowing.</li> </ul>
Gray Snow Mold ( <i>Typhula ishikariensis</i> and <i>Typhula incarnate</i> )		
Leaf Spot/Melting Out (Dreschlera poae)		
Pink Snow Mold ( <i>Microdochium solani</i> )		
Red Thread (Laetisaria fuciformis)		
Rhizoctonia Damping Off (Rhizoctonia solani)		
Zoysia Patch (Rhizoctonia solani) Aids in Suppression (except California)		
Gray Leaf Spot (Pyricularia grisea)		
Suppression and Short Term Control:	1 oz/1000 sq ft in minimum of 2 gallons of	Make two-three applications on a 7-day interval schedule.
Fairy Ring (including <i>Marasmius</i> spp., <i>Lepiota</i> , spp. and <i>Agarius</i> spp.)	water (0.27 lb ai/acre in 88 gallons of water)	<ul> <li>Use a penetrating wetting agent.</li> <li>Immediately following application, water in the treatment with sufficient irrigation (0.5-1") to wet the active root zone.</li> </ul>
Notes:	· · · · · · · · · · · · · · · · · · ·	

- With the exception for treatment of Fairy Ring, irrigation or rainfall soon after treatment with ENDORSE Water Dispersible Granules will decrease disease control. For best control, do not irrigate for 12 hours after treatment.
- ¹Consult your local extension agent or local recommendations for information relating to proper timing for control of these diseases.
- Use in alternation with fungicides that have different modes of action.

TURF GRASSES		
Disease	Rate	Application Notes

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in dry place away from food or feed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site

or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Offer for recycling, if available, or dispose of empty bag in a sanitary landfill or by incineration, or, if allowed, by State and local authorities, by burning. If burned, stay out of smoke.

## FOR 24-HOUR CHEMICAL EMERGENCY (Spill, Leak, Fire or Accident) ASSISTANCE: CALL CHEMTREC 1-800-424-9300

#### **Warranty and Disclaimer Statement**

- 1. The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Such risks may arise from weather conditions, soil factors, off-target movement, unconventional farming techniques, the presence of other materials, the manner of use or application, or other unknown factors, all of which are beyond the control of Kaken Pharmaceutical Co. Ltd. ("Kaken"), and can cause crop injury, injury to non-target crops or plants, ineffectiveness of the product, or other unintended consequences. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.
- Kaken warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions.
- This warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to Kaken, and is subject to the inherent risks described above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, KAKEN DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, KAKEN, MANUFACTURER, AND SELLER DISCLAIM AND SHALL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE, HANDLING, APPLICATION, STORAGE, OR DISPOSAL OF THIS PRODUCT OR FOR DAMAGES IN THE NATURE OF PENALTIES, AND THE USER AND BUYER WAIVE ANY RIGHT THAT THEY MAY HAVE TO SUCH DAMAGES. NO AGENT, REPRESENTATIVE OR EMPLOYEE OF KAKEN IS AUTHORIZED TO MAKE ANY WARRANTY, GUARANTEE OR REPRESENTATION BEYOND THOSE CONTAINED HEREIN OR TO MODIFY THE WARRANTIES CONTAINED HEREIN.
- 4. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE TOTAL LIABILITY OF KAKEN, MANUFACTURER, AND SELLER, SHALL BE LIMITED TO THE PURCHASE PRICE PAID, OR AT KAKEN'S ELECTION, THE REPLACEMENT OF THE PRODUCT.