

4300 L.B. McLeod Road P.O. Box 3228 • Orlando, Florida 32802 407-872-2224 • FAX 407-872-2261

DIRECTION FOR USE IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

CITRUS: Control of *Penicillium* molds and stem end rot. Dilute one (1) packet of Sealbrite Thiabendazole in 55 gallons of PacRite citrus wax to yield 1000 ppm (parts per million) thiabendazole (TBZ). For sporulation control, (*Penicillium spp.*) dilute one (1) packet Sealbrite Thiabendazole in 13.75 gallons of PacRite citrus wax.

Apply at the rate of one (1) gallon per 8,000-10,000 pounds of citrus fruit. Agitate wax suspension during application. Spray suspension full strength.

APPLES & PEARS: Control of post-harvest rots (Botrytis spp., Penicillium spp.). Dilute one (1) packet of Sealbrite Thiabendazole in 55 gallons of PacRite apple wax to yield 1000 ppm TBZ.

Apply at a rate of one (1) gallon per 8,000-10,000 pounds of fruit, Agitate wax suspension during application. Spray suspension full strength.

STORAGE & DISPOSAL

General-Do not contaminate water when disposing of equipment washwaters.

Pesticide Disposal—Do not contaminate water, feed or food by storage or disposal, Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal—Completely ampty the liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner and fiber drum in a sanitary landfill or by incineration if allowed by State and local Authorities.

Net Contents: 212 grams EPA Rog. No. 68182-6 EPA Est. No. 68182-FL-001

SEALBRITE® THIABENDAZOLE

A FUNGICIDE FOR THE POST-HARVEST TREATMENT OF CITRUS, APPLES, AND PEARS

Active ingredient:

Keep out of reach of children

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals: Harmful if swallowed, inhated or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wear rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call physician or Poison Control Center, Drink 1 to 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If on Skin: Wash with plenty of soap and water

In Inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth.

If In Eyes: Flush with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to interlidat areas below the mean high water mark. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of National Pollutant Discharge Elimination Systems (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatmont plant authority. For guidance contact your Stato Water Board or Regional Office of the EPA.

PacRite®-

AMERICAN MACHINERY CORPORATION 2730 Eunice Avenue P.O. Box 3228 • Orlando, FL 32802 407-295-2581 • FAX 407-290-5203

DIRECTIONS

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

CITRUS: Control of Penicillium molds and stem end rot. Dilute one (1) packet of Sealbrite Thiabendazole in 55 gallons of PacRite citrus wax to yield 1000 ppm (parts per million) hiabendazole (TBZ). For sporulation control, (Penicillium spp.) dilute one (1) packet PacRite Thiabendazole in 13.75 gallons of PacRite citrus wax.

Apply at the rate of one (1) gallon per 8,000-10,000 pounds of citrus fruit. Agitate wax suspension during application. Spray suspension full strength.

APPLES AND PEARS: Control of post-harvest rots (Botrytus spp. Penicillium spp). Dilute one (1) packet of Sealbrite Thiabendazole in 55 gellons of PacRite apple wax to yield 1000 ppm TBZ

Apply at the rate of one (1) gallon per 8,000-10,000 pounds of truit. Agitate wax suspension during application. Spray suspension full strength.

NET CONTENTS 212 gms EPA REG. NO. 8517-20 EPA EST. 8517-FL1

SEALBRITE® THIABENDAZOLE

A FUNGICIDE FOR THE POST-HARVEST TREATMENT OF CITRUS, APPLES AND PEARS Active Ingredient 2-(4-th|azolyl)-Lenzimidazole 98.5% Inert Ingredients 1.5% KEEP OUT OF REACH OF CHILDREN

CAUTION • PRECAUTIONARY STATEMENTS •

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing.

FIRST AID: In case of contact, flush skin or eyes with plenty of water, for eyes get medical attention. If swallowed, call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with fingers. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by slorage or disposal, open dumping is prohibiled. Pesticide disposal: pesticide spray mixture or rinsate that cannol be used according to tabe! instructions must be disposed of according to Federal, State, or local procedure under the Resource Conservation and Recovery Act. Container disposal: completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration; or if allowed by State and local authorities, by burning. If burned, stay out of smoke

