

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

10/23/01

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

S.R. Siemer, PhD Siemer & Associates 4672 W. Jennifer, Suite 103 Fresno, CA 93722

Dear Dr. Siemer:

Subject: Label Amendment Application Dated August 14, 2001 to Modify Directions for Use. EPA Registration No. 68186-1

The amendment referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(A), is acceptable provided that you:

- Submit and or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) and section 4 when the Agency requires all registrants of similar products to submit such data.
- Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.


Sincerely,

Sheryl Reilly, Branch Chief Biochemical Pesticides Branch

Biopesticides and Pollution

Prevention Division (7511C)

Enclosure



PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly after handling. Keep children and pets out of the treated area until sprays have dried.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

STORAGE AND DISPOSAL:

STORAGE: Store product in original container at room temperature in a locked storage area inaccessible to children and pets. Do not store below 50°F. DISPOSAL: Do not reuse this container. Do not rinse unless required for recycling. Place in trash. Never pour unused product down the drain or on the ground.



PRODUCED FROM JOJOBA SEED OIL For Powdery Mildew Control in and Around the Home

ACTIVE INGREDIENT:

Jojoba Oil Other Ingredients Total 97.50% <u>2.50%</u> 100.00%

EPA Reg. No. 68186-1 Patent Pending EPA Est. No. 48498-CA-001

-KEEP OUT OF REACH OF CHILDREN-

FIRST AID

If Product:

Gets in eyes then:

- Hold eye open and rinse slowly and gently with water for 5 minutes.
- Remove contact lenses, if present.
- Continue to rinse eyes for 10-15 minutes.
- Call a poison control center or doctor for treatment advice.

Gets on skin then:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

Is swallowed then:

- Have person sip a glass of water if able to swallow.
- NOTES: Have the product container or label with you when calling a poison control center or doctor or going for treatment.
 - In the event of a medical emergency, you may also contact the National Pesticide Telecommunications Network at 1-800-858-7378.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents:

Manufactured For: IJO PRODUCTS, LLC Fresno, CA 93722

DIRECTIONS FOR USE:READ ENTIRE LABEL BEFORE USING

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or by drift.

All Plants In and Around the Home – For control of powdery mildew make the first application after powdery mildew infection is observed. Make a full coverage spray of the growing plants using .75 fl. oz. to 1.5 fl. oz. E-RASE in 1.25 to 2.5 gallons water per 1000 ft² according to the extent of foliar growth and extent of disease pressure. E-RASE is a contact control agent that requires thorough spray coverage to achieve control of powdery mildew. [Foliar coverage on pubescent (hairy leafed) plants will be more difficult to achieve.] Make follow-on applications when mildew infections are again observed. As increased growth occurs, use 1.5 fl. oz. to 3.0 fl. oz. E-RASE in 2.5 to 5.0 gallons of water per 1000 ft², depending on the extent of growth and the extent of disease pressure. To avoid foliar injury, do not continue to make applications if chlorotic, and/or brown leaf margins, or other injury symptoms occur.

NOTE: Measurement conversions are: 0.75 fl. oz. = 1.5 measuring Tablespoons (Tbsp.); 1.5 fl. oz. = 3.0 measuring Tbsp.; 3.0 fl. oz. = 6.0 measuring Tbsp. (or ¼ cup measure plus 2 measuring Tbsp.).

Rinse the Tbsp, or other measuring device with water over the spray container after each use. This will help ensure that the correct amount of E-RASE is used. Use measuring devices only for pesticides and keep them away from food and food use areas.

Continuous agitation of the spray mixture is required to assure proper deposit of E-RASE. E-RASE can be used to control mildew with repeated application using prescribed rates and spray volume.

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions not reasonably foreseeable to the manufacturer and/or seller and the buyer assumes the risk of any such use.