



United States
Environmental Protection Agency
 Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number IJO Products LLC/68186-1	2. EPA Product Manager Ms. Sheryl K. Reilly	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) IJO Products LLC/Detur	PM# Chief	
5. Name and Address of Applicant (Include ZIP Code) Ag Formulators, Inc - c/o Siemer & Associates, Inc. 4672 W. Jennifer, Ste. 103 Fresno, CA 93722 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

Amendment - Explain below. Final printed labels in response to Agency letter dated _____

Resubmission in response to Agency letter dated _____ "Me Too" Application.

Notification - Explain below. Other - Explain below.

NOTIFICATION
 Date Reviewed: 11/19/04
 Reviewed By: T. Gibbons

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification to change alternate brand names per PR-Notice 98-10.
 This notification is consistent with the provisions of PR-Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR-Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container

3. Location of Net Contents Information
 Label Container

4. Size(s) Retail Container
1 qt., 1 gal., 2.5 gal.

5. Location of Label Directions

6. Manner in Which Label is Affixed to Product
 Lithograph Paper glued Stenciled Other _____

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Terri Aal	Title Registration Assistant	Telephone No. (Include Area Code) (559) 275-0911
-------------------	---------------------------------	---

Certification
 I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment both under applicable law.

2. Signature
Terri Aal

3. Title
Registration Assistant

4. Typed Name
Terri Aal

5. Date
9-24-04

6. Date Application Received (Stamped)



September 24, 2004

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
1801 Bell Street
Arlington, VA 22202

Subject: DETUR, EPA Reg. No. 68186-1
Notification of change to alternate brand names

Dear Sir or Madam:


Notification of alternate brand name changes per PR-Notice 98-10.

The master label name is Detur with all sublabels having the alternate brand name E-RASE with distinguishing use names that follow, i.e. E-RASE Agriculture, E-RASE Ornamental, E-RASE ECO. Per a request from the State of California, they have asked that the alternate brand names be reversed to read Agricultural E-RASE, Ornamental E-RASE and ECO E-RASE. No other changes have been made to the labels.

This notification is consistent with the provisions of PR-Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR-Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.


Sincerely,

SIEMER & ASSOCIATES, INC.



Terri Aal
Registration Assistant

TA
372epanoti/4134



**PRECAUTIONARY
STATEMENTS:
HAZARDS TO
HUMANS AND DOMESTIC
ANIMALS:**

CAUTION: Harmful if absorbed through skin or swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse. Avoid breathing spray mist. Keep children and pets out of the treated area until sprays have dried.

**PERSONAL PROTECTIVE
EQUIPMENT:**

Applicators and other handlers must wear long-sleeved shirts, pants, waterproof gloves, shoes and socks, and protective eyewear. Follow manufacturer's instructions for cleaning and maintaining personal protective equipment. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should:
Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL
HAZARDS:**

This product is toxic to fish. Shrimp and crab may be killed at application rates on this label. Do not apply where these are important resources. Do not apply directly to lakes, streams or ponds. Do not apply directly to water, or areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply where runoff is likely to occur. Do not apply where weather conditions favor drift from areas treated. Apply this product only as specified on this label.



**For Home & Garden and Commercial Use
PRODUCED FROM JOJOBA SEED OIL**

For Powdery Mildew & Whitefly Control

ACTIVE INGREDIENT:

Jojoba Oil	97.50%
Other Ingredients	2.50%
Total	100.00%

EPA Reg. No. 68186-1 EPA Est. No. 48498-CA-001
U.S. Patent No. 6,174,920 and 6,440,441

**-KEEP OUT OF REACH OF CHILDREN-
CAUTION**

FIRST AID

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

If on skin:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

If swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

- NOTES:**
- Have the product container or label with you when calling a poison control center or doctor or going for treatment.
 - In the event of a medical emergency, you may also contact the National Pesticide Telecommunications Network at 1-800-858-7378.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured For:
IJO PRODUCTS, LLC
4672 W. Jennifer
Fresno, CA 93722

Net Contents:
2.5 Gallons

DIRECTIONS FOR USE

READ ENTIRE LABEL BEFORE USING - GROUND

Do not apply this product through any type of...
It is a violation of federal law to use this product in a manner inconsistent...
in a way that will contact workers or other persons, either directly or by drift...
during application. For any requirements specific to your state or tribe, co...
regulations.

AGRICULTURAL USE REQUIREMENTS

Use this product in accordance with its labeling and with the Worker Protection...
Standard contains requirements for the protection of agricultural workers...
and handlers of agricultural pesticides. It also contains requirements for...
emergency assistance. It also contains specific instructions and exceptions...
about personal protective equipment (PPE), and restricted-entry interval...
uses of this product that are covered by the Worker Protection Standard...
treated areas during the restricted entry-interval (REI) of 4 hours. PPE...
permitted under the Worker Protection Standard and that involves contact...
plants, soil, or water is: coveralls over short-sleeved shirt and short pants...
protective eyewear.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT...
Standard for agricultural pesticides (40 CFR Part 170). The WPS applies...
agricultural plants on farms, forests, nurseries, or green houses. Keep chil...
sprays have dried.

All Crops - (See special instructions for grapes.) - For control of white...
gallon) per 100 gallons water ECO E-RASE at any time during the growin...
Thorough and uniform crop coverage is required. Repeat applications ma...
population pressure. Adults are only controlled as they become entangled...
by the waxy coating. Repeat applications are dependant upon the populati...
gaps in spray coverage.

Spray coverage is important. Continuous agitation of the spray mixture is...
ECO E-RASE. Spray gallonage will vary according to crop size. Use ¼%...
total spray per acre with small crops, such as early lettuce. Increase spray...
increase. One hundred (100) or more gallons per acre are needed to cover...
without excessive runoff. Reapply following significant rain storms.

Apply ECO E-RASE using conventional spray equipment, (i.e., dilute airt...
electrostatic sprays. Do not exceed 1% ECO E-RASE concentration and...
than seven days; stop application if chlorotic and/or brown leaf margins...
frequent applications of the high rate has the potential to injure some folia...
ECO E-RASE per acre in enough water for appropriate spray coverage as...
weekly program during periods of excessive growth dilution, i.e. when raj...
occurring.

All Plants In and Around the Home - [Foliar coverage on pub...
difficult to achieve. If full foliar wetting is not achieved, use an additiona...
surfactant label, but do not exceed 0.5% (v/v).] For control of powdery m...
powdery mildew infection is observed. Make a full coverage spray of the...
RASE in 100 gallons water per acre (75 fl. oz. to 1.5 fl. oz. in 2.5 gallons...
of foliar growth and extent of disease pressure. ECO E-RASE is a contact...
coverage to achieve control of powdery mildew. Make follow-on applica...
observed. As increased growth occurs, increase the spray gallonage to 10...
ECO E-RASE per acre (1.5 fl. oz. in 2.5 to 5.0 gallons of water per 1000...
the extent of disease pressure. To avoid foliar injury, do not continue to r...
leaf margins, or other injury symptoms occur.

Continuous agitation of the spray mixture is required to assure proper dep...
used to control mildew with repeated applications using prescribed rates:

DIRECTIONS FOR USE – Cont'd

Grapes – For control of powdery mildew make the first application after powdery mildew infection is observed on new shoots. Make a full coverage spray of the growing shoots using 2 quarts ECO E-RASE in 50-100 gallons water per acre according to the extent of foliar growth. ECO E-RASE is a contact control agent that requires thorough spray coverage to achieve commercial control of powdery mildew. Make a second application when mildew infections are again observed. Increase the spray gallonage, as increased growth occurs, to 100-200 gallons of water per acre and include 2 quarts ECO E-RASE per acre, depending on the extent of growth and the extent of disease pressure. [Foliar coverage on pubescent (hairy leafed) foliage will be more difficult to achieve. If full foliar wetting is not achieved, use an additional surfactant at a rate indicated on the surfactant label, but do not exceed 0.5% (v/v).] To avoid foliar injury, do not continue to make applications if chlorotic, and/or brown leaf margins, or other injury symptoms occur.

If flower development is advancing close to bloom do not make a third application until after bloom has passed and when disease is again observed. Use the rate of ECO E-RASE and spray gallonage required for the second spray application. On wine and raisin grapes, additional mildew sprays can continue when damaging mildew infections are observed. If loss of natural finish is critical as with fruit destined for fresh-market end use, then application of ECO E-RASE is not to be made closer than 6-8 weeks prior to harvest and the concentration is not to exceed 2 quarts ECO E-RASE per 100 gallons water per acre. If fruit finish at harvest is not critical, ECO E-RASE can be used to control mildew with repeated application using prescribed rates and spray volume through harvest as economic levels of mildew occur. For applications made later than 2-4 weeks preharvest, do not exceed 2 quarts ECO E-RASE in 100-200 gallons water per acre per application or there is a potential for injury in the form of berry desiccation. Do not spray when temperatures drop below 50°F.

Ornamentals (Outdoor, Greenhouse, Shadehouse, Nurseries) – For control of powdery mildew make the first application after powdery mildew infection is observed. Make a full coverage spray of the growing plants using 1-2 quarts ECO E-RASE in 100 gallons water per acre (.75 fl. oz. to 1.5 fl. oz. in 2.5 gallons water per 1000 ft²) according to the extent of foliar growth and extent of disease pressure. ECO E-RASE is a contact control agent that requires thorough spray coverage to achieve commercial control of powdery mildew. [Foliar coverage on pubescent (hairy leafed) plants will be more difficult to achieve. If full foliar wetting is not achieved, use an additional surfactant at a rate indicated on the surfactant label, but do not exceed 0.5% (v/v).] Make follow-on applications when mildew infections are again observed. As increased growth occurs, increase the spray gallonage to 100-200 gallons of water containing 2 quarts ECO E-RASE per acre (1.5 fl. oz. in 2.5 to 5.0 gallons of water per 1000 ft²), depending on the extent of growth and the extent of disease pressure. To avoid foliar injury, do not continue to make application if chlorotic, and/or brown leaf margins, or other injury symptoms occur.

Spray coverage is important. Continuous agitation of the spray mixture is required to assure proper deposit of ECO E-RASE. If time of flowering is critical, as with cutflowers destined for fresh-market, the concentration is not to exceed 2 quarts ECO E-RASE per 100 gallons water per acre, (1.5 fl. oz. in 2.5 gallons water per 1000 ft²) per application. If flowering delay is not critical, ECO E-RASE can be used to control mildew with repeated application using prescribed rates and spray volume through harvest as economic levels of mildew occur.

NOTE: Greenhouse and Outdoor Ornamentals: Environmental factors significantly affect phytotoxicity. While ECO E-RASE has been tested on numerous ornamental plants without causing serious phytotoxicity, because of the numerous species and varieties grown, take a small group of plants to be treated at the appropriate use rate (as indicated above) under the anticipated growing conditions and observe for phytotoxic symptoms before treating a large number of plants.

ECO E-RASE can be combined in the spray tank with other pesticides, but because not all combinations have been tested, be sure to test the tank mix combination in small quantities on only a few plants. If the tank mix combination does not mix well or injures the plant then do not use the tank mix combination. If ECO E-RASE is combined in the spray tank with other pesticides, the most restrictive label requirements apply.

Shake well before using and agitate spray solution.

STORAGE AND DISPOSAL:

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL:

PESTICIDE STORAGE: Store product in original container in a cool, (not in direct sunlight), dry, locked place out of reach of children. Do not store below 50°F; the wax component in the formula will solidify. Therefore, it will be necessary to warm the product to above 50° to make it sprayable. Do not put product into food or drink containers.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at approved waste disposal facilities.

PESTICIDE DISPOSAL: (Residential)

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label, when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions not reasonably foreseeable to the manufacturer and/or seller and the buyer assumes the risk by such use.

4/16

**PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS AND DOMESTIC ANIMALS:**

CAUTION: Harmful if absorbed through skin or swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Avoid breathing spray mist. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT:

Applicators and other handlers must wear long-sleeved shirts, pants, waterproof gloves, shoes and socks, and protective eyewear. Follow manufacturer instructions for cleaning and maintaining personal protective equipment. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should:
Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Shrimp and crab may be killed at application rates on this label. Do not apply where these are important resources. Do not apply directly to lakes, streams or ponds. Do not apply directly to water, or areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate. Do not apply where runoff is likely to occur. Do not apply where weather conditions favor drift from areas treated. Apply this product only as specified on this label.



ACTIVE INGREDIENT:

Jojoba Oil	97.50%
Other Ingredients	2.50%
Total	100.00%

EPA Reg. No. 68186-1 EPA Est. No. 48498-CA-001
U.S. Patent No. 6,174,920 and 6,440,441

**-KEEP OUT OF REACH OF CHILDREN-
CAUTION**

FIRST AID

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice.

If on skin:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

If swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

NOTES: • Have the product container or label with you when calling a poison control center or doctor or going for treatment.
• In the event of a medical emergency, you may also contact the National Pesticide Telecommunications Network at 1-800-858-7378.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured For:
IJO PRODUCTS, LLC
4677 W. Jennifer
Frd CA 93722

Net Contents:
2.5 Gallons

DIRECTIONS FOR USE
READ ENTIRE LABEL BEFORE USING - GROUND
Do not apply this product through any type of

It is a violation of federal law to use this product in a manner inconsistent with its label. Only protected handlers may apply this product. For more information on state and tribal requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product in accordance with its labeling and with the Worker Protection Standard (WPS) for agricultural workers on farms, forests, nurseries, and greenhouses, and with the requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and with the requirements for training, decontamination, notification, and emergency response. This product also contains requirements for training, decontamination, notification, and emergency response. The statements on this label about personal protective equipment (PPE) requirements in this box only apply to uses of this product that are covered by the WPS. Do not enter into treated areas during the restricted entry-interval (REI) of 4 hours. PPE required for uses under the Worker Protection Standard and that involves contact with anything that has been treated, such as: long-sleeved shirt and long pants; waterproof gloves; shoes plus socks; and protection of eyes.

Ornamentals (Outdoor, Greenhouse, Shadehouse, Nurseries) – For eradication of powdery mildew on ornamentals, application after powdery mildew infection is observed. Make a full coverage spray application of E-RASE in 100 gallons water per acre (.75 fl. oz. to 1.5 fl. oz. in 2.5 gallons water per 1000 ft²) per application. Ornamental E-RASE is a contact control agent that requires direct contact with the plant for control of powdery mildew. [Foliar coverage on pubescent (hairy leafed) plants will be more difficult to achieve, use an additional surfactant at a rate indicated on the surfactant label, but do not use if mildew infections are again observed. As increased growth occurs, increase application rate to 2 quarts Ornamental E-RASE per acre (1.5 fl. oz. in 2.5 to 5.0 gallons of water) and the extent of disease pressure. To avoid foliar injury, do not continue to make applications if other injury symptoms occur.

Spray coverage is important. Continuous agitation of the spray mixture is required to ensure coverage. If flowering is critical, as with cutflowers destined for fresh-market, the concentration of E-RASE in the spray mixture (1.5 fl. oz. in 2.5 gallons water per 1000 ft²) per application. E-RASE can be used to control mildew with repeated application using prescribed rates and methods if mildew occur.

NOTE: Greenhouse Ornamentals: Environmental factors significantly affect phytotoxicity of numerous ornamental plants without causing serious phytotoxicity, because of the numerous ornamental plants to be treated at the appropriate use rate (as indicated above) under the anti-phytotoxicity symptoms.

Ornamental E-RASE can be combined in the spray tank with other pesticides, but be sure to test the tank mix combination in small quantities on only a few plants. If the tank mix combination is successful, then do not use the tank mix combination. If Ornamental E-RASE is combined in the tank with other pesticides, the label requirements apply.

Shake well before using and agitate spray mixture.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED
PESTICIDE STORAGE: Store product in original container in a cool, (not in direct sunlight) place. Do not store below 50°F; the wax component in the formula will solidify above 50°F to make it sprayable. Do not put product into food or drink containers.
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of by incineration, or, if allowed by State or local authorities, by burning. If burning, use a dedicated incinerator.
CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reuse, if available, or landfill, or incineration, or, if allowed by State or local authorities, by burning. If burning, use a dedicated incinerator.

NOTICE: This product conforms to its chemical description and is reasonably fit for use in accordance with directions under normal conditions of use. Manufacturer is not responsible for uses, or under abnormal conditions not reasonably foreseeable to the manufacturer, that do not conform to the label instructions.

**PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS AND DOMESTIC ANIMALS:**

CAUTION: Harmful if absorbed through skin or swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Avoid breathing spray mist. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT:

Applicators and other handlers must wear long-sleeved shirts, pants, waterproof gloves, shoes and socks, and protective eyewear. Follow manufacturer instructions for cleaning and maintaining personal protective equipment. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should:
Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Shrimp and crab may be killed at application rates on this label. Do not apply where these are important resources. Do not apply directly to lakes, streams or ponds. Do not apply directly to water, or areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply where runoff is likely to occur. Do not apply where weather conditions favor drift from areas treated. Apply this product only as specified on this label.



PRODUCED FROM JOJOBA SEED OIL

For Powdery Mildew Control

ACTIVE INGREDIENT:

Jojoba Oil	97.50%
Other Ingredients	2.50%
Total	100.00%

EPA Reg. No. 68186-1 EPA Est. No. 48498-CA-001
U.S. Patent No. 6,174,920 and 6,440,441

**-KEEP OUT OF REACH OF CHILDREN-
CAUTION**

FIRST AID

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice.

If on skin:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

If swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

NOTES: • Have the product container or label with you when calling a poison control center or doctor or going for treatment.
• In the event of a medical emergency, you may also contact the National Pesticide Information Center (NPIC) at 1-800-858-7378.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured For:
IJO PRODUCTS, LLC
4672 W. Jennifer
So, CA 93722

Net Contents:
2.5 Gallons

**DIRECTIONS FOR USE:
READ ENTIRE LABEL BEFORE USING
GROUND APPLICATION ONLY**

Do not apply this product through any type of irrigation system.

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or by drift. Only protected handlers may be in area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulations.

AGRICULTURAL USE REQUIREMENTS:

Use this product in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, greenhouses, and handlers of agricultural pesticides. It also contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry-interval (REI) of 4 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls over short-sleeved shirt and short pants; waterproof gloves; shoes plus socks; and protective eyewear.

Grapes – For control of powdery mildew make the first application after powdery mildew infection is observed on new shoots. Make a full coverage spray of the growing shoots using 1-2 quarts Agriculture E-RASE in 50-100 gallons water per acre according to the extent of foliar growth. Agriculture E-RASE is a contact control agent that requires thorough spray coverage to achieve commercial control of powdery mildew. Make a second application when mildew infections are again observed. Increase the spray gallonage, as increased growth occurs, to 100-200 gallons of water per acre and include 2 quarts Agriculture E-RASE per acre, depending on the extent of growth and the extent of disease pressure. [Foliar coverage on pubescent (hairy leaved) foliage will be more difficult to achieve. If full foliar wetting is not achieved, use an additional surfactant at a rate indicated on the surfactant label, but do not exceed 0.5% (v/v)] To avoid foliar injury, do not continue to make applications if chlorotic, and/or brown leaf margins, or other injury symptoms occur.

If flower development is advancing close to bloom do not make a third application until after bloom has passed and when disease is again observed. Use the rate of Agriculture E-RASE and spray gallonage required for the second spray application. On wine and raisin grapes, additional mildew sprays can continue when damaging mildew infections are observed. If loss of natural finish is critical as with fruit destined for fresh-market end use, then application of Agriculture E-RASE is not to be made closer than 6-8 weeks prior to harvest and the concentration is not to exceed 2 quarts Agriculture E-RASE per 100 gallons water per acre. If fruit finish at harvest is not critical, Agriculture E-RASE can be used to control mildew with repeated application using prescribed rates and spray volume through harvest as economic levels of mildew occur. For applications made later than 2-4 weeks preharvest, do not exceed 2 quarts Agriculture E-RASE in 100-200 gallons water per acre per application or there is a potential for injury. Do not spray when temperatures drop below 50°F.

Agriculture E-RASE can be combined in the spray tank with other pesticides, but because not all combinations have been tested, be sure to test the tank mix combination in small quantities on only a few plants. If the tank mix combination does not mix well or injures the plant then do not use the tank mix combination. If Agriculture E-RASE is combined in the spray tank with other pesticide, the most restrictive label requirements apply.

Shake well before using and agitate spray solution.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL:

PESTICIDE STORAGE: Store product in original container in a cool, (not in direct sunlight), dry, locked place out of reach of children. Do not store below 50°F; the wax component in the formula will solidify. Therefore, it will be necessary to warm the product to above 50°F to make it sprayable. Do not put product into food or drink containers.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at approved waste disposal facilities.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

NOTICE: This product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. Manufacturer is not responsible for the use of this product contrary to the label instructions, or under abnormal conditions not reasonably foreseeable to the manufacturer and/or seller and the buyer assumes the risk of any such use.

6/10