

**TERM - A - RID 613™
WOOD STAKES**

The Purpose of TERM - A - RID 613™ Wood Stakes is to aid in the detection of worker termites (termites without wings) next to a structure and to reduce their population by feeding on the stake. If worker termites are present, they can be detected by removing the stake from the soil and inspecting the below soil portion for damage. Damage may include grooves or holes in the stake surface or destruction of the stake tip. Feeding on the stakes may kill worker termites and this may reduce the termite population near the stake. Use of this product does not substitute for mechanical alteration, soil treatment or foundation treatment, but is merely a supplement to a termite monitoring and control program.

ACTIVE INGREDIENT

Disodium Octaborate Tetrahydrate . . . 0.5%

INERT INGREDIENTS 99.5%

Total 100.0%

EPA Reg. No. 68231-2

EPA Est. No. 68231 - MD - 002

Patent No. 5,564,222

Contains 0.02 ozs. of active ingredient per pound of wood stakes

**KEEP OUT OF REACH OF CHILDREN
PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION

Avoid contact with eyes. Wash thoroughly after handling.
Avoid contamination of food. Do not leave package where children or animals may gain access.

**STATEMENT OF
PRACTICAL TREATMENT**

IF IN EYES, flush with plenty of water, get medical attention if irritation persists.

IF ON SKIN, wash with soap and water. Dermal exposure is usually not a concern because disodium octaborate tetrahydrate is not absorbed through the skin.

ENVIRONMENTAL HAZARDS

Do not apply to wood system of sensitive plants as it may retard growth. Do not apply directly to any body of water.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place.

PESTICIDE DISPOSAL: Wrap unused wood stakes in newspaper and dispose in trash container.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

TERM - A - RID 613™ is a wood stake containing a 0.5% water soluble inorganic salt. Moisture will leach the borate compound from the stake. The weather becomes the governing factor in the length of time the wood stakes will be effective. Usually the stakes will continue to function up to six or more months under ordinary climatic conditions. TERM - A - RID 613™ all wood stakes are not a replacement for routine termite inspection and treatments when activity is discovered.


APPLICATION

Place one TERM - A - RID 613™ wood stake vertically into the ground no more than five (5) feet apart along the line of the foundation. Push or hammer the wood stake into the ground until it is about one inch below the surface, if possible, place the wood stake three (3) feet out from the structure. The wood stake may be placed closer if there is no alternative. Place wood stakes around patios and sidewalks that abut the primary structure. Also place wood stakes no more than five (5) feet around garages, tool sheds, pump houses, stables and other wood structures. It is recommended that Term-A-Rid 613™ stakes be checked on a regular basis, at least every 90 days. If termite activity is noted, they should be checked on a monthly basis and replaced as needed for best results. The wood stakes are of wood and are totally biodegradable. The diluted borate salt is a normal soil component. Trace amounts are beneficial to plants.

NOTICE

Because of many varying conditions affecting use and application the manufacturer warns the buyer that these may impair or vary the results or effects of the use of this product. Neither manufacturer nor seller shall be liable in respect to any injury or damage suffered by reason of the use of this product for purposes not indicated by the label, or when used contrary to the directions hereon, nor with respect to any breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label. There are no express warranties on TERM - A - RID 613™ or implied warranties of merchantability or fitness for any particular purpose, except as specifically stated hereon. Manufacturer shall not be liable for any consequential damage based on the use of this product.

Formulated by:
ENVIRONMENTAL LABS. INC.
DBA Termarid, LLC
102 Peninsula Drive
North East, MD 21901
Emergency phone: (410) 287-7810



68231-2

2/18/2000

Page 121