

68231-2

11/28/2005

1/5

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0080, Approval expires 2-28-05



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 68231-2	2. EPA Product Manager George LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Term-A-Rid 613 Wood Stakes	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Environmental Laboratories Inc. D/B/A Termarid, LLC. 434 N. Main St., Ste. A, Suffolk, VA 23434 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION NOV 28 2005
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of label change relative to PR Notice 2001-6. This notification is consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	
				<input type="checkbox"/> Plastic	
				<input type="checkbox"/> Glass	
				<input type="checkbox"/> Paper	
* Certification must be submitted				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Carrie B. Crawford		Title Regulatory Consultant		Telephone No. (Include Area Code) 540-864-8490	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped)
2. Signature 		3. Title Regulatory Consultant			
4. Typed Name Carrie B. Crawford		5. Date November 10, 2005			

TERM-A-RID 613™ WOOD STAKES

The purpose of TERM-A-RID 613™ is to aid in the detection of worker termites (termites without wings) next to a structure and to reduce their population by feeding on the stake. If worker termites are present, they can be detected by removing the stake from the soil and inspecting the below soil portion for damage. Damage may include grooves or holes in the stake surface or destruction of the stake tip. Feeding on the stakes may kill worker termites and this may reduce the termite population near the stake. Use of this produce does not substitute for mechanical alteration, soil treatment or foundation treatment, but is mere a supplement to a termite monitoring and control program.

ACTIVE INGREDIENT:

Disodium Octaborate Tetrahydrate.....	0.5%
INERT INGREDIENTS.....	99.5%
Total	100.0%

Contains 0.02 ozs. of active ingredient per pound of wood stakes

EPA Reg. No. 68231-2
EPA Est. No. 68231-MD-2
Patent No. 5,564,222

KEEP OUT OF REACH OF CHILDREN
CAUTION

NET CONTENTS: [xx LBS.]

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION: Avoid contact with eyes. Wash thoroughly after handling. Avoid contamination of food. Do not leave package where children or animals may gain access.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical treatment if irritation persists.
IF ON SKIN: Wash with soap and water. Dermal exposure is usually not a concern because disodium octaborate tetrahydrate is not absorbed through the skin.

ENVIRONMENTAL HAZARDS

Do not apply in root system of sensitive plants as it may retard growth. Do not apply directly to any body of water.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry place inaccessible to children and pets. **Disposal:** *If empty:* Do not reuse this container. Place in trash or offer for recycling if available. *If partly filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION: TERM-A-RID 613™ is a wood stake containing a 0.5% water-soluble inorganic salt. Moisture will leach the borate compound from the stake. The weather becomes the governing factor in the length of time the wood stakes will be effective. Usually the stakes will continue to function up to six or more months under ordinary climatic conditions. TERM-A-RID 613™ all wood stakes are not a replacement for routine termite inspection and treatments when activity is discovered.

APPLICATION: Place one TERM-A-RID 613™ wood stake vertically into the ground no more than five (5) feet apart along the line of the foundation. Push or hammer the wood stake into the ground until it is about one inch below the surface. If possible, place the wood stake three (3) feet out from the structure. The wood stake may be placed closer if there is no alternative. Place wood stakes around patios and sidewalks that abut the primary structure. Also place wood stakes no more than five (5) feet around garages, tool sheds, pump houses, stables and other wood structures. It is recommended that Term-A-Rid 613™ stakes be checked on a regular basis, at least every 90 days. If termite activity is noted, they should be checked on a monthly basis and replaced as needed for best results. The wood stakes are of wood and are totally biodegradable. The diluted borate sale is a normal soil component. Trace amounts are beneficial to plants.

NOTICE

Because of many varying conditions affecting use and application the manufacturer warns the buyer that these may impair or vary the results or effects of the use of this product. Neither manufacturer nor seller shall be liable in respect to any injury or damage suffered by reason of the use of this product for purposes not indicated by the label, or when used contrary to the directions hereon, nor with respect to any breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label. There are no express warranties on TERM-A-RID 613™ or implied warranties of merchantability or fitness for any particular purpose except as specifically stated hereon. Manufacturer shall not be liable for any consequential damage based on the use of this product.

Formulated by:
ENVIRONMENTAL LABS, INC.
DBA Termarid, LLC.
434 North Main Street
Suite A
Suffolk, VA 23434 USA

Emergency Phone:
1-866-TERMARID (1-866-837-6274)

4/5



TERMARID, LLC
434 NORTH MAIN STREET, SUITE A
SUFFOLK, VIRGINIA 23434
1-866-837-6274

November 15, 2005

To Whom It May Concern:

This memo serves to confirm that Carrie Crawford, 5927 Paint Bank Road, New Castle, VA 24127 is authorized to act on behalf of the following companies in matters relating to the application for the registration of pesticide products:

Environmental Laboratories, Inc., D/B/A Termarid, LLC,
Environmental Resources Technologies
Termarid, LLC.

This includes communicating on behalf of these companies with respective federal, state, and local regulatory and governmental agencies, requesting and receiving data and information, filing for the relevant regulatory approvals, and filing periodic reports with these same agencies.

For any questions or clarification, please contact me directly.

Michael Kayes, Managing Director

November 17, 2005
Date

5/5

Specialized Regulatory Services

CARRIE B. CRAWFORD

5927 PAINT BANK RD.
NEW CASTLE, VA 24127

Tel: (540) 864-8490

Fax: (540) 864-8491

e-mail: ccregs@tds.net

November 10, 2005

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U. S. Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Avenue N.E.
Washington, DC 20460

RE: Term-A-Rid 613® Wood Stakes
EPA Reg. No. 68231-2
Notification – Disposal Statement

Dear Madam/Sir:

Enclosed is a Pesticide Application Notification being submitted for the purpose of updating Disposal instructions in accordance with PR Notice 2001-6. This notification is being submitted on behalf of Environmental Laboratories Inc. DBA Termarid, LLC.


This Notification submission contains the following:

1. A Pesticide Application Notification, EPA Form 8570-1.
2. A master label that contains the new disposal instructions.

A label amendment is being prepared and will be submitted very soon to update the First Aid statements along with adding some additional marketing language.

If you have any questions concerning this submission please contact me.

Yours truly,



Carrie Crawford
Regulatory Consultant

Enclosures

[Faint circular stamp and text]