US ENVIRONMENT: ROTECTION AGENCY	EPA REGISTE IN NO.	AUG - 8 1996
OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	6/329-20 TERM OF 1993 2NEE 20	
	NAME OF PESTICIDE PRODU	ст
	Alpha 416	
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	Atpila 410	
ME AND ADDRESS OF REGISTRANT (Include ZIP code)		
Г	Г	
Unichem		
P.O. Box 1499		х.
L Hobbs, NM 88240		
OTE: Changes in labeling formula differing in substance fr ibmitted to and accepted by the Registration Division prior oduct always refer to the above U.S. EPA registration num	to use of the label in commen	
n the basis of information furnished by the registrant, the		by Registered/Reregistered under
re Federal Insecticide, Fungicide, and Rodenticide Act.		,
copy of the labeling accepted in connection with this Reg	gistration/Reregistration is re	turned herewith.
ct is not to be construed as giving the registrant a right to y others.	exclusive use of the name or	to its use if it has been covered
This product is conditionally re with FIFRA section 3(c) (7) (A) 1. Submit/cite all data re	provided that you	
registration/reregistration of y		A section 3(c)
(5) when the Agency requires all	registrants of s	similar
products to submit such data; an required for reregistration of y		
section 4.	-	offere trev
2. Make the labeling chang release the product for shipment	:	-
a. Add the phrase "EPA	Registration No	
your label before yo shipment.	ou rerease the pro	JUUCL LUI
- Submit five (5) copies of yo	our final printed	labeling before
you release the product for ship	ment. Refer to t	the A-79
enclosure for a further descript	ion of final prin	nted labeling.
If these conditions are not will be subject to cancellation 6(e). Your release for shipment	in accordance wi	th FIFRA sec.
acceptance of these conditions.		
ATTACHMENT IS APPLICABLE		
GNATURE OF APPROVING OFFICIAL		DATE

And and a second se

. . .

allas

•

A stamped copy of the label is enclosed for your records. Marion J. Johnson, Jr. Product Manager (31) Antimicrobial Program Branch (Registration Division (7505C)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive. Causes eye and skin damage. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Do not inhale vapor or mist, Use with adequate ventilation. Wear rubber gloves, goggles or face shield when handling. Immediately remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notilied in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

STORAGE: Keep container tightly closed. Protect from freezing. Store in a dry place. Do not store at elevated tomperatures.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous and/or toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Posticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

METAL AND PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or burn, if allowed by state and local authorities. If burned, stay out of smoke.

FIBER DRUMS WITH LINERS: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner and drum in a sanitary landfill or incinerate it allowed by state and local application. Do not reuse empty drum or liner.

PHYSICAL AND CHEMICAL HAZARDS

Do not use pour of store near heat or open flame.

* * * * * * * *

ALPHA 416

Slime Control Agent

ACTIVE INGREDIENTS:

DANGER KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT

In case of contact with skin, wash immediately with plenty of soap and water. Immediately contact physician.

In case of contact with eyes, flush promptly and thoroughly with clear water for at least 15 minutes, immediately contact physician.

In case of ingestion, immediately contact a physician.

See left panel for additional precautionary statements.

NOTE TO PHYSICIAN: Mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

A Material Safety Data Sheet containing more detailed information relative to this product is available upon request.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its lableing.

ENHANCED OIL FIELD RECOVERY SYSTEMS For controlling slime-forming bacteria, sulfide-producing bacteria, yeasts and fungi in oil field water, polymer or mycellar floods, water disposal systems or other oil field water systems, add this product at the rate of 90 to 495 ppm (30 to 165 lbs. per 1000 barrels of water) depending upon the severity of contamination. Additions of this product should be made with a metering pump either continuously or intermittently.

Addition of this product may be made at the free water knockouts, before or after the injection pumps and inj a well headers.

INTERMITTENT OR SLUG METHOD

When the system is noticeably fouled, or to maintain control of the system, add this product at the rate of 90 to 495 ppm (30 to 165 lbs. this product per 1000 barrels of water) intermittently for 4 to 8 hours per day, and from 1 to 4 times per week or as needed depending on the severity of contamination.

CONTINUOUS FEED METHOD

When the system is noticeably fouled, add this product at the rate of 90 to 495 ppm (30 to 165 pounds per 1000 barrels of water) continuously until the desired degree of control is achieved. Subsequently, treat with this product at the rate of 90 to 180 ppm (30 to 60 lbs. per 1000 barrels of water) continuously or as needed to maintain control.

FOR INDUSTRIAL USE. Technical advice regarding s site problems is available from Unichem.


Sold by: UNICHEM

A Division of BJ Services Company, U.S.A.

707 N. Leech P.O. Box 1499 Hobbs, N.M. 88241 (505) 393-7751

E.P.A. Registration No. 3876-145-68329 E.P.A. Establishment No. 68329-NM-1 Made in U.S.A.

Net Contents: Marked On Container



.

6/95