

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions.

**IMPORTANT:** Do not expose children, pets, or other non-target animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

**USE RESTRICTIONS:** For control of Norway rats, Roof rats and House mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

**SELECTION OF TREATMENT AREAS:** Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

#### APPLICATION DIRECTIONS

**RATS:** Apply 4 to 16 ounces of bait per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

**MICE:** Apply 1/4 to 1/2 ounce (1-2 level tablespoons) of bait at 8 to 12-foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

**RATS/MICE:** Replace contaminated or spoiled bait immediately.

**MICE:** Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.



# FRONTIER

## RAT AND MOUSE KILLER

WITH DIPHACINONE  
A Pelletized Rodenticide  
READY MIXED

#### ACTIVE INGREDIENT:

Diphacinone

[2-(Diphenylacetyl)-1,3-indandione] ..... 0.005%

**INERT INGREDIENTS:** ..... 99.995%

**TOTAL** ..... 100.000%

EPA Reg. No. 68401-3

EPA Est. No. 68401-NC-1

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**ACCEPTED**

See Other Panel for additional Precautions

Dec. 28, 1998

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 68401-3

Manufactured by:  
D & D Chemical, Inc..  
P.O. Box 157  
Grifton, NC 28530

**NET WEIGHT: 50 LBS. (22.68 Kg.)**

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store only in original closed container in a cool, dry place inaccessible to children and pets. Store separately from fertilizer and away from products with strong odors which may contaminate the bait and reduce acceptability. Spillage should be carefully swept up and collected for disposal.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse plastic pails. For paper or plastic bags, or for fiber drums or boxes with liners, completely empty bag or liner into application equipment by shaking and tapping container to loosen clinging particles. Offer pails or drums for recycling or reconditioning, or puncture before disposal. Dispose of bags, liners, or punctured containers in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. For fiber drums, if drum contaminated and cannot be reused, dispose of in the same manner.

#### PRECAUTIONARY STATEMENTS

##### HAZARD TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

**NOTE TO PHYSICIAN:** If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

##### ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

##### NOTICE OF WARRANTY

Because Manufacturer and Seller have no control over storage, handling, and conditions of use, which are of critical importance, Manufacturer and Seller make no representation or warranty, either express or implied, for results due to misuse, improper handling, or storage of this material. Nor do Manufacturer or Seller assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.