E 68451-1	3-2	9-2	002				1
United State Environmental Protect Washington, DC	tion Age	ncy	Form App		Regist Amend Other	ration	OPP Identifier Number
Applica	tion for P	esticid	le - Sect	tion			
1. Company/Product Number Intervet Inc./68451-1			2. EPA Product Manager George Larocca				roposed Classification
4. Company/Product (Name) Intervet Inc./ Deltamethrin 4% Collar			РМ#				None Resulted
5. Name and Address of Applicant (Include ZIP Code) Intervet Inc. 405 State St.; P.O. Box 318 Millsboro, DE 19966 Check if this is a new address		(b)(i), m to: EPA R					FIFRA Section 3(c)(3) omposition and labeling
	Sect	ion - II					
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below. Explanation: Use additional page(s) if necessary. (For sec Label Revision: Revision of marketing claim per PR Notice 98-1 provisions of PR Notice 98-10 and EPA regulations at 40 CFR 1 formula of this product. I understand that it is a violation of 18 U notification is not consistent with the terms of PR Notice 98-10 a enforcement action and penalties under sections 12 and 14 of F	10 (see attache 152.46 , and no J.S.C. Sec. 100 and 40 CFR 15	etion II.) ad draft lab	nges have b ly make any	er date Applica lain be sed cha seen ma false s	ad tion. low. anges). The ade to the latement to	is notificatio abeling or the	ne confidential statement of the thick that if this
	Sect	ion - III	 				
1. Material This Product Will Be Packaged In:							
Child-Resistant Packaging Yes No * Certification must be submitted Unit Packaging Unit Packaging Ves No. per Unit Packaging wgt.	If "Yes" Package	e wgt	No. per contained				Specify)
	Reteil Contain	187		5. Loc	ation of L	abel Directi	ons
6. Manner in Which Label is Affixed to Product Page Ste	hograph per glued enciled		Other	r			•
	Secti	on - IV	7				
1. Contact Point (Complete items directly below for identifica	etion of individ	fuel to be	contacted,	if nece	essary, to	process this	application.)
Name . Title Mary K. Hagler . Regulatory Specialist - Phan				Telephone No. (hulude Area Code) maceuticals (302) 934-4340			
Certifi I certify that the statements I have made on this form a I acknowledge that any knowlingly false or misleading both under applicable law.				•		•	6. Date Application Regelved (Stamped)
2. Signature 3. Title							
Mary K- tagle	y Specialist - Pharmaceuticals						

5. Date

21 March 2002

4. Typed Name

Mary K. Hagler

3/3

NOTIFICATION

MAR 2 9 2002

DELTAMETHRIN 4% COLLAR

FLEA & TICK COLLAR FOR DOGS

→ Kills Fleas and Ticks for up to 6 Months ←
LONG LASTING PROTECTION FOR UP TO 6 MONTHS
Kills Ticks (including deer ticks which may carry Lyme disease)
ALSO KILLS FLEAS

ACTIVE INGREDIENT:

Deltamethrin

Percentage by Weight

4.0%

INERT INGREDIENTS

Total

96.0% 100.0%

CAUTION: Do Not Let Children Play With This Collar

See Insert or Side Panel for additional Precautionary Statements

See Back for additional Precautionary Statements

Adjustable - One Size Fits All

EPA Reg. No. 68451-1

EPA Est. No. 68451-FRA-1 NET CONTENTS: 1 Collar

NET WT. 0.9 oz

Distributed by: Intervet Inc. 405 State Street Millsboro, DE 19966

Product of France

Page 1 of 2 21 March 2002

READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON DOGS

DELTAMETHRIN 4% COLLAR

FLEA & TICK COLLAR FOR DOGS

Deltamethrin 4% Collar provides full season, up to 6 months protection against fleas and ticks.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION:

Do not open protective pouch until ready to use. Do not let children play with this collar.

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

Do not use on puppies under 12 weeks. Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated, or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, remove collar and bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID

IF SWALLOWED: Call a physician or poison control center. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

EMERGENCY PHONE NUMBERS:

FOR HUMAN, FIRE, ENVIRONMENTAL: 1-800-228-5635, ext. 132 FOR ANIMALS: 1-800-345-4735

Collar is intended for use only as an insecticide generator and is not to be taken internally by man or animals. Applying other pesticides on the dog may not be necessary while the collar is being worn.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Deltamethrin 4% Collar, containing deltamethrin insecticide, has been specially formulated using patented insecticide-release technology. Maximum effectiveness may not occur for 2-3 weeks after collar placement. Fleas (Ctenocephalides sp.) on the dog will be killed and ones which are present in the dog's environment that may appear on your pet will be killed. Collar will also kill ticks for up to 6 months. Collar will kill ticks including Brown dog tick (Rhipicephalus sanguineus), American dog tick (Dermacentor variabilis) and deer ticks (Ixodes scapularis and Ixodes pacificus) which may carry the Lyme disease. This collar should be worn continuously. Reapply a new collar every 6 months.

Place the collar around dog's neck, buckle and adjust for proper fit. Cut off approximately 2 inches from the buckle and dispose of excess length by wrapping in newspaper and placing in trash. The collar must be worn loosely so that two fingers may be placed between collar and dog's neck. Living and rest areas of pet must also be treated with appropriate pest control measures to ensure control of pests. Wetting will not impair the collar's effectiveness or the pet's protection. If the dog goes swimming or is out in the rain, it is not necessary to remove the collar. Deltamethrin 4%Collar may be used in addition to a lead or constraint collar. Use only one Deltamethrin 4% Collar at a time.

STORAGE AND DISPOSAL: Store in original, unopened container, away from children. Do not reuse container or used collar. Wrap in newspaper and put in trash.

IMPORTANT NOTICE: DISCLAIMER

Read "IMPORTANT NOTICE: DISCLAIMER" before buying or using. If terms are not acceptable, return at once unopened. INTERVET INC. warrants only that the product conforms to the chemical description on the label and is reasonably fit for the purpose stated on the label when used in accordance with the directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to INTERVET INC., and user assumes the risk of any such use. INTERVET INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR OF MERCHANTABILITY. In no case shall INTERVET INC. be liable for consequential, special, indirect or incidental damages resulting from the use or handling of this product. The foregoing conditions of sale and warranty can be varied only by an agreement in writing signed by a duly authorized representative of INTERVET INC.

Part No. XXXXX

Universal Product Code Number (Bar Code)

Product of France

Page 2 0 + 2 21 march 2002