

PM-13

Reg # 68451-2

46/5306322 123
18/1



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
68451-2

Date of Issuance:
5 JUN 1996

NOTICE OF PESTICIDE:
 Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:
Unconditional

Name of Pesticide Product:
Deltamethrin 3%
Collar

Name and Address of Registrant (include ZIP Code):

Hoechst-Roussel Agri-Vet Company
Route 202-206 Bedm. 1
PO Box 2500
Somerville, NJ 08876-1258

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3)(c)(2)(B).

1. Make the following label change: Revise the EPA Registration Number to read, "EPA Reg. No. 68451-2".

2. We note that in your May 14, 1996 letter you agreed to submit efficacy data supporting label claims within 3 months of the date of this notice.

3. Submit two copies of the revised final printed label for the record. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

SYMBOL	Signature of Approving Official	CONCURRENCES				Date
	<i>LaRocca</i>					
SURNAME						
DATE						

293

DELTAMETHRIN 3% COLLAR

FLEA & TICK COLLAR FOR DOGS

- ✓ GUARANTEED WATERPROOF
- ✓ KILLS FLEAS FOR 6 MONTHS
- ✓ KILLS TICKS FOR 4 MONTHS
- ✓ ODORLESS
- ✓ FITS DOGS WITH NECKS UP TO 21"
- ✓ GUARANTEED OR YOUR MONEY BACK
- ✓ WETTING WILL NOT IMPAIR THE COLLAR'S EFFECTIVENESS
- ✓ MAY BE WORN WITH REGULAR COLLAR
- ✓ PATENTED INSECTICIDE RELEASE TECHNOLOGY

ACTIVE INGREDIENT:	Percentage by Weight
Deltamethrin [(s)-alpha-cyano-3-phenoxybenzyl-(1R,3R)-3-(2,2-dibromovinyl)-2,2-dimethyl-cyclopropanecarboxylate]	3.0%
INERT INGREDIENTS	<u>97.0%</u>
Total	100.0%

CAUTION: Do Not Let Children Play With This Collar

See Side Panel for additional Precautionary Statements

EPA Reg. No. 68451-2

EPA Est. No. 68451-FRA-1

NET CONTENTS: 1 Collar
NET WT. 1.1 oz

Roussel Uclaf, S.A.
Division Santé Animale
102 route de Noisy
93235 Romainville, France

ACCEPTED
with COMMENTS
in EPA Letter Dated

5 JUN 1996

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

68451-2

May 13, 1996

393

DELTAMETHRIN 3% COLLAR

FLEA & TICK COLLAR FOR DOGS

GUARANTEED 6-Month Flea Killer
GUARANTEED 4-Month Tick Killer

Deltamethrin 3% Collar provides full season, 6-month flea-killing power (and 4-month protection against ticks). It's guaranteed!

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION:

Do not open protective pouch until ready to use. Do not let children play with this collar.

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. **Do not use this product on cats.** Do not use on puppies less than 3 months of age.

This product is not recommended for use on debilitated, aged, pregnant, medicated, or nursing animals. Consult a veterinarian before using.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or poison control center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

Collar is intended for use only as an insecticide generator and is not to be taken internally by man or animals. Other pesticides are not necessary and therefore should not be used on dogs while collar is worn.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Deltamethrin 3% Collar contains Deltamethrin insecticide, one of the longest lasting flea and tick killers available for use on dogs. The Deltamethrin 3% Collar has been specially formulated using patented insecticide release technology. Because of the long duration of activity of the Deltamethrin 3% Collar, maximum effectiveness may not occur for 2 - 3 weeks after collar placement. Fleas (*Ctenocephalides sp.*) on the dog will be killed and ones which are present in the dog's environment that may reappear on your pet will be killed. Collar will kill ticks including Brown dog tick (*Rhipicephalus sanguineus*) and American dog tick (*Dermacentor variabilis*). Ticks appear on dogs in 3 stages. In the 1st two stages, ticks are smaller than a matchhead and are difficult to see. The collar will also control these immature stages. This collar provides effective tick control for up to 4 months. If ticks are a problem, this collar should be worn continuously.

Place the collar around dog's neck, buckle and adjust for proper fit. Cut off close to the buckle and dispose of excess length by wrapping in newspaper and placing in trash. The collar must be worn loosely so that two fingers may be placed between collar and dog's neck. Living and rest areas of pet must also be treated with appropriate pest control measures to ensure control of pests. Dogs should be examined from time to time and the collar replaced when mature flea or tick populations begin to reappear. Wetting will not impair the collar's effectiveness or the pet's protection. If the dog goes swimming or is out in the rain, it is not necessary to remove the collar. Replace when effectiveness diminishes. Deltamethrin 3% Collar may be used in addition to regular collar. Use only one flea collar at a time.

STORAGE AND DISPOSAL: Store in original, unopened container, away from children. Do not reuse container or used collar. Wrap in newspaper and put in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

ONE SIZE FITS ALL - TRIM TO SIZE

This collar is designed to fit 99% of all dogs. In the rare instances (for example, well developed St. Bernards or Mastiffs) the collar may be short. If found short for dog, return to the address on top panel of box for full purchase price refund.

May 13, 1996