

7/31/2013

JUL 31 2013

Ms. Jamie Aggas
Regulatory Coordinator
BioWorks, Inc.
100 Rawson Road, Suite 205
Victor, NY 14564

Re: BioWorks, Inc. (BioWorks); BW240 WP Biological Fungicide
EPA Registration No. 68539-9
Minor Label ("Fast Track") Amendment and Response to Term of Registration
Submissions Dated 03/11/2013, 04/19/2013, 07/30/2013, and 07/31/2013
Decision No. 476848

Dear Ms. Aggas:

The U.S. Environmental Protection Agency (EPA) has reviewed your request to amend the subject product registration, which included the following changes to the product label:

- 1) Addition of language that explains the purpose of text (i.e., explanatory to facilitate review or optional) found within brackets and certain other text present to delineate sublabels.
- 2) Addition of alternate brand names (i.e., TurfShield® Plus WP and TurfShield® Plus WP Biological Fungicide) (sublabels A and B).
- 3) Addition of the following statement: "[Open Here for Complete Instructions]" (sublabel A only).
- 4) Addition of the following explanatory text after the Lot Number (sublabel A only):
"[lot codes are sticker applied to the front panel of every label on every product container]"

7511P	7511P	CONCURRENCES			
KAUSEH	Reynolds for Nesci				
07/31/2013	7/31/13				

320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE

Jamie Aggas

EPA Registration No. 68539-9

- 5) Replacement of the current text (re: expiration date) with the following text (supported by BW240 WP Biological Fungicide-specific storage stability data, MRID No. 488840-01) (both sublabels):

“Not for sale or use after [Date stamped/placed on label will be 10 months after the date of manufacture]”
- 6) Correction of minor formatting inconsistencies and typographical errors (sublabels A and B).
- 7) Modification of certain text in the Product Information section for clarification purposes (sublabel A only).
- 8) Addition of “bok choy” next to “pechay” for clarification purposes (sublabels A and B).
- 9) Removal of instructions to dip cuttings and bare-rooted transplants directly into dry BW240 WP Biological Fungicide powder and modification of the application rate for cutting or bare-rooted transplant dip from “0.25 – 5.0 pounds (lb) per 20 gallons (gal) of water” to “0.25 – 1.5 pounds (lb) per 20 gallons (gal) of water” (sublabel A only, see table in label and corresponding text that follows the table).
- 10) Modification of the application rate for bulb, seed tuber, and cut potato seed piece dip from “0.03 pounds (lb) per hundredweight (cwt)” (for bulbs) and “0.25 – 5.0 pounds (lb) per 20 gallons (gal) of water” (for seed tubers and cut potato seed pieces) to “0.25 – 1.5 pounds (lb) per 20 gallons (gal) of water” (for bulbs, seed tubers, and cut potato seed pieces) (sublabel A only, see table in label and corresponding text that follows the table).
- 11) Addition of in-furrow spray applications to the following crops already listed on the label: cereal grains, legume vegetables, oilseed crops, and peanuts (sublabel A only, see table in label).
- 12) Addition of ornamental roots and tubers (to the already present root and tuber vegetable listing) as crops (sublabel A only, see table in label).
- 13) Modification or addition of text in the following sections for clarification purposes (sublabel A only):
 - a) Seed Treatment for Vegetatively Propagated Crops (Including Potatoes, Other Root and Tuber Vegetables, and Bulb Vegetables)
 - b) Dip for Cuttings and Bare-Rooted Transplants
 - c) Soil Drench

Jamie Aggas
EPA Registration No. 68539-9

- 14) Removal of the following mandatory statement from the Tank Mixing section because of conflict with an advisory statement in the Plant Safety section (sublabel A only):

“Test the combination on a small portion of the crop to be treated to ensure that a phytotoxic response will not occur as a result of application.”

- 15) Addition of the following statement, which is already present on sublabel A (sublabel B only):

“[Use Indoors and Outdoors]”

- 16) Modification or addition of text in the Directions for Use section for clarification purposes (sublabel B only).

- 17) Addition of the following statement to the Directions for Use section for clarification purposes (sublabel B only):

“Apply prepared mixture with a watering can or other pesticide application device (e.g. pump sprayer).”

- 18) Replacement of certain text in the Pesticide Storage section of the Storage and Disposal box with the following text (supported by BW240 WP Biological Fungicide-specific storage stability data, MRID No. 488840-01) (sublabel B only):

“Store in original container under refrigerated conditions and in a place inaccessible to children and pets. Short periods at room temperatures below 75°F will not affect performance.”

- 19) Addition of another sublabel (i.e., sublabel C) for turf and landscape use, incorporating the changes indicated in #2–8 and #14 above.

Additionally, as requested by the EPA in its March 7, 2013 letter, you made changes to the BW240 WP Biological Fungicide label, which were supported by a previously submitted storage stability study (MRID No. 488840-01). You have fulfilled term #4 of the January 23, 2012 BW240 WP Biological Fungicide Registration Notice.

All the changes referred to above, submitted in connection with registration under section 3(c)(5) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), are acceptable provided that you submit two (2) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for further description of final printed labeling.

Should you wish to retain the reference to BioWorks' website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the EPA. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 C.F.R. § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims

4/30


Jamie Aggas
EPA Registration No. 68539-9

made on the website may not substantially differ from those claims approved through the registration/amendment process. Therefore, should the EPA find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration/amendment, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. If you have any questions regarding this letter, please contact Ms. Jeannine Kausch by telephone (703-347-8920) or email (kausch.jeannine@epa.gov).

A stamped copy of the label is enclosed for your records.

Sincerely,

A handwritten signature in black ink, appearing to read 'Kimberly Nesci', followed by the word 'for' in a cursive script.

Kimberly Nesci, Chief
Microbial Pesticides Branch
Biopesticides and Pollution
Prevention Division (7511P)

Enclosures (2):

- BW240 WP Biological Fungicide Stamped, Accepted Label
- A-79 Enclosure

5/30

[Text in brackets [] indicates optional language or language intended for explanatory purposes to facilitate label review. Thus, this language will often not appear on final printed labeling. Also, certain pages are present (currently pages 1, 2, 14, and 19) to delineate sub-labels and will not appear on final printed labeling.]

BW240 WP Biological Fungicide

[ALTERNATE BRAND NAMES: ROOTSHIELD® PLUS, ROOTSHIELD PLUS® WP BIOLOGICAL FUNGICIDE, ROOTSHIELD PLUS® WETTABLE POWDER, ROOTSHIELD PLUS® WP, TURFSHIELD® PLUS WP, TURFSHIELD® PLUS WP BIOLOGICAL FUNGICIDE]

Sub-label A: Agricultural/Commercial Use

Sub-label B: Residential Use (Home and Garden Use)

Sub-label C: Turf and Landscape Use

ACTIVE INGREDIENTS:

Trichoderma harzianum Rifai strain T-22* 1.15%

Trichoderma virens strain G-41** 0.61%

OTHER INGREDIENTS: 98.24%

TOTAL: 100.00%

*Contains at least 1.0×10^7 colony forming units per gram dry weight.

**Contains at least 5.3×10^6 colony forming units per gram dry weight.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

EPA Reg. No.: 68539-9
EPA Est. No.: 68539-NY-001

Manufactured by:
BioWorks, Inc.
100 Rawson Road, Suite 205
Victor, NY 14564
800-877-9443
www.bioworksinc.com

ACCEPTED

JUL 31 2013

Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for
the pesticide registered under
EPA Reg. No. 68539-9

6/30

**BW240 WP
BIOLOGICAL FUNGICIDE**

SUB-LABEL A

For Agricultural/Commercial Use

BW240 WP

Biological Fungicide

[ALTERNATE BRAND NAMES: ROOTSHIELD® PLUS, ROOTSHIELD PLUS® WP BIOLOGICAL FUNGICIDE, ROOTSHIELD PLUS® WETTABLE POWDER, ROOTSHIELD PLUS® WP, TURFSHIELD® PLUS WP, TURFSHIELD® PLUS WP BIOLOGICAL FUNGICIDE]

[USE INDOORS AND OUTDOORS]

[USE IN FIELD APPLICATIONS, GREENHOUSES, GLASSHOUSES, NURSERIES, SHADE HOUSES, LANDSCAPES, INTERIORSAPES, SEEDLING PRODUCTION SITES, AND FOREST SEEDLING PRODUCTION SITES]

[USE IN TANK MIXES OR ROTATIONAL ALTERNATING APPLICATION PROGRAMS WITH OTHER CROP PROTECTION PRODUCTS]

[USE IN RESISTANCE MANAGEMENT PROGRAMS]

[FOR AGRICULTURAL USE]

[FOR USE ON ORNAMENTALS, LANDSCAPE PLANTS, VEGETABLES, TREES, SHRUBS, TURF, LAWNS, SOD, GOLF COURSES (GREENS, TEES, FAIRWAYS AND ROUGHS), SEEDLINGS, AND CONIFERS]

[USE IN PRODUCTION OF CONIFERS FOR REFORESTATION]

[OPEN HERE FOR COMPLETE INSTRUCTIONS]

ACTIVE INGREDIENTS:

Trichoderma harzianum Rifai strain T-22*1.15%

Trichoderma virens strain G-41**0.61%

OTHER INGREDIENTS:98.24%

TOTAL:100.00%

*Contains at least 1.0×10^7 colony forming units per gram dry weight.

**Contains at least 5.3×10^6 colony forming units per gram dry weight.

KEEP OUT OF REACH OF CHILDREN

CAUTION

[See attached label booklet for First Aid, Precautionary Statements, Storage and Disposal Instructions and Directions for Use]

EPA Reg. No.: 68539-9

EPA Est. No.: 68539-NY-001

Manufactured by:

BioWorks, Inc.

100 Rawson Road, Suite 205

Victor, NY 14564

800-877-9443

www.bioworksinc.com

U.S. Patent Pending

Net Weight: _____

Lot No.: [lot codes are sticker applied to the front panel of every label on every product container]

Not for sale or use after [Date stamped/placed on label will be 10 months after the date of manufacture]

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear protective eyewear, long-sleeved shirt and long pants, and shoes plus socks. Mixers/loaders and applicators must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95, or P-95. Repeated exposure to high concentrations of microbial proteins can cause allergic sensitization. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing. Users should remove clothing / PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected workers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 4 hours.

Exception: If the product is soil injected or soil incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas (that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water) is protective eyewear, waterproof gloves, coveralls, shoes, and socks.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are **not** within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses.

Keep unprotected persons out of treated areas until sprays have dried or dusts have settled.

PRODUCT INFORMATION

BW240 WP Biological Fungicide is a preventative biological fungicide for control of plant diseases. The active ingredients are microbes, *Trichoderma harzianum* Rifai strain T-22 and *Trichoderma virens* strain G-41, which when applied to seeds, to transplants or other propagative material, or to soil or planting mixes, grow onto plant roots as they develop and provide protection against plant root pathogens such as *Pythium*, *Phytophthora*, *Rhizoctonia*, *Fusarium*, *Cylindrocladium* and *Thielaviopsis*.

BW240 WP Biological Fungicide can be used alone or in conjunction with certain chemical fungicides; consult your BioWorks Representative for more information. **This product must not be tank mixed with chemicals that contain the following active ingredients: imazalil, propiconazole, tebuconazole, and triflumizole.** Do not apply BW240 WP Biological Fungicide immediately before these pesticides are used. See specific instructions for tank mixing. Where early season seed rot and seedling diseases are expected, use chemically treated seed or other appropriate measures for stand establishment and BW240 WP Biological Fungicide for root disease control.

Note: BW240 WP Biological Fungicide contains live spores of microbes that must be used prior to disease onset. BW240 WP Biological Fungicide becomes active in soil or on plants when temperatures are above 50°F and is not effective while temperatures remain cold. BW240 WP Biological Fungicide can be applied to sterilized or fumigated soil but must be applied after sterilization or fumigation.

This biological fungicide is for use in soil applications (soil drench, in-furrow spray, and chemigation), seed treatments, and cutting or bare-rooted transplant dips on food crops, ornamentals, landscape plants, and ornamental trees, including tree seedlings for transplanting into the forest.

ATTENTION: DO NOT APPLY to sugarcane, pechay (bok choy), rice, mushrooms, kiwi, tobacco, barley, oats, lemon, apple, and chickpea. Not for use on aquatic crops.

For food commodities: In the table immediately following this paragraph, greenhouse chemigation and field chemigation of food commodities are annotated with an asterisk (*) to indicate that these methods are limited to flood, drip, furrow, micro-irrigation, hand-held calibrated, and ebb and flow systems with NO OVERHEAD SPRAY. Do not apply product when above-ground harvestable food commodities are present. Refer to Chemigation section for additional specific directions.

BW240 WP Biological Fungicide has a 0-Day PreHarvest Interval (PHI) for all crops contained on this label.

APPLY VIA GROUND APPLICATION ONLY.

CROPS ON WHICH BW240 WP BIOLOGICAL FUNGICIDE MAY BE USED:

CROPS	USE	APPLICATION RATE OF BW240 WP BIOLOGICAL FUNGICIDE
Berries and Small Fruits: Blackberries, Blueberries, Currants, Elderberries, Gooseberries, Huckleberries, Loganberries, Raspberries, Strawberries, Grapes	Cutting or bare-rooted transplant dip Greenhouse soil drench Nursery soil drench In-furrow spray or transplant starter solution *Greenhouse chemigation *Field chemigation	0.25 – 1.5 lb / 20 gal water 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / acre 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water
Bulb Vegetables: Garlic, Leeks, Onions, Shallots, Ornamental Bulbs	Dust (pre-plant) Bulb dip	0.03 – 3.0 lb / cwt bulbs 0.25 – 1.5 lb / 20 gal water
Cereal Grains: Buckwheat, Corn (grain, seed, sweet corn, silage, popcorn, high oil), Rye, Wheat, Sorghum, Millet	*Field chemigation In-furrow spray or transplant starter solution	1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / acre
Citrus Fruits: Citrus Hybrids, Grapefruit, Kumquat, Limes, Oranges, Pummelos	Cutting or bare-rooted transplant dip Greenhouse soil drench Nursery soil drench In-furrow spray or transplant starter solution *Greenhouse chemigation *Field chemigation	0.25 – 1.5 lb / 20 gal water 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / acre 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water
Conifer Tree Seedlings, Conifer Trees	Greenhouse soil drench Nursery soil drench In-furrow spray or transplant starter solution Greenhouse chemigation Field chemigation	1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / acre 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water

CROPS	USE	APPLICATION RATE OF BW240 WP BIOLOGICAL FUNGICIDE
Cucurbit Vegetables: Cucumbers, Melons (i.e. Chinese waxgourd, Citron melon, Muskmelons, or Watermelon), Gourds, Pumpkins, Squash	Greenhouse soil drench In-furrow spray or transplant starter solution *Greenhouse chemigation *Field chemigation	1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / acre 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water
Flowers, Bedding Plants, and Ornamentals	Cutting or bare-rooted transplant dip Greenhouse soil drench Nursery soil drench Greenhouse chemigation Field chemigation	0.25 – 1.5 lb / 20 gal water 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water
Fruiting Vegetables: Eggplant, Sweet and Hot Peppers, Tomatillos, Tomatoes	Greenhouse soil drench In-furrow spray or transplant starter solution *Greenhouse chemigation *Field chemigation	1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / acre 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water
Herbs, Spices, and Mints	Greenhouse soil drench In-furrow spray or transplant starter solution *Greenhouse chemigation *Field chemigation	1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / acre 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water
Hydroponic Crops: Cucumbers, Tomatoes, Lettuce, Herbs and Spices	Greenhouse soil drench *Greenhouse chemigation	1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water
Leafy and Brassica (Cole) Leafy Vegetables: Arugula, Celery, Chervil, Endive, Fennel, Lettuce (head and leaf), Parsley, Radicchio, Rhubarb, Spinach, Swiss Chard, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Collards, Kale, Kohlrabi, Mustard Greens Asparagus	Cutting or bare-rooted transplant dip Greenhouse soil drench In-furrow spray or transplant starter solution *Greenhouse chemigation *Field chemigation	0.25 – 1.5 lb / 20 gal water 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / acre 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water
Legume Vegetables (Succulent or Dried): Beans (soybean, snap, dry), Lentils, Peas	*Field chemigation In-furrow spray or transplant starter solution	1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / acre
Oilseed Crops: Cotton, Canola, Safflower, Sunflower	*Field chemigation In-furrow spray or transplant starter solution	1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / acre
Peanuts	*Field chemigation In-furrow spray or transplant starter solution	1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / acre

CROPS	USE	APPLICATION RATE OF BW240 WP BIOLOGICAL FUNGICIDE
Pome Fruits: Pears, Quince	Greenhouse soil drench Nursery soil drench In-furrow spray or transplant starter solution *Greenhouse chemigation *Field chemigation	1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / acre 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water
Root and Tuber Vegetables: Beets, Sugar Beets, Carrots, Celeriac, Chicory, Horseradish, Parsnip, Radish, Rutabaga, Salsify, Turnips, Ornamental Roots and Tubers Potatoes, Sweet Potatoes, Yams, Jerusalem Artichoke, Cassava, Ginger	Tuber or cut potato seed piece dip Dust (pre-plant) In-furrow spray or transplant starter solution *Field chemigation	0.25 – 1.5 lb / 20 gal water 0.03 – 3.0 lb / cwt seed tubers or cut potato seed pieces 1.0 – 32.0 oz / acre 1.0 – 32.0 oz / 100 gal water
Shadehouse and Outdoor Nursery Crops: Deciduous Trees (e.g. Maple, Oak), Ornamentals, Grapes, Citrus, Pine	Cutting or bare-rooted transplant dip Greenhouse soil drench Nursery soil drench In-furrow spray or transplant starter solution *Greenhouse chemigation *Field chemigation	0.25 – 1.5 lb / 20 gal water 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / acre 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water
Stone Fruits: Apricots, Cherries, Nectarines, Peaches, Plums, Prunes	Cutting or bare-rooted transplant dip Greenhouse soil drench Nursery soil drench In-furrow spray or transplant starter solution *Greenhouse chemigation *Field chemigation	0.25 – 1.5 lb / 20 gal water 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / acre 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water
Tree Nuts: Almonds, Beech Nuts, Brazil Nuts, Butternuts, Cashews, Chestnuts, Filberts, Hickory Nuts, Macadamia Nuts, Pecans, Pistachios, Walnuts	Cutting or bare-rooted transplant dip Greenhouse soil drench Nursery soil drench In-furrow spray or transplant starter solution *Greenhouse chemigation *Field chemigation	0.25 – 1.5 lb / 20 gal water 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / acre 1.0 – 32.0 oz / 100 gal water 1.0 – 32.0 oz / 100 gal water

SEED TREATMENT FOR VEGETATIVELY PROPAGATED CROPS (INCLUDING POTATOES, OTHER ROOT AND TUBER VEGETABLES, AND BULB VEGETABLES)

For planting or storage, treat at 0.03 – 3.0 pounds of BW240 WP Biological Fungicide to 100 pounds (1 cwt) of bulbs, seed tubers or cut potato seed pieces. Apply to bulbs, seed tubers or cut potato seed pieces so surfaces are thoroughly covered with dust. Alternatively, dip bulbs, seed tubers or cut potato seed pieces in a suspension consisting of 0.25 – 1.5 pounds of BW240 WP Biological Fungicide in 20 gallons of water.

For potatoes, apply BW240 WP Biological Fungicide with compatible chemical seed dusts. Consult your BioWorks Representative for more information. All surfaces, knives, and other equipment used to cut and plant potatoes should be thoroughly sterilized before cutting and planting and at regular intervals. The cut and treated seed pieces may be held for a week or more at cool temperatures, 45-50°F, and high relative humidity to promote suberization, or they may be planted immediately.

DIP FOR CUTTINGS AND BARE-ROOTED TRANSPLANTS

Dip cuttings and bare-rooted transplants in a suspension of 0.25 – 1.5 pounds of BW240 WP Biological Fungicide in 20 gallons of water. Submerge for approximately 30 seconds. Unrooted cuttings may be dipped in dry BW240 WP Biological Fungicide powder before or after a rooting hormone dip. Plant treated cuttings and bare-rooted transplants in potting mix or soil in the usual manner.

SOIL DRENCH

GREENHOUSE SOIL DRENCH: Suspend 1.0 – 32.0 ounces of BW240 WP Biological Fungicide in 100 gallons of water with agitation, and apply prepared suspension as a soil drench to greenhouse planting mixes. For seeding flats or shallow (up to 4-inch depth) beds or pots, apply prepared suspension at a rate of 50 – 100 gallons per 800 square feet. For deeper beds or pots, apply prepared suspension at a rate of 100 gallons per 400 square feet, 1/2 cup (4 fluid ounces) for pots with a 3-inch diameter, or 1 cup (8 fluid ounces) for pots with a 6-inch diameter. Apply BW240 WP Biological Fungicide directly to the soil through low pressure watering nozzles such as fan nozzles, other drench watering systems, handheld sprayers or backpack sprayers.

Constant agitation is required to maintain BW240 WP Biological Fungicide in suspension. BW240 WP Biological Fungicide can be tank mixed and is compatible with many commonly used fungicides, liquid fertilizers, herbicides, insecticides and biological control products registered for use on greenhouse/ornamental plants. If tank mixes are desired, observe the most restrictive of labeling limitations and precautions of all products used in mixtures. Consult your BioWorks representative for more information.

NURSERY SOIL DRENCH: Suspend 1.0 – 32.0 ounces of BW240 WP Biological Fungicide in 100 gallons of water with agitation, and apply prepared suspension as a soil drench to container nursery crops. For shallow (up to 4-inch depth) beds or pots, apply prepared suspension at a rate of 50 – 100 gallons per 800 square feet. For deeper beds or pots, apply prepared suspension at a rate of 100 gallons per 400 square feet, 1/2 cup (4 fluid ounces) for pots with a 3-inch diameter, or 1 cup (8 fluid ounces) for pots with a 6-inch diameter. Apply BW240 WP Biological Fungicide directly to the soil through low pressure watering nozzles such as fan nozzles, other drench watering systems, handheld sprayers or backpack sprayers.

Constant agitation is required to maintain BW240 WP Biological Fungicide in suspension. BW240 WP Biological Fungicide can be tank mixed and is compatible with many commonly used fungicides, liquid fertilizers, herbicides, insecticides and biological control products registered for use on nursery plants. If tank mixes are desired, observe the most restrictive of labeling limitations and precautions of all products used in mixtures. Consult your BioWorks representative for more information.

IN-FURROW SPRAY OR TRANSPLANT STARTER SOLUTION

Apply BW240 WP Biological Fungicide as an in-furrow spray or transplant starter solution at a rate of 1.0 – 32.0 ounces per acre in sufficient water to achieve uniform application. Maintain constant agitation. BW240 WP Biological Fungicide can be tank mixed and is compatible with many commonly used fungicides, liquid fertilizers, herbicides, insecticides and biological control products registered for use on the crops listed on this label. If tank mixes are desired, observe the most restrictive of labeling limitations and precautions of all products used in mixtures. Consult your BioWorks representative for more information.

TANK MIXING

BW240 WP Biological Fungicide can be tank mixed and is compatible with many commonly used fungicides, liquid fertilizers, herbicides, insecticides and biological control products. If tank mixes are desired, observe the most restrictive of labeling limitations and precautions of all products used in mixtures. Consult your BioWorks representative for more information. **This product must not be tank mixed with chemicals that contain the following active ingredients: imazalil, propiconazole, tebuconazole, and triflumizole.** Do not apply BW240 WP Biological Fungicide immediately before these pesticides are used.

Do not combine BW240 WP Biological Fungicide in the spray tank with pesticides, surfactants, adjuvants, or fertilizers if there has been no previous experience or use of the combination to show it is physically compatible, effective and non-injurious under your use conditions.

BW240 WP Biological Fungicide is compatible with many commonly used pesticides, fertilizers, adjuvants and surfactants but has not been fully evaluated with all of these. To ensure compatibility of tank-mix combinations, evaluate them prior to use as follows: Using a suitable container, add proportional amounts of products to water. Add wettable powders first, followed by water dispersible granules, then by liquid flowables and lastly, emulsifiable concentrates. Mix thoroughly and let stand for at least five minutes. If the combination stays mixed or can be remixed, it is physically compatible. Do not exceed label dosage rates.

This product cannot be mixed with any product containing a label prohibition against such mixing.

GREENHOUSE AND FIELD CHEMIGATION

Suspend 1.0 – 32.0 ounces of BW240 WP Biological Fungicide in 100 gallons of water with agitation, and apply only through the following systems: 1) pressurized drench (flood) or drip (trickle), 2) furrow, 3) micro-irrigation such as spaghetti-tube or individual tube irrigation, 4) hand-held calibrated irrigation equipment such as the hand-held wand with injector, and 5) ebb and flow. Do not apply this product through any other type of irrigation system.

Crop injury or lack of effectiveness can result from non-uniform distribution of treated water.

If you have questions about calibration, you should contact State Extension Service specialists, equipment manufacturers or other experts.

Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the pesticide label-prescribed safety devices for public water systems are in place.

A person knowledgeable of the chemigation system and responsible for its operation, or under supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise.

Requirements for Chemigation Systems Connected to Public Water Systems:

- 1) Public water system means a system for the provision to the public of piped water for human consumption if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days out of the year.
- 2) Chemigation systems connected to public water systems must contain a functional, reduced-pressure zone, back flow preventer (RPZ) or the functional equivalent in the water supply line

upstream from the point of pesticide introduction. As an option to the RPZ, the water from the public water system should be discharged into a reservoir tank prior to pesticide introduction. There shall be a complete physical break (air gap) between the flow outlet end of the fill pipe and the top or overflow rim of the reservoir tank of at least twice the inside diameter of the fill pipe.

- 3) The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.
- 4) The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.
- 5) The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops, or in cases where there is no water pump, when the water pressure decreases to the point where pesticide distribution is adversely affected.
- 6) Systems must use a metering pump, such as a positive displacement injection pump (e.g. diaphragm pump), effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.
- 7) Do not apply when wind speed favors drift beyond the area intended for treatment.
- 8) Apply BW240 WP Biological Fungicide during the last half of the water application period. Mix BW240 WP Biological Fungicide in enough water to be able to draw through the system for the last half of the water application. Maintain constant agitation.
- 9) Apply enough water to move BW240 WP Biological Fungicide into the root zone. Amounts will vary depending on soil type and existing moisture level. Do not apply water volumes that would cause runoff or excessive leaching.

Drip (Trickle) Chemigation and Micro-irrigation Requirements:

- 1) The system must contain a functional check valve, vacuum relief valve and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from back flow.
- 2) The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.
- 3) The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.
- 4) The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.
- 5) The irrigation line or water pump must include a functional pressure switch, which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.
- 6) Systems must use a metering pump, such as a positive displacement injection pump (e.g. diaphragm pump), effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.

- 7) Apply BW240 WP Biological Fungicide during the last half of the water application period. Mix BW240 WP Biological Fungicide in enough water to be able to draw through the system for the last half of the water application. Maintain constant agitation.
- 8) Apply enough water to move BW240 WP Biological Fungicide into the root zone. Amounts will vary depending on soil type and existing moisture level. Do not apply water volumes that would cause runoff or excessive leaching.

Flood and Furrow Chemigation Requirements:

- 1) Systems using a gravity flow pesticide dispensing system must meter the pesticide into the water at the head of the field and downstream of a hydraulic discontinuity, such as a drop structure or weir box, to decrease potential for water source contamination from back flow if water flow stops.
- 2) Systems utilizing a pressurized water and pesticide injection system must meet the following requirements:
 - a. The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from back flow.
 - b. The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.
 - c. The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.
 - d. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.
 - e. The irrigation line or water pump must include a functional pressure switch, which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.
 - f. Systems must use a metering pump, such as a positive displacement injection pump (e.g. diaphragm pump), effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.
- 3) Apply BW240 WP Biological Fungicide during the last half of the water application period. Mix BW240 WP Biological Fungicide in enough water to be able to draw through the system for the last half of the water application. Maintain constant agitation.
- 4) Apply enough water to move BW240 WP Biological Fungicide into the root zone. Amounts will vary depending on soil type and existing moisture level. Do not apply water volumes that would cause runoff or excessive leaching.

PLANT SAFETY

BW240 WP Biological Fungicide has been tested on numerous plant varieties with no phytotoxic effects. However, since BW240 WP Biological Fungicide has not been tested on all plant varieties or in combination with all available tank mixes, the manufacturer recommends testing BW240 WP Biological

Fungicide on a small number of plants to check for adverse plant effects before applying to a larger number of plants.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container under refrigerated conditions. Short periods at room temperatures below 75°F will not affect performance. Keep container tightly closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then offer for recycling if available, or dispose of empty bag in a sanitary landfill or by incineration. Do not burn, unless allowed by state and local ordinances. If burned, stay out of smoke. If outer box is contaminated, dispose of it in the same manner as required for the bag.

NOTICE TO BUYER AND SELLER: Seller warrants that this product conforms to the description on this label and is reasonably fit for the purposes stated on this label when used and stored in accordance with the directions for use. This warranty does not extend to use of this product contrary to label directions or under conditions not reasonably foreseeable by the Seller, and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, Seller disclaims all other warranties, express or implied, including any warranty of fitness or merchantability. To the extent consistent with applicable law, Seller shall not be liable for consequential, special or indirect damages resulting from use or handling of this product, and Seller's sole liability and Buyer's and User's exclusive remedy shall be limited to refund of the purchase price. This product is sold only for uses stated on its label. No express or implied license is granted to use or sell this product under any patent in any country except as specified.

[In Case of Emergency: Call CHEMTREC: (800) 424-9300]

©2013, BioWorks, Inc.

[Made in United States of America by: BioWorks, Inc.]

[Company logo]

**BW240 WP
BIOLOGICAL FUNGICIDE**

SUB-LABEL B

For Residential Use (Home and Garden Use)

BW240 WP

Biological Fungicide

[ALTERNATE BRAND NAMES: ROOTSHIELD® PLUS, ROOTSHIELD PLUS® WP BIOLOGICAL FUNGICIDE, ROOTSHIELD PLUS® WETTABLE POWDER, ROOTSHIELD PLUS® WP, TURFSHIELD® PLUS WP, TURFSHIELD® PLUS WP BIOLOGICAL FUNGICIDE]

[USE INDOORS AND OUTDOORS]

[FOR HOME AND GARDEN USE]

[Biological Fungicide]

[Prevents common damping-off fungal diseases]

[Use on Roses, Vegetables, Fruits, Flowering Plants, Trees and Shrubs]

[Controls root diseases]

ACTIVE INGREDIENTS:

Trichoderma harzianum Rifai strain T-22* 1.15%

Trichoderma virens strain G-41** 0.61%

OTHER INGREDIENTS: 98.24%

TOTAL: 100.00%

*Contains at least 1.0×10^7 colony forming units per gram dry weight.

**Contains at least 5.3×10^6 colony forming units per gram dry weight.

KEEP OUT OF REACH OF CHILDREN

CAUTION

[See attached label booklet for First Aid, Precautionary Statements, Storage and Disposal Instructions and Directions for Use]

EPA Reg. No.: 68539-9

EPA Est. No.: 68539-NY-001

Manufactured by:

BioWorks, Inc.

100 Rawson Road, Suite 205

Victor, NY 14564

800-877-9443

www.bioworksinc.com

U.S. Patent Pending

Net Weight:

Lot No.: [lot codes are sticker applied to the front panel of every label on every product container]

Not for sale or use after [Date stamped/placed on label will be 10 months after the date of manufacture]

FIRST AID

If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BW240 WP Biological Fungicide is a preventative biological fungicide for control of plant diseases. The active ingredients are microbes, *Trichoderma harzianum* Rifai strain T-22 and *Trichoderma virens* strain G-41, which when applied to seeds, to transplants or other propagative material, or to soil or planting mixes, grow onto plant roots as they develop and provide protection against plant root pathogens such as *Pythium*, *Phytophthora*, *Rhizoctonia*, *Fusarium*, *Cylindrocladium* and *Thielaviopsis*. Where early season seed rot and seedling diseases are expected, use chemically treated seed or other appropriate measures for stand establishment and BW240 WP Biological Fungicide for root disease control.

Note: BW240 WP Biological Fungicide contains live spores of microbes that must be used prior to disease onset. BW240 WP Biological Fungicide becomes active in soil or on plants when temperatures are above 50°F and is not effective while temperatures remain cold.

ATTENTION: DO NOT APPLY to sugarcane, pechay (bok choy), rice, mushrooms, kiwi, tobacco, barley, oats, lemon, apple, and chickpea. Not for use on aquatic plants.

HOME & GARDEN SEED, SOIL AND PLANT ROOT DRENCH: For preventative control of root diseases of vegetable, flower, and ornamental plants.

For drench application to seeds, mix 1.0 – 3.0 tablespoons of BW240 WP Biological Fungicide per gallon of water, and apply prepared mixture with a watering can or other pesticide application device (e.g. pump sprayer) to 25 feet of planting furrow before covering the seeds with soil.

For transplants, mix 1.0 – 3.0 tablespoons of BW240 WP Biological Fungicide per gallon of water, and apply 1/2 – 1 cup (4 – 8 fluid ounces) of prepared mixture per plant at transplanting. For new plant beds, mix 1.0 – 3.0 tablespoons of BW240 WP Biological Fungicide per gallon of water, and apply prepared mixture at a rate of one gallon per 25 square feet of plant bed. Apply prepared mixture with a watering can or other pesticide application device (e.g. pump sprayer).

For established beds or potted plants, mix 1.0 – 3.0 tablespoons of BW240 WP Biological Fungicide per gallon of water, and apply prepared mixture at a rate of one gallon per 25 square feet of plant bed or 1/2 – 1 cup (4 – 8 fluid ounces) per 4 – 8 inch diameter pot. Apply prepared mixture with a watering can or other pesticide application device (e.g. pump sprayer).

ATTENTION: BW240 WP Biological Fungicide is designed for application to seeds, plant roots and soil for control of plant root diseases and is not to be used for spray application to foliage or fruit.

[BW240 WP BIOLOGICAL FUNGICIDE] MAY BE USED ON [THE FOLLOWING]:
[VEGETABLES, FRUITS, NUTS, AND ORNAMENTAL PLANTS] [PLANTS, SITES] PLANTS
[SITES]:

HOME and GARDEN [VEGETABLE, FRUITS AND NUTS] PLANTS

Berries and Small Fruits: Blackberries, Blueberries, Currants, Elderberries, Gooseberries, Huckleberries, Loganberries, Raspberries, Strawberries, Grapes and other berries and small fruits

Bulb Vegetables: Garlic, Leeks, Onions, Shallots and other bulb vegetables

Cucurbit Vegetables: Cucumbers, Melons (i.e. Chinese Waxgourd, Citron Melon, Muskmelons, or Watermelon), Gourds, Pumpkins, Squash and other cucurbit vegetables

Fruiting Vegetables: Eggplant, Sweet and Hot Peppers, Tomatillos, Tomatoes and other fruiting vegetables

Herbs, Spices, and Mints

Hydroponic Plants: Cucumbers, Tomatoes, Lettuce, Herbs and Spices and other hydroponic plants

Leafy and Brassica (Cole) Leafy Vegetables: Arugula, Celery, Chervil, Endive, Fennel, Lettuce (head and leaf), Parsley, Radicchio, Rhubarb, Spinach, Swiss Chard, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Collards, Kale, Kohlrabi, Mustard Greens and other leafy and brassica (cole) leafy vegetables

Asparagus

Legume Vegetables (Succulent or Dried): Beans (soybean, snap, dry), Lentils, Peas and other legume vegetables

Peanuts

Pome Fruits: Pears, Quince

Root and Tuber Vegetables: Beets, Sugar Beets, Carrots, Celeriac, Chicory, Horseradish, Parsnip, Radish, Rutabaga, Salsify, Turnips, Potatoes, Sweet Potatoes, Yams, Jerusalem Artichoke, Cassava, Ginger

Stone Fruits: Apricots, Cherries, Nectarines, Peaches, Plums, Prunes and other stone fruits

Tree Nuts: Almonds, Beech Nuts, Brazil Nuts, Butternuts, Cashews, Chestnuts, Filberts, Hickory Nuts, Macadamia Nuts, Pecans, Pistachios, Walnuts and other tree nuts

**FLOWERS, BEDDING PLANTS, AND ORNAMENTALS, INCLUDING ORNAMENTAL
BULBS, ROOTS, AND TUBERS**

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container under refrigerated conditions and in a place inaccessible to children and pets. Short periods at room temperatures below 75°F will not affect performance. Keep container tightly closed when not in use.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty** – Place in trash or offer for recycling if available. **If partly filled** – Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down indoor or outdoor drain.

NOTICE TO BUYER AND SELLER: Seller warrants that this product conforms to the description on this label and is reasonably fit for the purposes stated on this label when used and stored in accordance with the directions for use. This warranty does not extend to use of this product contrary to label directions or under conditions not reasonably foreseeable by the Seller, and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, Seller disclaims all other warranties, express or implied, including any warranty of fitness or merchantability. To the extent consistent with applicable law, Seller shall not be liable for consequential, special or indirect damages resulting from use or handling of this product, and Seller's sole liability and Buyer's and User's exclusive remedy shall be limited to refund of the purchase price. This product is sold only for uses stated on its label.

[In Case of Emergency: Call CHEMTREC: (800) 424-9300]

©2013, BioWorks, Inc.

[Made in United States of America by: BioWorks, Inc.]

[Company logo]

**BW240 WP
BIOLOGICAL FUNGICIDE**

SUB-LABEL C

For Turf and Landscape Use

24/30

BW240 WP

Biological Fungicide

[ALTERNATE BRAND NAMES: ROOTSHIELD® PLUS, ROOTSHIELD PLUS® WP BIOLOGICAL FUNGICIDE, ROOTSHIELD PLUS® WETTABLE POWDER, ROOTSHIELD PLUS® WP, TURFSHIELD® PLUS WP, TURFSHIELD® PLUS WP BIOLOGICAL FUNGICIDE]

[USE IN FIELD APPLICATIONS AND LANDSCAPES]
[USE IN TANK MIXES OR ROTATIONAL ALTERNATING APPLICATION PROGRAMS WITH OTHER CROP PROTECTION PRODUCTS]
[USE IN RESISTANCE MANAGEMENT PROGRAMS]
[FOR USE ON ORNAMENTALS, LANDSCAPE PLANTS, TREES, SHRUBS, TURF, LAWNS, SOD, SOD FARMS, ATHLETIC FIELDS, AND GOLF COURSES (GREENS, TEES, FAIRWAYS AND ROUGHS)]
[OPEN HERE FOR COMPLETE INSTRUCTIONS]

ACTIVE INGREDIENTS:
Trichoderma harzianum Rifai strain T-22* 1.15%
Trichoderma virens strain G-41** 0.61%
OTHER INGREDIENTS: 98.24%
TOTAL: 100.00%
*Contains at least 1.0 x 10⁷ colony forming units per gram dry weight.
**Contains at least 5.3 x 10⁶ colony forming units per gram dry weight.

KEEP OUT OF REACH OF CHILDREN
CAUTION

[See attached label booklet for First Aid, Precautionary Statements, Storage and Disposal Instructions and Directions for Use]

EPA Reg. No.: 68539-9
EPA Est. No.: 68539-NY-001

Manufactured by:
BioWorks, Inc.
100 Rawson Road, Suite 205
Victor, NY 14564
800-877-9443
www.bioworksinc.com

U.S. Patent Pending

Net Weight: _____
Lot No.: [lot codes are sticker applied to the front panel of every label on every product container]
Not for sale or use after [Date stamped/placed on label will be 10 months after the date of manufacture]

FIRST AID**If in eyes**

- Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear protective eyewear, long-sleeved shirt and long pants, and shoes plus socks. Mixers/loaders and applicators must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95, or P-95. Repeated exposure to high concentrations of microbial proteins can cause allergic sensitization. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing. Users should remove clothing / PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected workers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

AGRICULTURAL USES

For disease control in turf in sod production

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 4 hours.

Exception: If the product is soil injected or soil incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas (that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water) is protective eyewear, waterproof gloves, coveralls, shoes, and socks.

NON-AGRICULTURAL USES

For use to control diseases on turf, ornamental plants and landscape plants intended for aesthetic purposes and being grown in ornamental gardens or parks, on golf courses, or on public or private lawns or grounds or grown for other than commercial or research purposes.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are **not** within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses.

Keep unprotected persons out of treated areas until sprays have dried or dusts have settled.

PRODUCT INFORMATION

BW240 WP Biological Fungicide is a preventative biological fungicide for control of plant diseases. The active ingredients are microbes, *Trichoderma harzianum* Rifai strain T-22 and *Trichoderma virens* strain G-41, which when applied to soil, planting mixes, or turf, grow onto plant roots as they develop and provide protection against plant root pathogens such as *Pythium*, *Phytophthora*, *Rhizoctonia*, *Fusarium*, *Cylindrocladium*, *Thielaviopsis* and *Sclerotinia homeocarpa*.

BW240 WP Biological Fungicide can be used alone, in combination with, or in rotation with other fungicides, insecticides, miticides, fertilizers or micronutrients in accordance with the most restrictive of label limitations and precautions. Do not exceed label dosage rates. This product cannot be used with any product containing a label prohibition against such mixing. Consult your BioWorks Representative for more information. **This product must not be tank mixed with chemicals that contain the following active ingredients: imazalil, propiconazole, tebuconazole, and triflumizole.** Do not apply BW240 WP Biological Fungicide immediately before these pesticides are used. See specific instructions for tank mixing.

Note: BW240 WP Biological Fungicide contains live spores of microbes that must be used prior to disease onset. BW240 WP Biological Fungicide becomes active in soil or on plants when temperatures are above 50°F and is not effective while temperatures remain cold. BW240 WP Biological Fungicide can be applied to sterilized or fumigated soil but must be applied after sterilization or fumigation.

This biological fungicide is for use in soil applications (drench, soil surface spray, and soil injection) on turf, food plants, ornamentals, landscape plants, and ornamental trees. This biological fungicide is also for use in foliar applications (foliar spray) on turf.

ATTENTION: DO NOT APPLY to sugarcane, pechay (bok choy), rice, mushrooms, kiwi, tobacco, barley, oats, lemon, apple, and chickpea. Not for use on aquatic crops. DO NOT APPLY this product through any type of irrigation system.

TURF USES

PLANT	USE	APPLICATION RATE OF BW240 WP BIOLOGICAL FUNGICIDE
Turf: Golf courses; sports fields; seedbed preparation of golf course tees, greens, fairways and roughs; seed production, sod production	Soil surface spray Foliar spray	0.5 – 1.5 oz / 1,000 sq ft turf 0.5 – 1.5 oz / 1,000 sq ft turf

TURF APPLICATION: Begin application of BW240 WP Biological Fungicide when soil temperature reaches 46° F – 48° F or when turf begins to grow. Reapply at 30-day intervals at the application rates given directly below until turf becomes dormant. The first two applications of the season must be thoroughly watered into the soil with at least ½ inch of rainfall or irrigation to ensure adequate root colonization.

First and second applications:

1.5 ounces of BW240 WP Biological Fungicide per 1,000 square feet of turf

Subsequent monthly applications on greens:

1.0 ounce of BW240 WP Biological Fungicide per 1,000 square feet of turf

Subsequent monthly applications on turf other than greens:

0.5 ounce of BW240 WP Biological Fungicide per 1,000 square feet of turf

Mix the above application rates in a minimum of 1 – 5 gallons of water per 1,000 square feet of turf. BW240 WP Biological Fungicide is fully compatible with fertilizers and can be tank mixed and applied when making fertilizer applications. Apply tank mixes containing BW240 WP Biological Fungicide and fertilizers within 4 hours of mixing. Constant agitation of the spray tank is required.

For new turf seedings, apply BW240 WP Biological Fungicide at 1.5 ounces per 1,000 square feet of turf just after seeding. Follow application with at least 1/8 inch of irrigation water.

Apply BW240 WP Biological Fungicide directly to turf through low pressure watering nozzles such as fan nozzles, other drench watering systems, handheld sprayers or backpack sprayers.

LANDSCAPE USES

28/30

PLANTS ON WHICH BW240 WP BIOLOGICAL FUNGICIDE MAY BE USED:

For plants that could bear food commodities: Do not apply product when above-ground harvestable food commodities are present.

BW240 WP Biological Fungicide has a 0-Day PreHarvest Interval (PHI) for all crops contained on this label.

PLANT	USE	APPLICATION RATE OF BW240 WP BIOLOGICAL FUNGICIDE
Berries and Small Fruits: Blackberries, Blueberries, Currants, Elderberries, Gooseberries, Huckleberries, Loganberries, Raspberries, Strawberries, Grapes	Landscape soil drench Soil injection	3 – 8 oz / 1,000 sq ft landscape plantings 3 – 8 oz / 1,000 sq ft shrubs
Ornamental Bulbs	Landscape soil drench	3 – 8 oz / 1,000 sq ft landscape plantings
Citrus Fruits: Citrus Hybrids, Grapefruit, Kumquat, Limes, Oranges, Pummelos	Landscape soil drench Soil injection	3 – 8 oz / 1,000 sq ft landscape plantings 3 – 8 oz / 1,000 sq ft trees
Conifer Trees	Landscape soil drench Soil injection	3 – 8 oz / 1,000 sq ft landscape plantings 3 – 8 oz / 1,000 sq ft trees
Flowers, Bedding Plants, and Ornamentals	Landscape soil drench Soil injection	3 – 8 oz / 1,000 sq ft landscape plantings 3 – 8 oz / 1,000 sq ft shrubs
Herbs, Spices, and Mints	Landscape soil drench Soil injection	3 – 8 oz / 1,000 sq ft landscape plantings 3 – 8 oz / 1,000 sq ft shrubs
Pome Fruits: Pears, Quince	Landscape soil drench Soil injection	3 – 8 oz / 1,000 sq ft landscape plantings 3 – 8 oz / 1,000 sq ft trees
Trees and Shrubs: Deciduous Trees (e.g. Maple, Oak), Ornamentals, Grapes, Citrus, Pine	Landscape soil drench Soil injection	3 – 8 oz / 1,000 sq ft landscape plantings 3 – 8 oz / 1,000 sq ft trees and shrubs
Stone Fruits: Apricots, Cherries, Nectarines, Peaches, Plums, Prunes	Landscape soil drench Soil injection	3 – 8 oz / 1,000 sq ft landscape plantings 3 – 8 oz / 1,000 sq ft trees
Tree Nuts: Almonds, Beech Nuts, Brazil Nuts, Butternuts, Cashews, Chestnuts, Filberts, Hickory Nuts, Macadamia Nuts, Pecans, Pistachios, Walnuts	Landscape soil drench Soil injection	3 – 8 oz / 1,000 sq ft landscape plantings 3 – 8 oz / 1,000 sq ft trees

LANDSCAPE SOIL DRENCH: Apply 3 – 8 ounces of BW240 WP Biological Fungicide per 1,000 square feet of landscape plantings. Mix required dosage in sufficient water (50 – 75 gallons of water per 1,000 square feet of landscape plantings), and apply prepared suspension as a soil drench to landscape plantings. Apply BW240 WP Biological Fungicide directly to the soil through low pressure watering nozzles such as fan nozzles, other drench watering systems, or hydraulic, handheld or backpack sprayers.

Constant agitation of the spray tank is required. After application, lightly irrigate landscape plantings with 1/8 – 1/4 inch of water to move product below soil surface.

SOIL INJECTION FOR TREES AND SHRUBS: Apply 3 – 8 ounces of BW240 WP Biological Fungicide per 1,000 square feet of trees and shrubs. Mix required dosage in sufficient water (50 – 75 gallons of water per 1,000 square feet of trees and shrubs) to inject an equal amount of solution in each hole. Constant agitation of the spray tank is required. Use a grid system for soil injection of BW240 WP Biological Fungicide by spacing holes on 2 – 3 foot centers, in a grid pattern, extending at least to the drip line of the tree. Inject prepared solution into the soil at least 3 inches deep for shrubs and 6 inches deep for trees.

TANK MIXING

BW240 WP Biological Fungicide can be tank mixed and is compatible with many commonly used fungicides, liquid fertilizers, herbicides, insecticides and biological control products. If tank mixes are desired, observe the most restrictive of labeling limitations and precautions of all products used in mixtures. Consult your BioWorks representative for more information. **This product must not be tank mixed with chemicals that contain the following active ingredients: imazalil, propiconazole, tebuconazole, and triflumizole.** Do not apply BW240 WP Biological Fungicide immediately before these pesticides are used.

Do not combine BW240 WP Biological Fungicide in the spray tank with pesticides, surfactants, adjuvants, or fertilizers if there has been no previous experience or use of the combination to show it is physically compatible, effective and non-injurious under your use conditions.

BW240 WP Biological Fungicide is compatible with many commonly used pesticides, fertilizers, adjuvants and surfactants but has not been fully evaluated with all of these. To ensure compatibility of tank-mix combinations, evaluate them prior to use as follows: Using a suitable container, add proportional amounts of products to water. Add wettable powders first, followed by water dispersible granules, then by liquid flowables and lastly, emulsifiable concentrates. Mix thoroughly and let stand for at least five minutes. If the combination stays mixed or can be remixed, it is physically compatible. Do not exceed label dosage rates.

This product cannot be mixed with any product containing a label prohibition against such mixing.

PLANT SAFETY

BW240 WP Biological Fungicide has been tested on numerous plant varieties with no phytotoxic effects. However, since BW240 WP Biological Fungicide has not been tested on all plant varieties or in combination with all available tank mixes, the manufacturer recommends testing BW240 WP Biological Fungicide on a small number of plants to check for adverse plant effects before applying to a larger number of plants.

30/30

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container under refrigerated conditions. Short periods at room temperatures below 75°F will not affect performance. Keep container tightly closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then offer for recycling if available, or dispose of empty bag in a sanitary landfill or by incineration. Do not burn, unless allowed by state and local ordinances. If burned, stay out of smoke. If outer box is contaminated, dispose of it in the same manner as required for the bag.

NOTICE TO BUYER AND SELLER: Seller warrants that this product conforms to the description on this label and is reasonably fit for the purposes stated on this label when used and stored in accordance with the directions for use. This warranty does not extend to use of this product contrary to label directions or under conditions not reasonably foreseeable by the Seller, and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, Seller disclaims all other warranties, express or implied, including any warranty of fitness or merchantability. To the extent consistent with applicable law, Seller shall not be liable for consequential, special or indirect damages resulting from use or handling of this product, and Seller's sole liability and Buyer's and User's exclusive remedy shall be limited to refund of the purchase price. This product is sold only for uses stated on its label. No express or implied license is granted to use or sell this product under any patent in any country except as specified.

[In Case of Emergency: Call CHEMTREC: (800) 424-9300]

©2013, BioWorks, Inc.

[Made in United States of America by: BioWorks, Inc.]

[Company logo]