


Proxitane® EQ Liquid Sanitizer

ACTIVE INGREDIENTS:

Hydrogen Peroxide 23.0 %
Peroxyacetic Acid 5.3 %

INERT INGREDIENTS

Total 71.7 %
100.0 %



STRONG OXIDIZING AGENT

KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE. Causes irreversible eye damage and causes skin burns. Do not get in eyes, on skin or on clothing. May be fatal if swallowed or inhaled. Do not breath vapor or spray mist. Do not enter an enclosed area without proper respiratory equipment, approved under NIOSH schedule TC-19C. Wear chemical goggles, rubber gloves, and protective clothing when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse.

FIRST AID STATEMENTS

- IF IN EYES:** Hold eyelids open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- IF INHALED:** Move person to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
- IF SWALLOWED:** Call poison control center or doctor immediately for treatment advice. Drink promptly large quantities of water. DO NOT induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

CALL A POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY FOR EMERGENCY MEDICAL INFORMATION.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PHYSICAL AND CHEMICAL HAZARDS

Strong oxidizing agent. Corrosive. Do not use in concentrated form. Mix only with water according to label instructions. Contact of concentrate with other sanitizers, cleaners or other material may cause fire.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Proxitane® EQ is for use in circulation cleaning and institutional/industrial sanitizing of pre-cleaned hard non-porous food contact surfaces and equipment such as tanks, pipelines, evaporators, fillers, pasteurizers and aseptic equipment. The main areas of use include:

- Dairies, wineries, breweries and beverage plants
- Meat and meat products processing/packing plants
- Milk and dairy processing/packing plants
- Egg processing/packing plants

68660-4

3/20/2001

Page 182

- Seafood and poultry processing/packing plants
- Vegetable processing plants
- Eating establishments

SANITIZING PRE-CLEANED HARD NON-POROUS FOOD CONTACT SURFACES such as tanks, piping systems, pumps...

Clean equipment such as tanks immediately after use:

1. Remove gross food particulate matter and soil by a , or pre-flush, or a pre-scrape and, when necessary, pre-soak treatment.
2. Thoroughly wash surfaces or equipment with a good detergent or compatible cleaning solution.
3. Rinse equipment with potable water.
4. Prepare Proxitane® EQ solution as follows:
Add 1.6 to 1.7 liquid ounces Proxitane® EQ to 5 gallons of potable water. This will provide 145 to 154 ppm peroxyacetic acid and 631 to 670 ppm hydrogen peroxide.
5. Fill closed systems with diluted sanitizer solution at a temperature of 5°C (41°F) to 40°C to (104°F) and a contact time of one (1) minute.
6. Allow surfaces to drain thoroughly and air dry before resuming operation.

NOTES:

This product in its use concentrations is compatible with stainless steel and aluminum surfaces. If product is intended to be used on any other surface, it is recommended that you apply product to a smaller test area to determine compatibility before proceeding with its use. For all applications, to ensure effectiveness: do not return unused portion of EQ solution to original container - dispose of unused solution - do not reuse solution - for dilution prior to use, always prepare fresh solution daily.

STORAGE & DISPOSAL - DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

STORAGE: Store in original vented container in a dry location away from heat and out of direct sunlight. In case of fire involving product, use water. In case of large quantities of spilled material, dike with sand or earth. Dilute with large quantities of water.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, or public waters unless the components of this product are specifically identified and addressed in a NPDES permit. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage plant authority. For additional information, refer to the product Material Safety Data Sheet.

CONTAINER DISPOSAL: Plastic Containers (300 gallon tote) and Stainless Steel Containers (300 gallon tote, 4500 gallon tanktrucks, 20,000 gallon railcars): Return for reuse. Plastic Containers (1 pint, 1 quart, and 1, 5, 30, and 55 gallon drums): Triple rinse (or equivalent) then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Glass Containers (1 pint, 1 quart, and 1 gallon): Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved State and local procedures.

Manufactured and Distributed by: Solvay Interox, Inc., Houston, Texas 77098 USA
(713) 525-6500 Emergency (281) 479-2826
For Transport Emergency call CHEMTREC (800) 424-9300

Lot No.:
Net Contents: XX Gallons (XXlb)
Weight per gallon: 9.2 lb

278