68688-22

1/16/2003

JAN 16 2003



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

1/3

Mr. Bill Washburn Speer Products, Inc. 4242 B.F. Goodrich Blvd. Memphis, TN 38118

Subject: Amendment Revising First Aid and Disposal Per PR Notices 2001-1 and 2001-6 Elite Residual Mist Plus EPA Registration Number: 68688-22 Your Submission Dated November 15, 2002

Dear Mr. Washburn:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comment below. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records.

1. The ocular first aid statements (IF IN EYES) should appear at the top of the First Aid table, since the ocular route of exposure is the exposure route of greatest concern for this product (i.e., category II eye irritant).

If you have any questions regarding this action, please contact Susan Stanton of my team at (703) 305-5218.

Sincerely,

L. Starton for

George T. LaRocca Product Manager 13 Insecticide Branch Registration Division (7505C)

Enclosure

with COMMENTS In EPA Letter Dated

JAN 1 6 2003

ACCENTEIS

[] Indicate Optional Statements

Under the Federal Insecticide, Fungicide, and Rodenticide Act.

as amended, for the pesticide READ ENTIRE LABEL BEFORE FACH USE . ELITE RESIDUAL MIST PLUS (91.98-22)

REPELLENT SPRAY WITH SOOTHING ALOE, LANOLIN & PABA SUNSCREEN FOR PUPPIES - DOGS - HORSES - FOALS

CONTAINS TWO INSECTICIDE SYSTEMS AND TWO REPELLENTS FOR IMMEDIATE AND RESIDUAL CONTROL OF **GNATS - FLIES - MOSQUITOES - MITES - CHIGGERS - FLEAS -**TICKS AND LICE

CONTROLS [KILLS] |AND REPELS] LYME DISEASE-CARRYING TICKS (INCLUDING IXODES **DAMMINI**

ALSO FOR USE AS A GROOMING AID AND COAT CONDITIONER.

ACTIVE INGREDIENTS:

Permethrin [(3-Phenoxyphenol) methyl (+/-) cis/trans** -3	(2,2-
Permethrin [(3-Phenoxyphenol) methyl (+/-) cis/trans** -3 dichloroethenyl) -dimethyl cyclopropane carboxylate]	
Pyrethrins	
*Piperonyl Butoxide, Technical	0.50%
N-Octyl bicycloheptene dicarboximide	
Di-n-propyl isocinchomeronate	
Butoxypolypropylene glycol	
INERT INGREDIENTS:	
	100.00%

*Equivalent to 0.40% (butylcarbityl) (6-propylpiperonyl) ether and 0.10% related compounds. ** cis/trans ratio min. 35% (+/-) cis and max. 65% (+/-) trans

KEEP OUT OF REACH OF CHILDREN WARNING See side Panels for Additional Precautionary Statements

NET CONTENTS OZ

EPA Est. No. 11715-TN-1

EPA Reg. No. 68688-22

PRECAUTIONARY STATEMENTS WARNING

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HUMAN: Causes substantial but temporary eye. Injury. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles, face shield or safety glasses. Wear protective glove or mitt when applying this product. Wash thoroughly with soap and water after handling. Avoid breathing vapors. Do not smoke while using. Do not contaminate foodstuffs. Remove contaminated clothing and wash before reuse.

ANIMALS: Avoid contact with eyes or mucous membranes. Avoid treatment of nursing puppies and foals under 12 weeks of age unless prescribed by a veterinarian. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame. Contains alcohol. Do not apply to painted or finished wood surfaces.

	FIRST AID
IF SWALLOWED:	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

0

FIRST AID (Cont'o	1)
IF INHALED:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
HOT LINE NUMB	ER
Usua the product on	stainer or label with you when calling a noison control

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.

ELITE RESIDUAL MIST PLUS combines Oil of Aloe with other emollients to moisturize the skin and produce a show condition coat. Contains two insecticide systems and two repellents for use on horses for immediate and residual control of face flies, stable flies, house flies, mosquitoes, gnats, mites, chiggers and lice.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE ONLY IN WELL VENTILATED AREAS HOLD BOTTLE IN UPRIGHT POSITION WHEN SPRAYING

Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals, or animals on medication.

DOGS

Cover animal's eyes with hands. With a firm stroke to get a proper spray mist, spray head, ears and chest until damp. With fingerlips, sub into face around mouth, nose and eyes. Then spray neck, middle and hind quarters, finishing legs last. For best penetration of spray to the skin, direct spray against the natural lay of the hair. On long haired dogs, rub your hand against the lay of the hair, spraying the ruffled häir directly behind the hand. Make sure spray thoroughly wets ticks. If necessary, reapply product at two to three week intervals. Also reapply after animal has been washed or exposed to heavy rain.

HORSES

Thoroughly brush the horse's coat, prior to application, to remove loose dirt and debris. For dirty horses, and as a preparation for show grooming, clean the coat with a quality shampoo. Wait until coat is completely dry before applying. Cover entire surface of animal with spray, but avoid getting product into horse's eyes or other sensitive areas such as mouth or nose. Brush coat against grain while spraying to insure adequate penetration of product. As a wipe, apply liberally with a clean cloth or sponge. Make sure spray has completely dried before covering with any tack. For **initial** treatment, apply daily for 2-3 days. As infestation subsides, repeat treatment every 5-10 days, or as prescribed by a veterinarian. Also re-apply every time animal is washed or exposed to heavy rain.

STORAGE AND DISPOSAL

STORAGE: Do not use or store near heat or open flame. DISPOSAL: Do not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

In case of emergency or for product use information call (901) 362-1950, Monday- Friday, 7:30 AM - 4:30 PM, CST (distributors may elect to use their own phone numbers).

> MANUFACTURED BY: SPEER PRODUCTS, INC. P.O. Box 18993 Memphis, TN 38118-0993

c:\mspub\rsr22.pub (05/08/98notif)(11/15/02 NOTIF. 2001-1&6)