

HEARTLAND FARM & DAIRY FLY SPRAY

Acceptable for Use on Horses, Dairy and
Meat Animals

And In: Dairy Barns, Stables, Pig
Confinements, Milk and Egg Handling
Areas of Dairies and Chicken Houses.

KILLS & REPELS

House Flies, Stable Flies, Horse Flies, Horn
Flies,
Ticks, Gnats and Blood Sucking Lice on
Cattle.

ACTIVE INGREDIENTS:

Pyrethrins.....0.03%
* Piperonyl Butoxide, Technical.....0.24%
**INERT INGREDIENTS.....99.73%
100.00%

* Equivalent to 0.192% (butylcarbityl) (6-
propylpiperonyl) ether and 0.048% related
compounds.

** Contains Petroleum distillates

KEEP OUT OF REACH OF CHILDREN
CAUTION

See side panel for additional precautionary
statements

NET CONTENTS: _____

E.P.A. Est. No. 11715-TN-1
E.P.A. Reg. No. 68688-47


PRECAUTIONARY STATEMENT HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through the
skin. Avoid breathing vapors or spray mist.
Avoid breathing vapors or spray mist. Avoid
contact with skin, eyes, or clothing. Wash
thoroughly with soap and water after handling.

Do not apply directly to food. In commercial food
handling facilities, cover or remove any food and
food processing equipment during application.
Do not apply while food processing is under way.
After space spraying in food processing plants,
wash all equipment, benches, shelves, etc., where
exposed food will be handled with an effective
cleaner followed by a rinse with potable water. In
the home, all food processing surfaces and
utensils should be covered during treatment or
thoroughly washed before use.

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.



FIRST AID (Cont'd)

IF INHALED:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15- 20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

68688-47

6/3/2003

1/2

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-4943 for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains petroleum distillate-vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. **DO NOT APPLY DIRECTLY TO WATER.** Do not contaminate water by cleaning of spray equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame. Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

ON ANIMALS

To protect animals from horn flies, house flies, mosquitos and gnats, apply a light mist sufficient to wet the tips of the hair. To control stable flies, horse flies, deer flies, apply 2 ounces per adult animal, sufficient to wet the hair but not soak the hide. Repeat treatment once or twice daily or at intervals necessary to give continued protection.

TO CONTROL

BLOOD SUCKING LICE

Apply the spray lightly to infested areas using a stiff brush to get the spray to the base of the hair. Use 2 ounces or less per animal. Repeat

every two to three weeks, as required.

BARNs, STABLEs, PIG

CONFINEMENTs,

MILK & EGG HANDLING AREAS OF DAIRIES & CHICKEN HOUSES

To control flies, gnats, mosquitos, apply as a fog or fine mist directing the spray toward the ceiling and upper corners of the enclosure until the space is filled with mist using 1 oz. per 1000 cubic feet of space. For best results, close windows and doors before spraying and keep closed for ten to fifteen minutes. Vacate the area and ventilate before reoccupying. Repeat application if necessary.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Manufactured by:
SPEER PRODUCTS
P. O.Box 18993
Memphis, TN 38181-0993

CAMSPUB\reg47.pub-(06/21/96)(11/18/02-NOTIF. 2001-1&6)