

4/24/2003

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

APR 24 2003

Mr. William L. Washburn
Speer Products, Inc.
4242 E.I. Goodrich Blvd.
P.O. Box 18993
Memphis, TN 38118

Dear Mr. Washburn:

Subject: Revised Labeling in Response to PR Notices 2001-1 and 2001-6
FH-7 Farm & Dairy Insect Killer
EPA Reg. No. 68688-54
Submission dated December 12, 2002

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Three copies of the finished labeling must be submitted prior to releasing the product for shipment.

Since your product is not exclusively for residential uses, you must expand the statement, "DO NOT APPLY DIRECTLY TO WATER" in your Environmental Hazards statement to read: "Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark". For further guidance, please refer to PR Notices 93-3 and 93-8.

Sincerely,

A handwritten signature in black ink, appearing to read "M. Johnson".

Marion J. Johnson, Jr.
Product Manager (10)
Insecticide Branch
Registration Division (7505C)

FH-7 FARM & DAIRY INSECT KILLER

PROFESSIONAL STRENGTH, FAST KNOCK DOWN & KILL

FOR USE IN
BARNs, STABLES, DAIRIES, PIG CONFINEMENTS, AND MILK &
EGG HANDLING AREAS OF DAIRIES & CHICKEN HOUSES

KILLS
HOUSE FLIES, STABLE FLIES, HORSE FLIES,
HORN FLIES, TICKS, LICE, & GNATS

ACTIVE INGREDIENTS:

Pyrethrins.....0.70%

*Piperonyl Butoxide, Technical.....5.00%

INERT INGREDIENTS:.....94.30%
100.00%

*Equivalent to 4.0% (butylcarbityl) (6-propyl-peperonyl) ether
and 1.0% related compounds.

KEEP OUT OF REACH OF CHILDREN

DANGER

Read Additional Precautions on Back Panel

NET CONTENTS _____ 07.

EPA Reg. No. 68688-54
EPA Est. No. 11715-TN-1

PRECAUTIONARY STATEMENT

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed or absorbed through skin. Avoid breathing of vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.

ACCEPTED
with COMMENTS
In EPA Letter Dated:

APR 24 2003

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
68688-54

2/4

FIRST AID (Cont'd)	
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information	
NOTE TO PHYSICIAN: This product contains the toxic inert ingredient methylene chloride.	

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. **DO NOT APPLY DIRECTLY TO WATER.** Do not contaminate water by cleaning of equipment or disposal wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DAIRY FARM USE: Milking Parlor and Mild Room: Close all windows and doors. Direct spray upwards, spraying for 2-3 seconds for 1,000 cu. ft. of space. Do not remain in treated areas. Ventilate after treatment. Cover milking utensils and milk to prevent contamination from spray or dead or falling insects.

ANIMAL USE: Thoroughly spray entire animal from approximately 2 ft. distance. Do not spray directly toward animal's eyes. Spot treat withers, shoulders, and back where saliva accumulates from head tossing.

STANCHION BARN USE: Walk behind animals and direct spray over backs, allowing 5 seconds per animal. For most effective results, apply each morning.

POULTRY OPERATIONS: In poultry houses, close all windows and doors. Spray at the rate of 2-3 seconds per 1,000 cu. ft. of space. Do not remain in treated areas. After 15 minutes ventilate the area. Treat daily or as necessary.

ANIMAL USE: For animal application, direct spray over backs of hogs and spray for 5 seconds per hog. Do not spray directly toward the animal's face or eyes. Repeat application daily or as necessary.

HORSE BARN OR STABLES: In horse and pony barns, close all windows and doors. Spray at the rate of 2-3 seconds per 1,000 cu. ft. of space. Do not remain in treated area. After 15 minutes ventilate the area. Repeat the application as necessary.

ANIMAL USE: For animal application, lightly mist over backs of horses and ponies from a distance of 2 ft. Do not spray directly toward the animal's face or eyes. Repeat application daily or as necessary.

BEEF CATTLE OPERATIONS: In barns, close all windows and doors. Spray at the rate of 2-3 seconds per 1,000 cu. ft. of space. Do not remain in treated area. After 15 minutes ventilate the area. Repeat application as necessary.

ANIMAL USE: For animal application, lightly mist over backs of horses and ponies from a distance of 2 ft. Do not spray directly toward the animal's face or eyes. Repeat application daily or as necessary.

FOOD PROCESSING PLANT USE: To kill- Roaches, Spiders, Silverfish, Wasps, Hornets, Crickets: Spray the insect directly when possible. Spray all probable hiding places such as cracks, crevices, baseboards, sinks, cabinets, shelves, under appliances, in food storage areas. **To kill- Flies, Mosquitoes, Gnats, Small Fling Moths:** Close all windows and doors. Direct spray upward, spraying for 1-2 seconds for 1,000 cubic feet of space. Do not remain in treated areas. Ventilate after treatment.

HOME USE: To kill- Roaches, Spiders, Silverfish, Wasps, Hornets, Crickets: Spray the insect directly when possible, and spray all probable hiding places such as cracks, crevices, baseboards, sinks, cabinets, shelves, and under appliances. Repeat as necessary.

STORAGE AND DISPOSAL

STORAGE: Store in a cool area away from heat and open flame.

DISPOSAL: Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

WARRANTY STATEMENT

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

MANUFACTURED BY:
SPEER PRODUCTS, INC.
P.O.BOX 18993
MEMPHIS, TN 38118-0993

Netserver/Regulatory/SPI labels/68688-54amended (12-12-02)