

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER. CORROSIVE. CAUSES EYE DAMAGE AND SKIN IRRITATION.** Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear protective eyewear, gloves and protective clothing when handling.

**PHYSICAL AND CHEMICAL HAZARDS**  
**FLAMMABLE.** Keep away from heat and open flame.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. If spilled, remove all sources of ignition. Take up with sand or other non-combustible absorbent. For large spills, dike for later disposal.

**STORAGE:** Store in a cool and well-ventilated area.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL**

**METAL CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**PLASTIC CONTAINERS:** Do not reuse empty container. Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.



**EC6107A**

A MICROBIOCIDICIDE FOR USE IN CONTROLLING THE GROWTH OF AEROBIC AND ANAEROBIC BACTERIA, INCLUDING SULFATE REDUCERS WHICH OCCUR IN OILFIELD SUBSURFACE INJECTION WATERS, SUCH AS WATER DISPOSAL SYSTEMS AND WATERFLOODS

**ACTIVE INGREDIENT:**

1-(alkyl*-amino)-3-Aminopropane.....	23.3%
<b>INERT INGREDIENTS:</b> .....	<u>76.7%</u>
<b>Total</b> .....	100.0%

\*Alkyl as in fatty acids of coconut oil

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**

**FIRST AID**

- **IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
- **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor.
- **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or ambulances, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.  
Have the MSDS with you when calling a poison control center or a doctor, or going for treatment.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 68708-8

EPA Est. No. 68708-TX-1

ONDEO NALCO ENERGY SERVICES  
7701 HWY 90A  
SUGAR LAND, TEXAS 77478  
EMERGENCY TELEPHONE NUMBER (800) 424-9300

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**USE WITH CLOSED DELIVERY SYSTEMS ONLY**

EC6107A may be used continuously or in slug treatment as described below. The frequency

Of addition depends on many factors that should be established by biological tests. To optimize use of EC6107A, follow the procedures below.


**USAGE PROCEDURES**

1. **SLUG METHOD** – When the system is noticeably fouled, apply 12 fluid ounces per 1000 gallons of water (95 ppm of product). This treatment should be applied at a point in the system where it will be uniformly mixed. Repeat on a weekly basis, or as needed to establish control.

When microbial control is evident, the treating rate may be lowered to 6 fluid ounces per 1000 gallons of water (47 ppm of product) weekly, or as needed to maintain control.

2. **CONTINUOUS METHOD** – Before beginning a continuous treatment, apply a slug treatment of 12 fluid ounces per 1000 gallons of water (95 ppm of product). Maintain this treatment by applying 0.5 to 2.5 fluid ounces per 1000 gallons of water (4 to 20 ppm of product).

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER



68708-8  
6/23/2003  
Page 181