

68708-8

01/27/2011

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

JAN 27 2011

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Nalco Company
1601 West Diehl Road
Naperville, IL 60563

Attention: Linda Fane
Staff Product Chemist

Subject: Nalco EC6107A - Amendment to update label per ATMD RED
EPA Reg. No. 68708-8
Amendment Letter Dated January 17, 2011

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. The Agency approves the following:

- The product label revised to incorporate new language required under the ATMD RED.

A stamped copy of the accepted labeling is enclosed. Submit three copies of your final printed labeling to the Agency before distributing or selling the product bearing the revised labeling.

If you have any questions concerning this letter, please contact Abigail Downs at (703) 305-5259.

Sincerely
Marshall Swindell
Marshall Swindell
Product Manager (33)
Regulatory Management Branch I
Antimicrobials Division (7510P)

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. CAUSES EYE DAMAGE AND SKIN IRRITATION. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Long pants, long sleeved shirt, and chemical resistant gloves must be worn when handling this product. Apply product using a closed delivery system such as a dry coupling and/or metering pump.

PHYSICAL AND CHEMICAL HAZARDS

FLAMMABLE. Keep away from heat and open flame.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, oysters, and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. If spilled, remove all sources of ignition. Take up with sand or other non-combustible absorbent. For large spills, dike for later disposal.

STORAGE: Store in a cool and well-ventilated area.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

(Instructions for refillable containers:)

CONTAINER HANDLING: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling, if available, or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedure approved by state and local authorities.

(Instructions for non-refillable containers greater than 5 gallons:)

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. Triple rinse (or equivalent) container promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling, if available, or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedure approved by state and local authorities.

(Instructions for non-refillable containers 5 gallons or less:)

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. Triple rinse (or equivalent) container promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain

for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling, if available, or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedure approved by state and local authorities.

DI

It is a violation of F... inconsistent with its lat

USE WITH CL

EC6107A may be used below. The frequenc should be established EC6107A, follow the p



A MICROBIOCIDICIDE FOR USE IN CONTROLLING THE GROWTH OF AEROBIC AND ANAEROBIC BACTERIA, INCLUDING SULFATE REDUCERS WHICH OCCUR IN OILFIELD SUBSURFACE INJECTION WATERS, SUCH AS WATER DISPOSAL SYSTEMS AND WATERFLOODS

ACTIVE INGREDIENT:

1-(alkyl* -amino)-3-Aminopropane..... 23.3%

INERT INGREDIENTS:.....76.7%

Total.....100.0%

*Alkyl as in fatty acids of coconut oil

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID

- IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
- IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor.
- IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- IF INHALED: Move person to fresh air. If person is not breathing, call 911 or ambulances, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Have the MSDS with you when calling a poison control center or a doctor, or going for treatment.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

**Nalco Company
1601 West Diehl Road
Naperville, IL 60563-1198**

EMERGENCY TELEPHONE NUMBER (800) 424-9300

EPA Reg. No. 68708-8

EPA Est. No. 68708-TX-1

1. SLUG METHOD - 12 fluid ounces per This treatment should will be uniformly r to establish control

When microbial c lowered to 6 fluid product) weekly, or

2. CONTINUOUS treatment, apply a gallons of water (9 applying 0.5 to 2.5 ppm of product).

NET CONTENTS: ACCEPTED with COMMENTS in EPA Letter D

JAN 27

Under the Federal Insecticide, and Rodenticide Act, amended, for the pesticide registered under EPA 2

[Batch/Lot Number: _____

Note to EPA Reviewer

2/3

FUMANS

for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling, if available, or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedure approved by state and local authorities.

N. Harmful if
ved shirt, and
roduct using a

not discharge
r other waters
e Elimination
riting prior to
stems without
act your State

all sources of
dike for later

posal of excess
ites cannot be
Environmental
nal Office for

icide only. Do
disposal is the
filling is the
the remaining
ainer about 10
for 2 minutes.
at this rinsing
g, or puncture
ate and local

this container.
ollows: Empty
r ¼ full with
suring at least
back and forth
several times.
r later use or
available, or
dure approved

this container.
ollows: Empty
onds after the
seconds. Pour
isposal. Drain

mmable Liquid, N.O.S., (contains, isopropanol, isobutanol), 3, III
[RQ: isobutanol RQ amt: 50,000 lbs]



A MICROBIOCIDICIDE FOR USE IN CONTROLLING THE GROWTH OF AEROBIC AND ANAEROBIC BACTERIA, INCLUDING SULFATE REDUCERS WHICH OCCUR IN OILFIELD SUBSURFACE INJECTION WATERS, SUCH AS WATER DISPOSAL SYSTEMS AND WATERFLOODS

ACTIVE INGREDIENT:

1-(alkyl)* -amino)-3-Aminopropane.....	23.3%
INERT INGREDIENTS:	76.7%
Total	100.0%

*Alkyl as in fatty acids of coconut oil

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID

- **IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
- **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor.
- **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or ambulances, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Have the MSDS with you when calling a poison control center or a doctor, or going for treatment.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

**Nalco Company
1601 West Diehl Road
Naperville, IL 60563-1198**

EMERGENCY TELEPHONE NUMBER (800) 424-9300

EPA Reg. No. 68708-8 EPA Est. No. 68708-TX-1

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE WITH CLOSED DELIVERY SYSTEMS ONLY

EC6107A may be used continuously or in slug treatment as described below. The frequency of addition depends on many factors that should be established by biological tests. To optimize use of EC6107A, follow the procedures below.

USAGE PROCEDURES

1. **SLUG METHOD** – When the system is noticeably fouled, apply 12 fluid ounces per 1000 gallons of water (95 ppm of product). This treatment should be applied at a point in the system where it will be uniformly mixed. Repeat on a weekly basis, or as needed to establish control.

When microbial control is evident, the treating rate may be lowered to 6 fluid ounces per 1000 gallons of water (47 ppm of product) weekly, or as needed to maintain control.

2. **CONTINUOUS METHOD** – Before beginning a continuous treatment, apply a slug treatment of 12 fluid ounces per 1000 gallons of water (95 ppm of product). Maintain this treatment by applying 0.5 to 2.5 fluid ounces per 1000 gallons of water (4 to 20 ppm of product).

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JAN 27 2011

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
amended for the pesticide,
registered under EPA Reg. No. 68708-8

[Batch/Lot Number: _____]

Note to EPA Reviewer: Batch/Lot Number may or may not appear on label.

