

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. CAUSES EYE DAMAGE AND SKIN IRRITATION. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food. This product is a dermal sensitizer. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Completely empty container and triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration if allowed by state and local authorities. If burned, stay out of smoke.

Net Contents: 55 Gallons (208 L)

Net Contents: 55 Gallons (208 L)



EC9086A

ACTIVE INGREDIENT:

2-Bromo-2-nitropropane-1,3-diol.....	8.80%
5 Chloro-2-methyl-4 isothiazolin-3-one.....	0.28%
2-Methyl-4 isothiazolin-3-one.....	0.10%
INERT INGREDIENTS:	90.82%
Total.....	100.00%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID

- **IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
- **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor.
- **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or ambulances, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Have the MSDS with you when calling a poison control center or a doctor, or going for treatment.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 68708-9

EPA Est. No. 68708-LA-1

NALCO/EXXON ENERGY CHEMICALS, L.P.
7701 HWY 90A
SUGAR LAND, TEXAS 77478
EMERGENCY TELEPHONE NUMBER (800) 424-9300

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STARCH, PIGMENT AND EXTENDER SLURRIES

To inhibit the growth of spoilage bacteria during the manufacture, storage and distribution of water-based suspension concentrates, EC9086A may be dosed at or close to the end of the manufacturing process in a quantity of the process water. If the manufacturing process involves a heating stage, the EC9086A should be added after this stage when the product has cooled to below 40 °C.

FREQUENCY AND DOSE: EC9086A should be dosed at 1000-5000 ppm based on the final formulation volume (8-40 pints/1000 gallons).

PAINTS, LATEX AND ANTIFOAM EMULSION SYSTEMS


To provide in-can preservation and prevent bacterial spoilage during shelf-life storage of acrylic, styrene-acrylic, polyvinyl acetate and other latex emulsion concentrates and latex emulsion based paints. Also for the preservation of silicone and other antifoam emulsion systems, add EC9086A at any convenient point during the manufacturing process. Ideally it should be added as a final step just prior to packing of the product into bulk or sales packs. If a heating stage is involved in the manufacture, add EC9086A after this stage when the product has cooled to below 40 °C.

FREQUENCY AND DOSE: EC9086A should be dosed at 1000-5000 ppm based on the final formulation volume (8-40 pints/1000 gallons).

COATING PRESERVATION

EC9086A is recommended as an in-container preservative for the control of bacteria and fungi in water-based coatings such as paper coatings.

RECOMMENDED DOSES ARE EXPRESSED AS PPM PER PPM-PRODUCT.



68708-9

6/23/2003

11