



296

# ENQUIK MP

**FOR MANUFACTURING USE ONLY**

**HERBICIDE-DESICCANT-HARVEST AID**

ONLY FOR USE IN FORMULATING HERBICIDES, DESICCANTS, AND HARVEST AIDS, FOR USE ON THE FOLLOWING CROPS:

APPLES, PEACHES, NECTARINES, BLUEGRASS, TALL FESCUE,  
FINE FESCUE, ORCHARDGRASS, PERENNIAL RYEGRASS,  
GREEN ONIONS, DRY BULB ONIONS, LEEKS, SHALLOTS,  
SPRING ONIONS, GARLIC, PEANUTS, CUCURBITS, COLE CROPS,  
FRUITING VEGETABLES, LEAFY VEGETABLES, PEPPERMINT  
AND POTATOES

Active Ingredient:

1-aminomethanamide dihydrogen tetraoxosulfate .....	79.0%
Inert Ingredients .....	21.0%
TOTAL .....	100.0%

Density in lbs/gallon @ 68.0°F ..... 12.65 lbs.

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

EPA Reg. No. 68891-

EPA Est. No. 612-CA-004; 612-WA-001; 612-FL-1

NET CONTENTS \_\_\_\_\_

Manufactured for:

Entek Corporation  
P.O. Box 458  
Brea, California 92622

ACCEPTED  
with COMMENTS  
In EPA Letter Dated  
31 1995  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
68891-6

**BEST AVAILABLE COPY**

**STATEMENT OF PRACTICAL TREATMENT**

**IF IN EYES:** Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.

**IF SWALLOWED:** Do NOT induce vomiting. If victim is conscious and alert give one glass of milk or water to drink; 1/2 glass to children under age 5. Do NOT exceed above quantities in order to avoid vomiting. Refer to the Material Safety Data Sheet for additional information. **GET MEDICAL TREATMENT IMMEDIATELY.**

For further information call the Los Angeles Poison Information Center at (800) 356-3129.

**PELIGRO!**

**AL USARIO:** Si usted no lee ingles, no use est producto hasta que la etiqueta le haya sido explicada ampliamente.

**(TO THE USER:** If you cannot speak English, do not use this product until the label has been fully explained to you.)

**PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS AND DOMESTIC ANIMALS****DANGER - CORROSIVE:**

Causes irreversible eye damage.

Moderately irritating to skin.

Harmful or fatal if swallowed.

Do not get in eyes, on skin or on clothing. Wear goggles and face shield and protective clothing (such as synthetic rubber or non-nylon plastic apron, gloves, pants and boots) when handling. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse. Avoid breathing spray mist.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not allow ENQUIK MP to be heated above 176°F, as the quality of the product may deteriorate. If ENQUIK MP is heated above 230°F, vigorous decomposition may occur. Do not weld equipment containing ENQUIK MP.

**CLOTHING:** ENQUIK MP can attack cotton, nylon, and leather clothing. If ENQUIK MP contacts clothing of this type, flush with plenty of water to minimize damage. Wear synthetic rubber or non-nylon plastic protective clothing.

**DO NOT MIX WITH OTHER MATERIALS WITHOUT SPECIFIED AUTHORIZATION, AS HAZARDOUS COMBINATIONS MAY RESULT.**

**STORAGE AND DISPOSAL****DO NOT CONTAMINATE WATER, FOOD, OR FEED BY  
STORAGE OR DISPOSAL**

**STORAGE:** Material crystallizes below 32°F. Do not heat above 176°F.

Materials recommended for use with ENQUIK MP include polyethylene, polypropylene, PVC, CPVC, fiberglass made with reinforced resins such as polyesters and epoxides, most rubbers, and 316 stainless steel.

Do not use with mild steel, leather, or acid-sensitive resins such as delrin and celcon. Do not expose nylon to undiluted ENQUIK MP.

ENQUIK MP is moderately corrosive to cast iron, aluminum, and brass. Prolonged use with these metals is not recommended.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent) all containers and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by procedures approved of by state and local authorities.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For manufacturing use only in the production of herbicide, desiccant and harvest-aid formulations.

**CONDITIONS OF SALE**

1. Entek warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated when used in accordance with the use directions under normal conditions. Entek neither makes, nor authorizes any agent or representative to make, any other warranty of fitness or of merchantability, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond Entek's control prevent it from eliminating all risks in connection with the use of this material. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for uses stated herein and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability resulting from the handling, storage, and use of this material (except those assumed by Entek in (1) above). Entek shall not be liable for incidental or consequential damages.

Entek's manufacturing, composition, and/or use patents relative to the product contained herein include U.S. Patents 4402852, 4404116, 4445925, 4447253, 4522644, 4673522, and 4397675, and various foreign patents. Other patents are pending.

Entek grants the purchaser a license, under Entek's U.S. Patents only, and only for the use of the product contained herein, and solely in accordance with the instructions on this label. NO OTHER LICENSE, EXPRESS OR IMPLIED, IS GRANTED. NOT FOR EXPORT.

December 4, 1995