

MACH 2™

Granular Turf Insecticide

FOR CONTROL OF IMMATURE STAGES OF CERTAIN INSECTS IN TURFGRASS.

**KEEP OUT OF REACH OF CHILDREN
CAUTION/PRECAUCION!**

CAUTION

Net Weight: 33.3 lbs.

MACH 2™

Granular Turf Insecticide

1 07 53185 00019

MACH 2™

Granular Turf Insecticide

Granular Turf Insecticide

MACH 2™

MACH 2™

Granular Turf Insecticide

FOR CONTROL OF IMMATURE STAGES OF CERTAIN INSECTS IN TURFGRASS.

NOT FOR SALE OR USE IN NASSAU AND SUFFOLK COUNTIES, NEW YORK.

ROHMID

One Central Drive • Parsippany, NJ 07054

A subsidiary company of
American Cyanamid Company and
Rohm and Haas Company

Net Weight: 33.3 lbs.

1 07 53185 00019

MACH 2™

Granular Turf Insecticide

ACCEPTED

DEC 10 1998

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under RPA Reg. No. **69075-4**

Best Available Image

PM 03 69075-4 12/10/98 Page 127

FOR CONTROL OF IMMATURE STAGES OF CERTAIN INSECTS IN TURFGRASS.

NOT FOR SALE OR USE IN NASSAU AND SUFFOLK COUNTIES, NEW YORK.

ACTIVE INGREDIENT

Halofenozide

Benzic acid, 4-chloro-2-benzoyl-2-(1,1-dimethylethyl)hydrazide 1.5%

INERT INGREDIENTS 98.5%

100.0%

STORE IN A DRY PLACE

EPA Reg. No. 69075-4

EPA Est. No. 5905-GA-01

Notice: Before using this product, read entire Precautionary Statements, Conditions of Sale and Warranty, Directions for Use, Use Restrictions, and Storage and Disposal Instructions.

**KEEP OUT OF REACH
OF CHILDREN
CAUTION! / PRECAUTION!**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush eyes with plenty of water. Consult a physician if irritation persists.

IF INHALED: Move victim to fresh air.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Appropriate protective equipment must be worn when handling a spill of this material. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to PRECAUTIONARY STATEMENTS on label for hazards associated with handling of this material. Do not walk through spilled material. Dispose of pesticide as directed above. In spill or leak incidents, keep unauthorized people away.

GENERAL INFORMATION

MACH 2™ Granular Turf Insecticide can be used as directed on any turfgrass site (lawns and turf areas). Examples of such sites include, but are not limited to: residential and commercial lawns, grounds or lawns around business and office complexes, shopping centers, multi-family and residential apartment complexes, airports, military and other institutions, cemeteries, parks and picnic areas, playgrounds, schools, athletic fields, golf courses, and sod farms.

MACH 2 mimics the action of a natural insect hormone which induces the molting and maturation process in insects. MACH 2 is highly active against grubs and lepidopteran larvae as target pests. MACH 2 controls listed larvae through removal mode of action which starts within hours of ingestion. Actual death of larvae may take several days to occur.

USE RATE DETERMINATION

Carefully read, understand, and follow label use rates, recommendations and restrictions. Apply the amount specified in the following table with a properly calibrated granular spreader. Check calibration periodically to ensure that equipment is working properly. Avoid overlaps that will increase rates above those recommended. Failure to follow the DIRECTIONS FOR USE and all precautions on this label may result in grass injury or poor pest control.

APPLICATION TIMING

The activity of MACH 2™ Granular Turf Insecticide is expressed following ingestion by the target larvae. Consequently, the timing of application is dependent upon the feeding behavior of the target pest. Consult your local State Extension Specialists for more specific information regarding timing of applications.

To achieve optimal effectiveness, the following turf management practices are suggested:

- Minimize thatch, since heavy thatch will prevent the insecticide from penetrating to the area where insects are feeding.
- Apply when larvae are small and actively feeding.
- MACH 2 is not dependent upon irrigation for activation. However, avoid mowing turf until after product is washed from leaf blades so that uniformity of application is not affected.

168

CAUTION

May cause eye irritation. Harmful if absorbed through skin, inhaled, or swallowed. Avoid breathing dust. Avoid contact with eyes, skin, or clothing.

WPS USES

Applicators and other handlers who handle this pesticide for any use covered by the Worker Protection Standard (40 CFR part 170) - in general, agricultural plant uses are covered - must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standards (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handlers PPE requirements may be reduced or modified as specified in the WPS.

NON-WPS USES

Applicators and other handlers who handle this pesticide for any use NOT covered by the Worker Protection Standard (40 CFR part 170) - in general, only agricultural plant uses are covered by the WPS - must wear:

- Shirt and pants
- Gloves
- Shoes plus socks

USER SAFETY RECOMMENDATIONS

Users should:

- wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

This chemical has the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow may result in groundwater contamination.

USE DIRECTIONS FOR TURFGRASS

PEST	Amount of MACH 2 1.5G	COMMENTS
Larvae of cutworms, sod webworms, armyworms, fall armyworms	67 lbs/Acre (1.55 lb./1,000 sq. ft.)	Apply at first sign of pest damage. A single repeat application can be made if needed.
White grub larvae such as: Japanese beetle, <i>Popillia japonica</i> Northern masked chafer, <i>Cyclocephala borealis</i> Southern masked chafer, <i>Cyclocephala lurida</i> European chafer, <i>Rhizotrogus majalis</i> Oriental beetle, <i>Exomala orientalis</i> Asiatic garden beetle, <i>Maladera castanea</i> May/June beetle, <i>Phyllophaga</i> spp. Black turfgrass ataenius, <i>Ataenius spretulus</i> Green June Beetle, <i>Cotinus nitida</i> Annual bluegrass weevil larvae, <i>Hyperodes</i> spp. Billbugs, <i>Sphenophorus</i> spp. Aphodius beetle, <i>Aphodius</i> spp.	100 lbs/Acre (2.3 lbs./1,000 sq. ft.)	MACH 2 may be used as either a preventative or curative treatment. Make only one application.

Do not apply more than 133 lbs. (2 lbs. active ingredient) per acre per year regardless of pests controlled.

FOR SOIL APPLS - Allow at least 7 days to elapse between last application and harvest of sod.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with any residue that has been treated, such as turf, plants, soil, or water:

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry, well-ventilated area. Prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of reach of children.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your local State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA region office for guidance.

IN CASE OF AN EMERGENCY ENDANGERING LIFE OR PROPERTY INVOLVING THIS PRODUCT, CALL DAY OR NIGHT 1-800-424-9300.

Net Weight: 33.3 lbs

™ Trademark of Rohmid LLC

Product of
ROHMID
LLC

One Campus Drive, Parsippany, NJ 07054

A marketing partnership of American Cyanamid Company and Rohm and Haas Company

SUGGESTED SPREADER SETTINGS

31 lbs. treats 20,000 sq. ft. at the 1.55 lbs. product per 1000 sq. ft. rate.

Spreader	Ground or PTO Speed	Width of Coverage	Recommended Rate Range (lbs. of Product Per 1000 sq. ft.)		Pattern Setting
			1.55	2.3	
Trusco Rotary	3 mph	8 feet	D $\frac{1}{2}$	F $\frac{1}{4}$	0.0
Scott Rotaries RS, R-1A S5 (cone D)	3 mph	8 feet	I	K	6
Scott Rotaries RS, R-1A	3 mph	8 feet	H	H $\frac{1}{2}$	6
Uji Models (see below)	4.5 mph	22 feet	3 $\frac{1}{2}$	3 $\frac{3}{4}$	II-C
Vicon (Model 03)	5.6 mph	19 feet	24	30	
Grizelawn	3 mph	24 feet	3 $\frac{1}{2}$	3 $\frac{3}{4}$	A

Setting of WAB, WER, HR, and 1250 PTO at 450 rpm.

NOTE: Only a guide to begin calibrating equipment listed. Age, condition of equipment, operator speed can cause wide variation in application rate. Carefully calibrate equipment before use to apply MACH 21 Granular Turf Insecticide properly. Rate shown by the operator.

DISCLAIMER

The actual conditions for use of this product affect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product, crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the use or application of the product contrary to label instructions, all of which are beyond the control of Rohmid LLC. All such risks shall be assumed by the user.

Rohmid LLC warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risk referred to above.

Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values or any other special or indirect damages.

Rohmid LLC makes no other express or implied warranty, including other express or implied warranty of FITNESS or of MERCHANTABILITY.

100020

10000-03
5/98

1197

5 8 7

FOR CONTROL OF IMMATURE STAGES OF CERTAIN INSECTS IN TURFGRASS.

NOT FOR SALE OR USE IN NASSAU
AND SUFFOLK COUNTIES, NEW YORK.

A Product
ROHMID



One Campus Drive • Parsippany, NJ 07054

A marketing partnership of
American Cyanamid Company and
Rohm and Haas Company

Net Weight: 33.3 lbs.

MACH 2TM

Granular Turf Insecticide



697

TM

MACH 2
Granular Turf Insecticide



1 07 53185 00019 4

