

PM-19.

Reg # 69117-1

193

[FRONT PANEL]

POINTER Insecticide

For Systemic Insect Control on Landscape Ornamentals
and Interior Plantscapes

ACTIVE INGREDIENT:

Imidacloprid: 1-[(6-Chloro-3-pyridinyl)methyl]-N-
nitro-2-imidazolidinimine

5%

INERT INGREDIENTS

95%

Total:

100%

Contains 6 grams (0.2 oz.) active ingredient per 120 ml (4 oz.) bottle

Keep Out of Reach of Children

WARNING

See back panel for additional precautionary statements.

ACCEPTED**MAR 21 1997**

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 69117-1

Net Wt. ____ oz. (ml)

EPA Reg. No. 69117-1

EPA Est. _____

97 MAR 11 P1:30

RECD L.A. P/DPD1

[BACK PANEL]

PRECAUTIONARY STATEMENTS**Hazards to Humans & Domestic Animals**

WARNING: Harmful if swallowed, inhaled or absorbed through skin. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Do not apply to food-bearing plants.

Statement of Practical Treatment

If Swallowed: Call a physician or poison control center. Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. **If In Eyes:** Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

Environmental Hazards

This product is highly toxic to fish and aquatic invertebrates. Do not apply to water or allow runoff from treated areas to contaminate aquatic sites. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues. Do not apply this product to blooming plants if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store above 65°F in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food and feed. Store in original container and out of reach of children, preferably in a locked storage area. **Disposal:** Do not reuse empty container; wrap and put in trash.

[Professional Use Label]

GENERAL INFORMATION

ArborSystems Injection System Using the Patented Wedgle™ Tip and WedgeChek™

The ArborSystems injection system injects pesticides or micronutrients into a tree with minimal wounding. This system will inject chemicals into the area of bark separation where the chemical can actively be transferred to other parts of the tree. Using this system, pesticides do not need to be sprayed onto the leaves or injected into the ground. Spring through summer is the ideal time for injection. Specifically, each tree needs to be inspected. The bark needs to be pliable and that depends on the weather in your location.

NOTE: When using Pointer Insecticide, the ArborSystems injection system must be clean periodically to prevent clogging.

How to use the ArborSystems Injection System

1. Use protective eyewear and rubber or neoprene gloves when handling or using the ArborSystems injection system.
2. Attach the chemical bottle to the injector gun.
3. Attach the Wedgle Tip to the injector gun.
4. Determine the thickness of the bark. Insert the Wedgle Tip into the fissure of the tree. If the tip penetrates more than one-half inch, you will make the injection in the fissure. If the tip penetrates less than one-half inch, you will make the injection through the tight bark of the tree.
5. Insert the WedgeChek punch into the tree. Remove the punch and squeeze the trigger to remove the bark core. Repeat this step while moving around the circumference of the tree. Be sure to follow the label directions on the chemical bottle to determine how many injection sites are needed on any given tree.
6. Insert the WedgeChek by either placing it directly into the tree or by placing it onto the Wedgle Tip, prior to inserting the tip into the tree.
7. Insert the Wedgle Tip with a straight motion through the WedgeChek. Make sure the hole in the tip passes completely through the WedgeChek. As the tip is pushed through the WedgeChek and the bark, the blunt-edged tip automatically stops when it reaches the wood.
8. With a smooth, quick motion, firmly squeeze both handles at the same time. This quick motion allows the bark to separate and the chemical to be deposited into the area. The WedgeChek plus the hole, allowing the chemical to remain in the tree.
9. Slowly withdraw the tip and repeat this step while moving around the circumference of the tree.
10. After the tree has taken up the chemical, each WedgeChek can either be removed or left in the tree.

Pests Controlled	Dosage
Adelgids, Aphids, Elm Leaf Beetle Larvae, Japanese Beetle, Lacebugs, Leafhoppers, Leafminers, Mealybugs, Scale Insects, Thrips	1 ml per 4 to 6" of trunk circumference Note: Depending on type of bark, the dosage per injection site may have to be reduced to ½ ml per site and the number of injection sites doubled.



Cross-section of the Tree Showing
Wedgle Tip and WedgeChek

[Domestic (Homeowner) Use Label]

GENERAL INFORMATION
Tree Insecticide Injectors

This product contains an insecticide that is injected into holes drilled into the tree trunk at ground level. The insecticide controls Adelgids, Aphids, Elm Leaf Beetle Larvae, Japanese Beetle, Lacebugs, Leafhoppers, Leafminers, Mealybugs, Scale Insects and Thrips on all types of trees. The premeasured doses are convenient and easy to use.

TOOLS: Tape measure and 1/4" drill

DOSAGE: Measure the circumference of the tree trunk at 4 feet above the ground. You will need one ampule (0.36 oz.) for every four to six inches of circumference.

INSTRUCTIONS:

1. Use rubber or neoprene gloves when handling this product.
2. Drill 1/2" deep holes into the tree at ground level. The holes should be drilled at a downward slant (about 45°). The holes should be evenly spaced around the tree. Use only a clean, sharp drill bit. Brad point drill bits are best.
3. Cut off the tip and squeeze the chemical into the holes. Use one ampule for each hole.



Drill Holes



Squeeze In Chemical

Treatments are more effective early in the growing season. Injections to conifers may be either slow in uptake or have no uptake at all.

Note: Holes drilled in a tree are wounds. One quarter inch and larger holes at 3 inch spacing should not be drilled in a tree more than once a year nor more than two consecutive years.

For assistance, contact
Arborsystems, LLC
P.O. Box 34645 ♦ Omaha, NE 68134
Toll-Free: 1-800-698-4641
Phone (402) 339-4459 ♦ FAX (402) 339-5011
E-mail address: arborsys@radiks.net

NOTICE OF WARRANTY

ArborSystems, Inc. warrants that this product conforms to the description on the label and is reasonably fit for use under average conditions when used strictly in accordance with the directions on the labeling. ArborSystems, Inc. does not make nor authorize any agent or representative to make any other warranty, guarantee or representation, express or implied, concerning this product.

POINTER is a trademark of ArborSystems, LLC ♦ WedgeTip and WedgeChek are trademarks of ArborSystems, LLC
Wedge Tip is protected by U.S. Patent #5,239,773 ♦ WedgeChek is Patent Pending