			~					
69117 -		ting form	-11-200	2		- •		12.34.23
Please read instructions or		ting form.		T ===				18 No. 2070-0060.
	United Sta			🛄	Registra	tion	OPP Iden	tifier Number
Enviro	onmental Prote		су	I —	Amendn			
1	401 M Street,	, S.W.		<u> </u>		ient		
\ \	Vashington, DC 2	20460-0001			Other			
			or Pesticide -	Section	n l		 	
1. Company/Product Num			2. EPA Pro			3 Pr	oposed Cla	ssification
	A Reg. No. 69117	7-1		Dani Dan		0. , .	0,00000	3311102(10))
4. Company/ Product (Nar		<u> </u>	PM#	Major Dan				
	ointer Insecticide	•	' ' ' ' '			=	None	Restricted
5. Name and Address of A	pplicant (Include ZIP (Code)	6. Expec	ited Re	view. In	accorda	nce with	FIFRA Section
ArborSystems, LLC	·							composition and
c/o RegWest Compa	ıην		labeling to			بارد از	in M	oompoomon and
30856 Rocky Road	•				MOT	IFICAT	ייוטן	
Greeley, CO 80631-	9375		EPA Reg.	No.	יטא	11		
2,00,0,, 22 0000,						111	5005	
<u> </u>			Product Na	ame	JAL			
	eck if this is a new add							
			Section – II					
Amendment – Explain		•			in response	to Agenc	y letter date	ed
Resubmission in respo	nse to Agency letter d	ated	_ 🛄 "Me Tod	o" Applicatio	on.			
Notification - Explain b	elow	-	DI Other -	Explain be	low			
Explanation: Use ad		essan/ (For Section		Explain bo				
Explanation: 030 au	omonar page(o) ii nece	socially. (I of Occide	in rand occion ii.					
ļ	Submit	lahel revision	notification per	PR Noti	ce 98-10			
to add t	he descriptive te					oumor	labeling	
lo add t	ile descriptive te	ini nee injec	tion as a builet	point to	Line Hollie	OWITE	laneiling	•
This settle stine is seen		niama af DO Mail	00 40 and 504		4 40 05	7 5 4 5 7	46	46
This notification is consi								
have been made to the								
Sec. 1001 to willfully ma								
of PR Notice 98-10 and penalties under sections			be in violation of r	TERA and	i i may be s	subject t	o emorcer	neni action and
perialities trider sections	12 and 14 of FIFRE	1.						
			Section – III					
1. Material This Product \								
Child Resistant Packaging	Unit Packaging		Water Soluble Pack	aging		ype of Co	ontainer	
☐ Yes*	🛄 Yes		Yes		4	/letal		
☐ No	☐ No		☐ No			Plastic		
*Certification must	If "Yes"	No. Per	If "Yes"	No. Pe		Slass		
be submitted	Unit Packaging Wgt.		Packaging Wgt.	Contair		Paper		
		<u> </u>		1		Other (Sp		
3. Location of Net Contents	Information	4. Size(s) Retail	Container				Directions	
					On La	bel	9 * * * * * * * * * * * * * * * * * * *	• •
🔲 Label	Container	,			i		companying	a Product
						bearing Ac	Companying	g Froduct
6. Manner in Which Label is	s Affixed to Product	Lith	*	Stenci				
	Paper glued Other							
		S	Section - IV			-		
1. Contact Point (Comp	lete items directly be	low for identificat	tion of individual to b	e contact	ed, if necess	ary, to p	rocess this	application).
Name		Title			Telephone	Ne (Inclu	ide Area Co	ode)
					,			
Kim Davis, CC, APC		Cor	Consultant/Agent (970) 353			353-06	1 1	
		Certification			<u> </u>	6. Date Application		
I certify that the state	mente I hove m			imante f	hareta ara	. fru	Receiv	ed
							, (১	(amped)
accurate and complete				auing St	aleinent M	ay be	•	-
punishable by fine or in	nprisonment or bo				·			
2. Signature		3. Titl	e			1		
()			_					
<u> </u>	1/ ,			ant/Age	nt			
4. Typed Name	, 2	5. Dat	te					
Kim Davis, CC, APC November 3, 2001								
EPA Form 8570-1 (Rev. 8-9	Previous editions ar	re obsolete.			. —			

69117-1: Page 1 of 4 02/20/01 SAL + 11/03/01 NOTIF

POINTER™ INSECTICIDE

For Systemic Insect Control on Landscape Ornamentals and Interior Plantscapes

[Tree Injection]
[Convenient, Easy-to-Use]
[Premeasured Doses]

NOTIFICATION

JAN 1 2002

Controls [Choose from Listed Pests]
{Listed Pests:} Adelgids, Armored Scales (suppression), Aphids, Elm Leaf Beetles,
Black Vine Weevil Larvae, Eucalyptus Longhorned Borer, Flathead Borers
(including Bronze Birch Borer and Alder-Birch Borer), Japanese Beetles, Lacebugs, Leafhoppers,
Leafminers, Mealybugs, Sawfly Larvae, Pine Tip Moth Larvae, Psyllids, Royal Palm Bugs, Soft Scale
Insects, Thrips (Suppression), White Grub Larvae (such as Japanese Beetle Larvae, Chafers,

Asiatic Garden Beetle and Oriental Beetle) and Whiteflies
On All Types of Ornamental Trees

Phyllophaga spp.,

Active Ingredient:	
Imidacloprid (CAS No. 138261-41-3)	5%
Other Ingredients	95 <u>%</u>
Total	
Contains 6 grams (0.2 oz.) active ingredient per 120 ml (4 oz	

Keep Out of Reach of Children WARNING

See below [outsert] [back panel] for additional precautionary statements.

Net Wt. 4 c	oz. (120 ml)	
[ampules, Net Wt. 0.3	36 oz. each, oz. total]	
FPA Reg. No. 69117-1	FPA Est.	

[Sold by]
ArborSystems, LLC
P.O. Box 34645
Omaha, NE 68134

PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

WARNING: Harmful if swallowed, inhaled or absorbed through skin. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear safety glasses. Thoroughly wash with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

First Aid

If Swallowed	 Immediately call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. 				
ĺ	Do not induce vomiting unless told to do so by the poison control center or doctor.				
	Do not give anything by mouth to an unconscious person.				
If Inhaled	Move person to fresh air.				
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.				
	Call a poison control center or doctor for further treatment advice.				
lf on Skin	Take off contaminated clothing.				
or Clothing	Immediately rinse skin with plenty of water for 15-20 minutes.				
•	Call a poison control center or doctor for treatment advice.				
If in Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.				
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.				
	Call a poison control center or doctor for treatment advice.				
	ct container or label with you when calling a poison control center or doctor, or going for treatment. You ct 1-800-698-4641 for emergency medical treatment information.				

may also contact 1-800-698-4641 for emergency medical treatment information.

{Note: The First Aid statements' grid format will be used if market label space permits; otherwise a paragraph format will be used.}

Environmental Hazards

This product is highly toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming plants or weeds. Do not apply this product or allow it to drift to blooming plants or weeds if bees are visiting the treatment area.

For assistance, contact ArborSystems at 402-339-4459

{Professional Use Label}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store above 65°F in a cool, dry place and in such a manner as to prevent cross contamination with fertilizers, food, feed and other pesticides. Store in original container out of reach of children, preferably in a locked storage area. Disposal: Do not reuse empty container; wrap and put in trash.

GENERAL INFORMATION Do not Apply to Food Bearing Plants

ArborSystems Injection System using the Patented Wedgle™ Tip and WedgeChek™

The ArborSystems injection system injects pesticides or micronutrients into a tree with minimal wounding. The system injects chemicals into the area of bark separation where the chemical can actively be transferred to other parts of the tree. Spring through late summer is the ideal time for injection. Injections made during the spring or summer will be more successful than waiting until the fall. Specifically, each tree needs to be inspected. The bark needs to be pliable and that depends upon local weather conditions.

Note: When using Pointer™ Insecticide, the ArborSystems injection system must be cleaned periodically to prevent clogging.

How to Use the ArborSystems Injection System

1. Use protective eyewear and rubber or neoprene gloves when handling or installing the ArborSystems injection system.

69117-1: Page 3 of 4 02/20/01 SAL + 11/03/01 NOTIF

- 2. Remove the small tab on top of the bottle and attach the bottle of chemical to the injector gun.
- 3. Attach the Wedgle™ Tip to the injector gun. Make sure the small hole in the tip is pointing straight up. Set the delivery volume on the syringe to 1 ml or ½ ml, as appropriate.
- 4. Determine the thickness of the bark. Insert the Wedgle™ Tip into the fissure or valley of the tree. If the tip penetrates more than the length of a WedgeChek™, the injection will be made in the fissure. If the tip penetrates less than the length of a WedgeChek™, the injection will be made through the tight outer bark of the tree.
- 5. Insert the WedgeChek™ punch into the tree. Rotate the punch to separate the core from the tree bark and remove the punch from the tree. Squeeze the trigger to remove the bark core and make sure the removed core is as long as the WedgeChek™. Repeat this step while moving around the circumference of the tree. Be sure to follow the label directions on the chemical bottle outsert to determine how many injection sites are needed on any given tree. Usually this is approximately 1 injection for every 4 to 6 inches of circumference.
- 6. Put the WedgeChek™ on the Wedgle™ Tip, prior to inserting the tip into the tree.
- 7. Using a straight motion insert the Wedgle™ Tip into the tree until it stops against the wood. This will usually be about ½" on Elms, shorter on crabapple, cak and sycamore trees. As the tip is pushed into the tree, the WedgleTip™ cuts through the WedgeChek™ and the blunt-edged tip automatically stops when it reaches the wood.
- 8. Using a smooth motion, firmly squeeze both handles at the same time. This motion allows the bark to separate and the chemical to be deposited into the area. The WedgeChek™ plugs the hole, allowing the chemical to remain in the tree.
- 9. Slowly withdraw the tip and repeat this step while moving around the circumference of the tree.
- 10. Move laterally and make the next injection until the entire tree trunk has been treated. The WedgeCheks™ may be left in the tree and used to inject the tree the following year.

Pests Controlled	Dosage
Adelgids, Armored Scales (suppression), Aphids, Elm Leaf Beetles, Black Vine Weevil Larvae, Eucalyptus Longhorned Borer, Flatheaded Borers (including bronze birch borer and alder-birch borer), Japanese Beetles, Lacebugs, Leafhoppers, Leafminers, Mealybugs, Sawfly Larvae, Pine Tip Moth Larvae, Psyllids, Royal Palm Bugs, Soft Scale Insects, Thrips (suppression), White Grub Larvae (such as Japanese beetle larvae, Chafers, <i>Phyllophaga</i> spp., Asiatic Garden Beetle and Oriental Beetle) and Whiteflies.	1 ml per 4 to 6" of trunk circumference. Note: Depending on type of bark, the dosage per injection site may have to be reduced to ½ ml per site and the number of injection sites doubled.

Cross-section of tree showing Wedgle™ Tip and WedgeChek™

{Domestic/Homeowner Use Label - Ampules}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Storage: Store above 65°F in a cool, dry place and in such a manner as to prevent cross contamination with fertilizers, food, feed and other pesticides. Store in original container out of reach of children, preferably in a locked storage area. Disposal: Do not reuse empty container; wrap and put in trash.

GENERAL INFORMATION Tree Insecticide Injectors Do not Apply to Food Bearing Plants

This product contains an insecticide that is injected into holes drilled into the tree trunk at the flare of the tree. The insecticide controls Adelgids, Armored Scales (suppression), Aphids, Elm Leaf Beetles, Black Vine Weevil Larvae, Eucalyptus Longhorned Borer, Flatheaded Borers (including bronze birch borer and alder-birch borer), Japanese Beetles, Lacebugs, Leafhoppers, Leafminers, Mealybugs, Pine Tip Moth Larvae, Psyllids, Royal Palm Bugs, Soft Scale Insects,

Sawfly Larvae, Thrips (suppression), White Grub Larvae (such as Japanese beetle larvae, Chafers, *Phyllophaga* spp., Asiatic Garden Beetle and Oriental Beetle) and Whiteflies on all types of ornamental trees. The pre-measured doses are convenient and easy to use.

{Illustration of measuring tree}	{Illustration of tree and drilling hole}	{Illustration of product application}
Tools: Tape measure and 3/8" drill. Dosage: Measure the circumference of the tree trunk at 4 feet above the ground. You will need one ampule (0.36 oz.) for every four to six inches of circumference.	holes at a downward slant (about 45°). Evenly space the holes around the tree. Use only a clean, sharp drill bit.	Use rubber or neoprene gloves when handling this product. Cut off the tip and squeeze the chemical into the holes. Use one ampule for each hole.

Treatments are more effective early in the growing season. Injections to conifers may be either slow in uptake or have no uptake at all.

Note: Holes drilled in a tree are wounds. Do not drill holes (three-eighths (3/8) inch and larger at 3-inch spacing) in a tree more than once a year or more than two consecutive years.

{Professional Use and Domestic/Homeowner Use Labels}

Notice of Warranty

ArborSystems, LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for use under average conditions when used strictly in accordance with the directions on the labeling. ArborSystems, LLC does not make or authorize any agent or representative to make any other warranty, guarantee or representation, express or implied, concerning this product.

For assistance contact

ArborSystems, LLC P.O. Box 34645 Omaha, NE 68134

Toll-Free 1-800-698-4641 Phone (402) 339-4459 FAX (402) 339-5011

www.arborsystemslic.com

Pointer™, Wedgle™ Tip and WedgeChek™ are registered trademarks of ArborSystems, LLC

Wedgle™ Tip is protected by U.S. Patent #5,239,773 WedgeChek™ is protected by U.S. Patent #5,797,215

MOTFICATION
JAN 1 2002

nsecticide

Tree injection Added builet point

- Systemic Insect Control on Landscape Ornamentals and Interior Plantscapes
- 🗱 Convenient, Easy-to-use
- emeasured Doses

Controls Adelgids, Aphids, Elm Leaf Beetles, Flathead Borers, Japanese Beetles, Leafhoppers, Leafminers, Mealybugs, Psyllids, Soft Scale Insects, Whiteflies and Other Listed Insects on all types of ornamental trees.

DO NOT APPLY TO FOOD-BEARING PLANTS

ACTIVE INGREDIENT Imidacloprid (CAS No.: 138761-41-3) OTHER INGREDIENTS:

EPA Reg. No. 69117-1 EPA Est. 54292-IL-1





Keep Out of Reach of Children

WARNING

See back panel for additional precautionary statements.

POINTER" Insecticide





Net Wt. 0.36 oz. each 2.16 oz. total

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.


STORAGE AND DISPOSAL

Storage: Store above 65°F in a cool, dry place and in such a manner as to prevent cross contamination with fertilizers, food, feed and other pesticides. Store in original container out of reach of children, preferably in a locked storage area. Disposal: Do not reuse empty container; wrap and put in trash.

GENERAL INFORMATION


Tree insecticide Injectors
Do Not Apply to Food Bearing Plants

This product contains an insecticide that is injected into holes drilled into the tree trunk at the flare of the tree. The insecticide controls Adeigias, Armored Scales (suppression), Aphids, Erin Leaf Beeties, Black Vine Weevi Larvae, Eucalyptus Longnormed Borer, Flathead Borers (including Bronze Birch Borer and Alder-Birch Borer). Japanese Beeties, Lacebugs, Leafhoppers, Leafmeners, Mealybugs, Pine Tip Moth Larvae, Psyrids, Royal Palm Bugs, Sawfly Larvae (such Scale Insects, Thrips (suppression), White Grub Larvae (such as Japanese Beetie Larvae), Chalers, Phyliaphaga spp., Asiatic Garsen Beetie and Oriental Beetle) and Whiteflies on all types of ornamental trees. The pre-measured doses are convenient and easy to use.




TOOLS: Tape measure and 3/8" drill. **DOSAGE:** Measure the circumference of the tree trunk at 4 feet above the ground.

You will need one ampule (0.36 oz.) for every four to six inches of circumference.



INSTRUCTIONS: Drill 1/2" deep noles into the tree at the flare of the tree. Drill the holes at a downward stant (about 45°). Evenly space the holes around the tree. Use only a clean, sharp drill bit. Brad point drill bits are pest.



Use rupper or neoprene gloves when handling this product.

Cut off the tip and squeeze the chemical into the noies. Use one ampule for each hole.

Treatments are more effective early in the growing season. Injections to conifers may either be slow in uptake or have no uptake at all.

NOTE: Holes drilled in a tree are wounds. Do not drill holes (three-eighths (3/8) inch and larger at 3-inch spacing) in a tree more than once a year or more than two consecutive years.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: Harmful if swallowed, inhaled or absorbed through skin. Causes substantial out temporary eye injury. Do not get in eyes or on clothing. Wear safety glasses. Thoroughly wash with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

If Swallowed: Immediately call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless toid to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If I Inhaled: Move person to fresh air, floeron is not breatming, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth. If possible. Call a poson control center or doctor for further treatment advice. If on Skin or Clothing: Take off contaminated conting, immediately rinse skin with pienty of water for 15-20 minutes. Call a poson control center or doctor for treatment advice. If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue innsing eye. Call a poison control center or doctor for treatment. However, the product container or label with you when calling a poison control center or doctor for treatment. You may also contact 1-800-698-4641 for emergency medical treatment information.


Environmental Hazards

This product is highly toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to interical ares below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residoes on blooming-plants or weeds. Do not apply this product or allow it to drift to blooming plants or weeds if bees are visiting the treatment arcs.

NOTICE OF WARRANTY

ArborSystems, LLC warrants that this product conforms to the chemical description on the label and is reasonably in fit for use under average conditions when used strictly in accordance with the directions on the labeling. ArborSystems, LLC does not make or authoritize any agent or representative to make any other warranty, guarantee or representation, express or implied, concerning this product.





Sold By Arbor Systems, LLC P.O. Box 34645 Omana, NE 68134 www.arborsystemslic.com Distributed By Lavyn and Garden Products, Inc. 80, 80x 35000 Fresho, CA 93745 www.montereylavvngarden.com

MT_PT/BC6_01-101

....

POINTER" Insecticide



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

STORAGE AND DISPOSAL


Storage: Store above 65°F in a cooi, dry place and in such a manner as to prevent cross contamination with fertilizers, food, feed and other destrictes. Store in original container out of reach of children, preferably in a locked storage area. Disposal: Do not reuse empty container; wrap and put in trash.

GENERAL INFORMATION

Tree Insecticide Injectors
Do Not Apply to Food Bearing Plants


This product contains an insecticine interior by the Pool Bearing Plants.

This product contains an insecticine interior is implicitly into noise strilled into notes the tree trunk at the flare of the tree. The insecticide controls Adelgids. Armored Scales (suppression), Aprilds. Eim Leaf Beetles, Black Vine Weevil Larvae, Escaptius Longmorned Borer. Flatinead Borers indicularing Bronze Birch Borer and Alder-Birch Borerl, Jabanese Beetles, Lactbugs, Leafhoppers, Leafho




TOOLS: Tape measure and 3/8" on! DOSAGE: Measure the circumference of the tree trunk at 4 feet above the ground.

You will need one ampule (0.36 az.) for every four to six inches of circumference.



INSTRUCTIONS: Drill 1/2" deep holes into the tree at the flare of the tree. Drill the holes at a downward stant (about 45"). Evenly space the holes around the tree. Use only a clean, sharp drill bit. Brad point drill bits are best.



4.32 oz. total

Use rubber of necorene gloves when handling this product.

Cut off the tip and squeeze the chemical into the noies. Use one ampule for each noie.

Treatments are more effective early in the growing season. Injections to conifers may either be slow in uptake or have no uptake at all.

NOTE: Holes drilled in a tree are wounds. Do not drift holes (three-eighths [3/8] inch and larger at 3-inch spacing) in a tree more than once a year or more than two consecutive years

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals
WARNING: Harmful if swillowed, innaled or absorbed through skin. Causes substantial but temporary eye injury.
Do not get in eyes or on clothing. Wear safety glasses. Thoroughly wash with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

If Swallowed: Immediately call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If Inhaled: Move person to fresh air, if person is not breatning, call 911 or an amoutance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. If no skin or Clothing: Take off contaminated clothing, Immediately finse skin or Clothing: Take off contaminated clothing, Immediately finse skin or Clothing: Take off contaminated clothing, Immediately finse skin or Clothing: Take off contaminated clothing, Immediately finse skin or Clothing: Take off contaminated clothing, Immediately finse skin or Clothing: Take off contaminated clothing. If the Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor for treatment advice.

Environmental Hazards

This product is highly toxic to fish and adjustic invertebrates. Do not apply directly to water, to areas where surface water is present or to interdial ares below the meen high water mark. Do not contaminate water when disposing of equipment wastimaters. This product is nighly toxic to bees exposed to direct treatment or residues on blooming plants or weeds. Do not apply this product or allow it to drift to blooming plants or weeds if bees are visiting the treatment are a.

NOTICE OF WARRANTY

ArborSystems, LLC warrants that this product conforms to the chemical description on the label and is reasonably of the use under average conditions when used strictly in accordance with the directions on the labeling. ArborSystems, LLC does not make or authorize any agent or representative to make any other warranty, guarantee or representative, express or implied, concerning this product.





Sold By Arbor Systems, LLC RO, Box 34645 Omana, NE 68134 www.arborsystemsilc.com Distributed By Lawn and Garden Products, Inc. RO: Box 35000 Fresno, CA 93745 www.montereylawngarden.com

MT_PT/BC12_01-101