

69332-3

07/17/2006

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Mr. James Messina
Authorized Representative of Pet Logic, LLC
Exponent
1730 Rhode Island Avenue, NW
Suite 1100
Washington, DC 22036

JUL 17 2006

Dear Mr. Messina,

Subject: Label Amendments
PL#8208-55D
EPA Reg. No. 69332-3
PL#1001
EPA Reg. No. 69332-4
Submissions dated May 19, 2006

The label amendments referred to above, submitted in connection with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) are acceptable provide you make the following changes:

Front Panel of the Label

1. The proposed deletions are not acceptable. Retain the previously approved language.

Precautionary Statements

2. **Hazards to Humans:** The precautionary language in this section must be retained because the product's toxicity category is category III. The statement should read: "Wash thoroughly with soap and water after handling and also before eating, drinking, chewing gum, or using tobacco."
3. **Hazards to Domestic Animals:** In order to be consistent with the directions for use and animal safety data, retain the reference to cats weighing 2.2 lbs. The statement should read: "Do not use on cats under 2.2 pounds" Remove the reference to 5 pound cats.


Directions for Use – For Use on Cats

4. Retain the reference to 2.2 lbs. cats because identification of the lower weight limit is necessary for animal safety. The statement should read: “Weighing 2.2 pounds to 5 pounds -...”

If you intend to sell products exclusively for either small or large cats, please inform EPA.

A stamped copy of the label is enclosed for your records. If you have any questions, please contact Kevin Sweeney at (703) 305-5063.

Sincerely,


for

George LaRocca
Product Manager 13
Registration Division (7505P)

Enclosure

Sergeant's Master Label

12 May 2006 EPA AMEND
Information in [] is optional.

EPA Reg. No. 69332-3
Page 1 of 3 12 May 2006

FRONT PANEL

CAT SQUEEZE - ON Pyriproxyfen (NYLAR), Etofenprox

Editors Note: [Optional proposed text appears in brackets - the final label may include some or all of the optional text]

SPI #8208-55D

[[ETOFPENPROX] SPOT-ON [SQUEEZE-ON] [STRIPE-ON]]
[FLEA, (Deer) or (Black Legged) TICK, and MOSQUITO CONTROL FOR CATS]

~~[for smaller cats over 2.2 lbs and under 5 lbs.]~~

[For cats 5 lbs and over]

~~[for cats and litters over 12 weeks of age and over 2.2 lbs.]~~

[for cats and kittens over 12 weeks of age]

[WITH NYLAR®]

[[ONE], [TWO], [THREE], MONTH SUPPLY]]

[QUICK ACTING & LONG LASTING]

ACCEPTED
with COMMENTS
In EPA Letter Dated
JUL 17 2006
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
69332-3

ONE APPLICATION: (choose from the following)

- [Monthly Protection]
- [Reapply Monthly]
- [Repels mosquitoes [for up to 30 days]]
- [BREAKS FLEA LIFE CYCLE FOR UP TO [3 MONTHS] [90 DAYS]]
- [KILLS ADULT FLEAS FOR UP TO [28 DAYS] [4 WEEKS] [1 MONTH] [per application]]
- [KILLS FLEA EGGS AND LARVAE FOR UP TO [3 MONTHS] [90 DAYS] [per application]]
- [KILLS FLEAS, (Deer) or (Black legged) TICKS, FLEA EGGS & LARVAE]
- [MONTHLY FLEA, (Deer) or (Black legged) TICK, MOSQUITO, and FLEA EGG and LARVAE PROTECTION]
- [5 WAY PROTECTION [Kills fleas, (Deer) or (Black Legged) Ticks, Flea Eggs & Larvae, and repels mosquitoes]
- [Quick Acting, Long Lasting]
- [Specially formulated for Cats]
- [KILLS FLEAS, (Deer) or (Black legged) and TICKS for up to [4 WEEKS] [1 MONTH] [28 DAYS] [per application]]
- [KILLS FLEA EGGS AND LARVAE for up to [3 MONTHS] [90 DAYS] [per application]]
- [PREVENTS FLEA EGGS FROM DEVELOPING INTO BITING ADULTS FOR UP TO [90 DAYS] [3 MONTHS] [per application]]
- [KILLS (Deer) or (Black legged) TICKS FOR UP TO [28 DAYS] [4 WEEKS] [1 MONTH] [per application]]
- [KILLS (Deer) or (Black legged) TICKS [BEFORE THEY CAN] [THAT] TRANSMIT LYME DISEASE, FOR UP TO [4 WEEKS] [1 MONTH] [per application]]
- [PREVENTS MOSQUITOES THAT TRANSMIT WEST NILE VIRUS FROM FEEDING ON CATS FOR UP TO ONE MONTH (per application)]

{Ingredient Statement may be on front or back label}

ACTIVE INGREDIENTS:

Etofenprox..... 55.00%

Pyriproxyfen..... 2.20%

OTHER INGREDIENTS:..... 42.80%

TOTAL 100.00%

[Nylar® is a registered trademark of McLaughlin Gormley King Company]

KEEP OUT OF REACH OF CHILDREN CAUTION

See [Back][or][Side] Label Panel[s] for Additional Precautionary Statements

NET CONTENTS:

[One] [Two][Three] 0.7 mL applicators. ~~[(for small cats under 2.2 lbs and 5 lbs)]~~

[One] [Two][Three] 1.4 mL applicators. (for large cats over 5 lbs)

[Two] 0.7 mL applicators. (for large cats over 5 lbs)

Sergeant's Master Label

12 May 2006 EPA AMEND
Information in | | is optional.

EPA Reg. No. 69332-3
Page 2 of 3 12 May 2006

4/5

BACK PANEL

CAT SQUEEZE – ON
Pyriproxyfen (NYLAR), Etofenprox

{Product Name}

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON CATS

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

HAZARDS TO HUMANS: Causes moderate eye irritation. Avoid contact with eyes and clothing. Wash thoroughly with soap and water after handling. ~~and before eating, drinking, chewing gum, or using tobacco.~~ Repeated exposure to etofenprox can cause skin irritation.

HAZARDS TO DOMESTIC ANIMALS: For External Use Only. Do not use on pets under 12 weeks of age. [Do not use on cats under ~~(2.2)~~ (5) pounds.] Consult a veterinarian before using this product on debilitated, aged, pregnant, or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated animals.

PHYSICAL OR CHEMICAL HAZARDS: Combustible: Do not use or store near heat or open flame.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-224-PETS for emergency medical treatment information.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not get this product in your pet's eyes or mouth. Do not apply more often than once every 30 days. Use only on Cats. Do not bathe pet within the first 24 hours after squeeze-on has been applied. Households with more than one cat should not allow cats to groom each other until solution has dried.

FOR USE ON CATS:

Weighting ~~2.2 pounds to~~ less than 5 pounds - Apply contents of one (0.7 mL) tube [vial] of {Product Name} as a spot high on the back of the cat's neck behind its head.

Weighting 5 pounds or more - Apply contents of two (0.7 mL) tubes [vials] of {Product Name} solution as a spot or stripe, starting high on the back of the cat's neck to in front of the shoulder blades.

Or Apply one (1.4 mL) tube [vial] of {Product Name} solution as a spot or stripe, starting high on the back of the cat's neck to in front of the shoulder blades.

(INSERT DIAGRAM THAT DEPICTS APPLICATION OF PRODUCT ON THE CAT)

HOW TO APPLY:

Remove product tube [vial] from the package. Holding tube [vial] with notched end pointing up and away from the face and body, cut or tear off the narrow end at the notches. While holding the animal with one hand, use the other hand to apply the solution. Invert the tube [vial] and use the narrow end to part the animal's hair. Apply gently squeezing to apply to the animal's skin. Hold the animal for a few seconds to give the solution time to be absorbed into the animal's coat. When finished, wrap the tube [vial] in paper and put into the trash.

Sergeant's Master Label

12 May 2006 EPA AMEND
Information in | | is optional.

EPA Reg. No. 69332-3
Page 3 of 3 12 May 2006

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in a cool, dry place.

Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Container Disposal: Do not reuse empty container. Wrap and put in trash.

[NOTICE OF WARRANTY Sergeant's Care Pet Products, Inc. makes no warranty of merchantability, fitness for any particular purpose, or otherwise expressed or implied concerning this product or its uses which extend beyond the use of the product under normal conditions in accordance with the statements made on this label.]

[Sergeant's Care Pet Products, Inc. is committed to providing high quality products. If you have questions or comments about this product, please write: Sergeant's Consumer Response, P.O. Box 540399, Omaha, NE 68154-0399.]

In Case of Emergency, call: 1-800-781-4738
Non-Emergency call 1-800-224-PETS (7387)

[For more information] [Visit us at:] www.sergeants.com
Made in USA

Distributed by:
Pet Logic, LLC, A Division of
Sergeant's Pet Care Products, Inc.
Omaha, NE 68130
{END - BACK / SIDE PANEL}

EPA Reg. No. 69332-3
EPA Est. No. XXXXXXXX
{date & label code}

TUBE / VIAL LABEL

Front Label

Back Label

<p>{Product Name}</p> <p>Etofenprox55.0% W/W</p> <p>Pyriproxyfen2.2% W/W</p> <p>0.7 mL (or) 1.4 mL {label code}</p>	<p>KEEP OUT OF REACH OF CHILDREN</p> <p>CAUTION: Read directions and precautions before using.</p> <p>EPA REG. No. 69332-3 {label code}</p>
---	---