

69361-3

5/30/2001

Page 186

MAY 30 2001

Mr. Madhu Mandava  
 Agent for  
 REPAR CORPORATION  
 1730 M Street, NW, Suite 906  
 Washington, DC 20036-4512

SUBJECT: Label Amendment  
 Repair Weed and Feed 28-3-9, EPA Reg. No. 69361-3  
 Your Letter Dated March 16, 2001

The above mentioned amendment submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended is acceptable provided you make the required changes listed below:

1. It is recommended that the subheading "Use Precaution and Restrictions be added and restrictions and precautions be placed under this subheading.
2. It is recommended that the "Statement of Practical Treatment" be changed to "First Aid"
3. It is recommended that the "Storage and Disposal" be changed as follows:

**Storage and Disposal**

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

**Pesticide Storage:**

**Pesticide Disposal:**


**Container Disposal:**

CONCURRENCES

SYMBOL ▶	7505C							
SURNAME ▶	MINOR, E.							
DATE ▶	May 30, 2001							

Submit one (1) copy of your final printed labeling before you release the product for shipment. The amended labeling supersedes all previously accepted ones. A stamped copy of the labeling is enclosed for your records.

Sincerely,



Dan Rosenblatt  
Acting Product Manager, (25)  
Herbicide Branch  
Registration Division (7505C)

Enclosure

ACCEPTED  
with COMMENTS  
In EPA Letter Dated 3/9/6  
MAY 30 2001

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
69361-3

(FRONT PANEL)

# REPAR BROAD SPECTRUM WEED & FEED

## 28-3-9

### ACTIVE INGREDIENTS:

#### Chlorflurenol

Methyl 2-Chloro-9-Hydroxyfluorene-9-Carboxylate . . . . .	0.12%
Methyl 9-Hydroxyfluorene-9-Carboxylate. . . . .	0.03%
Methyl 2,7-Dichloro-9-Hydroxyfluorene-9-Carboxylate . . . . .	0.02%
*Dimethylamine Salt of Dicamba . . . . .	0.12%
Dimethylamine Salts of Related Acids. . . . .	0.03%

INERT INGREDIENTS. . . . . 99.68%

TOTAL 100.00%

\*Equivalent to 0.102% 3,6-Dichloro-o-Anisic Acid

The contents of this bag treats 5,000 sq. ft.

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION

#### Statement of Practical Treatment (First Aid)

**IF SWALLOWED:** Call a physician or Poison Control Center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or physician.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or physician for treatment advice.

**IF ON SKIN:** Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Get medical attention. Call a poison control center or physician for treatment advice.

Have the product container or label with you when calling a poison control center or physician or going for treatment


See back panel for additional precautions

EPA Reg. No. 69361-3

EPA Est. (TBD)

NET WEIGHT 17.5 lbs.

MANUFACTURED FOR:  
Repar Corporation  
P.O. Box 4321  
Silver Spring, MD 20914



(BACK PANEL)

# REPAR BROAD SPECTRUM WEED & FEED 28-3-9

## GUARANTEED ANALYSIS

Total Nitrogen (N)	28%
1.2% Ammoniacal Nitrogen	
20.8% Urea Nitrogen	
6.0% Coated Slow Release Area Nitrogen	
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> )	3%
Soluble Potash (K <sub>2</sub> O)	9%
Sulfur	5.4%

Plant Nutrients Derived From: Ammonium Phosphate, Muriate of Potash, Urea and Sulfur Coated Urea.

Chlorine (Cl) Maximum . . . . . 8%

Potential Acidity Equivalent to 1019 lbs. of Calcium Carbonate Per Ton.

## PRECAUTIONARY STATEMENTS

### HAZARDOUS TO HUMANS (& DOMESTIC ANIMALS)

#### CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and water after handling.

### ENVIRONMENTAL HAZARDS

Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters or rinsate.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product through any irrigation system.

Keep children and pets out of the treated area until sprays have dried. Keep animals and unprotected persons out of operational areas during treatment.

For Use of ALL Established Turfs, including sensitive species such as Centipede and St. Augustine, except Desirable Clovers, Bent, Dichondra and Carpet Grass. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes

## WEED CONTROL

The Repair's Broad Spectrum Weed and Feed controls a wide range of perennial and annual weeds including Dandelion, Buckhorn Plantain, Common Chickweed, White and Red Clover, Hop Clover, Maretail, Heal All Henbit, Ground Ivy, Knotweed, Black Medic, Purslane, Yellow Rocket, Thistles and other miscellaneous Broadleaf Weeds.

EFFECTIVE APPLICATION OF REPAR'S BROAD SPECTRUM WEED AND FEED FOR MOST WEED LEAVES SHOULD BE DAMP FROM RAIN, DEW OR SPRINKLING TO ALLOW THE PRODUCT TO STICK TO THE LEAF. A LACK OF MOISTURE ON THE WEED LEAVES WILL REDUCE WEED CONTROL.

### WHAT TO LOOK FOR:

Because Repair's Broad Spectrum Weed and Feed contains no 2,4-D or related herbicides, symptoms of weed killing action may not be the same as those shown by 2,4-D type products. Repair's Broad Spectrum Weed and Feed, properly applied, first reduces or eliminates the formation of most weed flower heads and the seeds they produce and then attacks and removes the mature weed itself. Look for an absence or stunting of seed heads in flowering weeds such as clover or dandelions. Some weeds may also show twisting stems and dwarfed appearance with appearance with curling of the leaves.

Repair's Broad Spectrum Weed and Feed is designed with an excellent turf nutrient diet to allow grass plants to gradually fill in the areas around dying weeds. This allows for a more natural recovery of the turf and minimizes reinfestations of bare areas by wind-borne weed seeds. Applied as directed, the rich green color will not be affected.

UNDER NORMAL GROWING CONDITIONS, WEED KILL SHOULD BE COMPLETE WITHIN 21 TO 35 DAYS.

### WHEN TO APPLY:

Apply any time weeds are actively growing and temperature is above 60°F. Do not apply when turf is under stress from heat, excessive moisture or drought. Control is quicker and more complete if applied in the spring prior to weed flower formation. Control is slower if applied when weather is cool. On newly seeded areas, wait until grass has been cut two or three times before using. Delay planting new grass for at least three weeks as the active ingredients may temporarily inhibit seed germination.

### HOW TO APPLY:

EFFECTIVE APPLICATION OF REPAR'S BROAD SPECTRUM WEED AND FEED REQUIRES THE WEED LEAVES TO BE DAMP FROM RAIN, DEW OR SPRINKLING PRIOR TO APPLICATION. A LACK OF MOISTURE ON THE WEED LEAVES WILL REDUCE WEED CONTROL. Apply evenly over the entire lawn at the rate of 3.5 lbs/1000 sq. ft. Rain or heavy sprinkling within 24 hours of application will temporarily delay seed control. Mowing within 24 hours of application may reduce effectiveness. Wait at least 4 weeks before making a second application.

Use the suggested spreader settings as a guide being sure to check your spreader at the beginning of the application. Adjust your spreader if necessary. Be sure to shut off spreader while turning or stopping to prevent accidental over application and burning of grass. SPECIAL NOTE: Repair's Broad Spectrum Weed and Feed is designed to be absorbed by plant leaves. Accidental application of this product to the foliage of ornamentals such as roses may result in the loss of flowers. For this reason, extra care should be taken when using a broadcast or rotary type spreader.

**SUGGESTED SPREADER SETTINGS**

- Central
- Central Broadcast
- Cyclone
- Greenview
- Ortho 3000
- Ortho 4000
- Scotts Drop
- Scotts Broadcast
- Sears Drop
- Sears Broadcast

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.  
**Storage:** Store in original container in a locked storage area. Keep container closed and away from food, feedstuffs and domestic water supplies.  
**Container Disposal:** Securely wrap original container in several layers of newspaper and discard in trash.

**WARRANTY STATEMENT**

**MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purpose set forth in the Directions For Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.**

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. **FOLLOW DIRECTIONS CAREFULLY.** Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer.